

CAMTREE

Gripper Car Suction Mount

C-G-10

INSTRUCTION MANUAL



All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the publisher.

INTRODUCTION

Our **CAMTREE Gripper G-10 Car Suction Mount** is a custom designed production tool that allows shooters to mount their DV/DSLR/Mirror Less cameras on most flat surfaces where handheld and fixed mount configurations are not possible. Using strong Industrial suction cups for positive load-bearing contact for cameras up to 6kgs, the Suction Mount adds the “Wow” factor to production value most evident in running footage on land, sea and air.

IN THE BOX

Please inspect the contents of your shipped package to ensure you have received all that is pictured and listed below.



Storage Case



Suction Cup Gripper



3 x 450mm Rods

4 x 300mm Rods



Suction Cup Dust Cover



6 x Universal Joint Clamp



3 x 110mm Rods



3 x Mounting Clamp With Pouch



Grey Plate with Febric



Cup Adapter



Camera Platform with
3 x 110mm Rods



Safety Cable



Locking Adapter



6 x Hex Knob

ASSEMBLING YOUR Gripper G-10 Car Suction Mount

- Select a surface position for your suction cup and lock it with the lever on it.



- Now loosen the knob on suction cup, then attach 110mm rod to it and retighten with same knob.



- Loosen the knob from joint clamp and attach it to 110mm rod.



- Then insert 450mm aluminum rod to joint clamp and tighten properly. Repeat this process for next 2 suction cups.



- Attach joint clamp to camera platform. Using same approach, attach other joint clamps to camera platform and tighten the knobs. Then attach 450mm rod setups to it.



- Now mount your camera onto it and secure it with locking adapter.



**A PROPER SET UP AND ATTACHED
CAMTREE GRIPPER G-10 SHOULD
LOOK LIKE THIS IMAGE.
CAMERA NOT INCLUDED IN PACKAGE.**



***Note - You can also assemble your
Camtree G-10 Gripper by using Cup
Adapter.***



Note - You can also assemble your Gripper G-10 by using mounting clamp. The clamp allows the gripper to be mounted to any square corner or rounded edge surface. Please Use following sequence of pictures and text as your assembly guide.

- Attach mounting clamp to your car door and tighten properly.



- Now remove one 450mm rod setup from joint clamp, then insert mounting clamp rod to joint clamp and tighten the knob to secure. Mount your camera onto it and secure with locking adapter.



A PROPER SET UP AND ATTACHED CAMTREE GRIPPER G-10 SHOULD LOOK LIKE THE IMAGE BELOW.

CAMERA / CAR NOT INCLUDED IN PACKAGE.



We offer a one year warranty for our products from the date of purchase.

We will repair or replace your product, free of charge, in the event of a defect in materials or craftsmanship obtained during normal use or handling based on the user manual. Please note that we will not cover any shipping costs for returning the product to us. If any VAT or import duties are applied to the return, we will also charge these costs to the customer.

The warranty does not include, by the way of example, damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product , or service by anyone other than our company.

We are not liable for incidental or consequential damages resulting from the use of the unit or occurring due to any breach of this warranty.

Replacement parts of the product will be provided at nominal cost (covering the cost price of the replacement parts only) to the customers after the Warranty Period has expired. We will cover the complete cost of sending replacement parts within the warranty period. After that, Nominal cost of the product & Actual shipping cost will be charged.

Do not send the unit to us without first getting a response and getting the approval to send back the item.

In case of any kind of dissatisfaction, we urge you to Contact us immediately and we shall do our Best to help you out.

For any other assistance you can reach us via email.