


QUICK START GUIDE



TUNE FLEX 2



WHAT'S IN THE BOX



XS
(OPEN
EAR TIPS)



S / M / L
(SEALING
EAR TIPS)



APP



 **JBL HEADPHONES**




Get even more control and personalization of your listening experience with this free app.




HOW TO WEAR

①

Try different sizes for optimal sealing and audio performance.



②




* Ear tip Sound Settings available in the app

③



FIRST TIME USE



POWER ON & CONNECT




Fast Pair

Others



Choose "JBL Tune Flex 2" to connect.

Android™



* Compatible with Android phones running 6+



Windows 10 v1803+



Microsoft Swift Pair

DUAL CONNECT + SYNC



L

R


Stereo mode



L/R


Mono mode

MULTI-POINT CONNECTION



● Tap × 1  Hold (5s)

CONTROLS




● Tap × 1 ●● Tap × 2 ●●● Tap × 3 — Hold (2s)


* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app .

** Select the ear tips you are using for the best sound performance.


VOICEAWARE



POWER OFF



FACTORY RESET





●● Tap × 2 — Hold (5s)

DO MORE WITH THE APP



CHARGING




10MIN ⚡ = 3H 🎵

LED BEHAVIORS



-   BT connecting
-   BT connected
-   BT not connected



-    Low battery
-    Charging
-    Fully charged

TECH SPEC

IP54



Model:	TUNE FLEX 2
Driver size:	12 mm/ 0.47" Dynamic Driver
Power supply:	5V --- 1A
Earbud:	4.4 g per pc (8.8 g combined) 0.0097 lbs per pc (0.0194 lbs combined)
Charging case:	32.9 g/ 0.0725 lbs
Earbud battery type:	Lithium-ion battery (55mAh/ 3.85V)
Charging case battery type:	Lithium-ion battery (545mAh/ 3.85V)
Charging time:	2 hrs from empty
Music playtime with BT on and ANC off:	Up to 12 hrs
Music playtime with BT on and ANC on:	Up to 8 hrs
Talk time with ANC off:	Up to 5 hrs

Talk time with ANC on:	Up to 4.5 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	13 ohm
Sensitivity:	102 dB SPL@1 kHz
Maximum SPL:	95 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.3
Bluetooth profile version:	A2DP V1.4, AVRCP V1.6.2, HFP V1.8
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	≤ XX dBm (EIRP)
Bluetooth transmitter modulation:	GFSK, π/4-DQPSK, 8DPSK
Maximum operation temperature:	45 °C

FR**WHAT'S IN THE BOX**

XS (OPEN EAR TIPS)
S / M / L (SEALING EAR TIPS)
APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE**POWER ON & CONNECT**

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE**POWER OFF****FACTORY RESET**

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on

and ANC off:

Music playtime with BT on

and ANC on:

Talk time with ANC on:

Talk time with ANC on:

Frequency response:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2

12 mm/ 0.47" Dynamic Driver

5V --- 1A

4.4 g per pc (8.8 g combined) /

0.0097 lbs per pc (0.0194 lbs combined)

32.9 g/ 0.0725 lbs

Lithium-ion battery (55mAh/ 3.85V)

Lithium-ion battery (545mAh/ 3.85V)

2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 5 hrs

20 Hz - 20 kHz

16 ohm

102 dB SPL@1 kHz

5 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

DA**WHAT'S IN THE BOX**

XS (OPEN EAR TIPS)

S / M / L (SEALING EAR TIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE**POWER ON & CONNECT**

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE**POWER OFF****FACTORY RESET**

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

DE

WHAT'S IN THE BOX

XS (OPEN EARTIPS)

S / M / L (SEALING EARTIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal seal and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

EL

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)
S / M / L (SEALING EAR TIPS)
APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others
Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices
Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*
TalkThru*
Bixby/Siri*/Others
Ear tip sound settings**

Tap × 1 | Tap × 2 |
Tap × 3 | Hold (2s)
* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app .
** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on
and ANC off:

Music playtime with BT on
and ANC on:

Talk time with ANC on:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

12 hrs
8 hrs
5 hrs
20 Hz - 20 kHz
16 ohm
102 dB SPL@1 kHz
5 dB
-38 dBV/Pa@1 kHz
5.3
A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz
≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

ES

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)
S / M / L (SEALING EAR TIPS)
APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others
Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices
Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*
TalkThru*
Bixby/Siri*/Others
Ear tip sound settings**

Tap × 1 | Tap × 2 |
Tap × 3 | Hold (2s)
* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app .
** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

F

WHAT'S IN THE BOX

XS (OPEN EARTIPS)

S / M / L (SEALING EARTIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal seal and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

CELESTIAL

POWER ON + SET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

HU

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)
S / M / L (SEALING EAR TIPS)
APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on

and ANC off:

Music playtime with BT on

and ANC on:

Talk time with ANC on:

Talk time with ANC on:

Frequency response:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2

12 mm/ 0.47" Dynamic Driver

5V --- 1A

4.4 g per pc (8.8 g combined) /

0.0097 lbs per pc (0.0194 lbs combined)

32.9 g/ 0.0725 lbs

Lithium-ion battery (55mAh/ 3.85V)

Lithium-ion battery (545mAh/ 3.85V)

2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 15

20 Hz - 20 kHz

16 ohm

102 dB SPL@1 kHz

5 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

IT

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)
S / M / L (SEALING EAR TIPS)
APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C



NL

WHAT'S IN THE BOX

XS (OPEN EARTIPS)

S / M / L (SEALING EARTIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal seal and audio performance.

* Ear tip Sound settings available in the app

FIRST TIME

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to the Headphones app.

** Select the ear tips you are using for the best sound performance.

CELESTIAL

POWER ON + SET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

NO

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)

S / M / L (SEALING EAR TIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on

and ANC off:

Music playtime with BT on

and ANC on:

Talk time with ANC on:

Talk time with ANC on:

Frequency response:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2

12 mm/ 0.47" Dynamic Driver

5V --- 1A

4.4 g per pc (8.8 g combined) /

0.0097 lbs per pc (0.0194 lbs combined)

32.9 g/ 0.0725 lbs

Lithium-ion battery (55mAh/ 3.85V)

Lithium-ion battery (545mAh/ 3.85V)

2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

TUNE FLEX 2

12 mm/ 0.47" Dynamic Driver

5V --- 1A

4.4 g per pc (8.8 g combined) /

0.0097 lbs per pc (0.0194 lbs combined)

32.9 g/ 0.0725 lbs

Lithium-ion battery (55mAh/ 3.85V)

Lithium-ion battery (545mAh/ 3.85V)

2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

Up to 5 hrs

PL

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)

S / M / L (SEALING EAR TIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

PT-BR

WHAT'S IN THE BOX

XS (OPEN EARTIPS)

S / M / L (SEALING EARTIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal seal and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2

to the Headphones app.

** Select the ear tips you

are using for the best sound

performance.

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to

connect.

* Compatible with Android phones

running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

SV

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)
S / M / L (SEALING EAR TIPS)
APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others
Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices
Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*
TalkThru*
Bixby/Siri*/Others
Ear tip sound settings**

Tap × 1 | Tap × 2 |
Tap × 3 | Hold (2s)
* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app .
** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on
and ANC off:

Music playtime with BT on
and ANC on:

Talk time with ANC on:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

12 hrs
8 hrs
5 hrs
20 Hz - 20 kHz
32 ohm
102 dB SPL@1 kHz
5 dB
-38 dBV/Pa@1 kHz
5.3
A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz
≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

TR

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)
S / M / L (SEALING EAR TIPS)
APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others
Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices
Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*
TalkThru*
Bixby/Siri*/Others
Ear tip sound settings**

Tap × 1 | Tap × 2 |
Tap × 3 | Hold (2s)
* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app .
** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

RU

WHAT'S IN THE BOX

XS (OPEN EARTIPS)

S / M / L (SEALING EARTIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal seal and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

CELESTIAL

POWER ON + SET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

ZH-CN

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)

S / M / L (SEALING EAR TIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on

and ANC off:

Music playtime with BT on

and ANC on:

Talk time with ANC on:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2

12 mm/ 0.47" Dynamic Driver

5V --- 1A

4.4 g per pc (8.8 g combined) /

0.0097 lbs per pc (0.0194 lbs combined)

32.9 g/ 0.0725 lbs

Lithium-ion battery (55mAh/ 3.85V)

Lithium-ion battery (545mAh/ 3.85V)

2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 15

20 Hz - 20 kHz

16 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

5.3

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

ZH-TW

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)

S / M / L (SEALING EAR TIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE

POWER ON & CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE

POWER OFF

FACTORY RESET

Tap × 2 | Hold (5s)

DO MORE WITH THE APP

CHARGING

LED BEHAVIORS

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

ID

WHAT'S IN THE BOX

XS (OPEN EARTIPS)

S / M / L (SEALING EARTIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal seal and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2

to the Headphones app.

** Select the ear tips you

are using for the best sound

performance.

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to

connect.

* Compatible with Android phones

running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:
Driver size:
Power supply:
Earbud:

Charging case:
Earbud battery type:
Charging case battery type:
Charging time:

Music playtime with BT on and ANC off:

Music playtime with BT on and ANC on:

Talk time with ANC off:

Talk time with ANC on:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2
12 mm/ 0.47" Dynamic Driver
5V --- 1A
4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs
Lithium-ion battery (55mAh/ 3.85V)
Lithium-ion battery (545mAh/ 3.85V)
2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 4.5 hrs

20 Hz - 20 kHz

13 ohm

102 dB SPL@1 kHz

95 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

JP**WHAT'S IN THE BOX**

XS (OPEN EAR TIPS)

S / M / L (SEALING EAR TIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE**POWER ON & CONNECT**

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE**POWER OFF****FACTORY RESET**

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model:

Driver size:

Power supply:

Earbud:

Charging case:

Earbud battery type:

Charging case battery type:

Charging time:

Music playtime with BT on

and ANC off:

Music playtime with BT on

and ANC on:

Talk time with ANC on:

Talk time with ANC off:

Frequency response:

Impedance:

Sensitivity:

Maximum SPL:

Microphone sensitivity:

Bluetooth version:

Bluetooth profile version:

Bluetooth transmitter

frequency range:

Bluetooth transmitter power:

Bluetooth transmitter

modulation:

Maximum operation

temperature:

TUNE FLEX 2

12 mm/ 0.47" Dynamic Driver

5V --- 1A

4.4 g per pc (8.8 g combined) /

0.0097 lbs per pc (0.0194 lbs combined)

32.9 g/ 0.0725 lbs

Lithium-ion battery (55mAh/ 3.85V)

Lithium-ion battery (545mAh/ 3.85V)

2 hrs from empty

Up to 12 hrs

Up to 8 hrs

Up to 5 hrs

Up to 5 hrs

20 Hz - 20 kHz

16 ohm

102 dB SPL@1 kHz

5 dB

-38 dBV/Pa@1 kHz

5.3

A2DP V1.4, AVRCP V1.6.2, HFP V1.8

2.4 GHz - 2.4835 GHz

≤ XX dBm (EIRP)

GFSK, π/4-DQPSK, 8DPSK

45 °C

KO**WHAT'S IN THE BOX**

XS (OPEN EAR TIPS)

S / M / L (SEALING EAR TIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME USE**POWER ON & CONNECT**

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

VOICEAWARE**POWER OFF****FACTORY RESET**

Tap × 2 | Hold (5s)

DO MORE WITH THE APP**CHARGING****LED BEHAVIORS**

BT connecting

BT connected

BT not connected

Low battery

Charging

Fully charged

TECH SPEC

Model: TUNE FLEX 2
Driver size: 12 mm/ 0.47" Dynamic Driver
Power supply: 5V --- 1A
Earbud: 4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs

Charging case: Lithium-ion battery (55mAh/ 3.85V)
Earbud battery type: Lithium-ion battery (545mAh/ 3.85V)
Charging case battery type: Lithium-ion battery (545mAh/ 3.85V)
Charging time: 2 hrs from empty

**Music playtime with BT on
and ANC off:** Up to 12 hrs

**Music playtime with BT on
and ANC on:** Up to 8 hrs

Talk time with ANC off: Up to 5 hrs

Talk time with ANC on: Up to 4.5 hrs

Frequency response: 20 Hz - 20 kHz

Impedance: 13 ohm

Sensitivity: 102 dB SPL@1 kHz

Maximum SPL: 95 dB

Microphone sensitivity: -38 dBV/Pa@1 kHz

Bluetooth version: 5.3

Bluetooth profile version: A2DP V1.4, AVRCP V1.6.2, HFP V1.8

**Bluetooth transmitter
frequency range:** 2.4 GHz - 2.4835 GHz

Bluetooth transmitter power: ≤ XX dBm (EIRP)

**Bluetooth transmitter
modulation:** GFSK, π/4-DQPSK, 8DPSK

**Maximum operation
temperature:** 45 °C

MM

WHAT'S IN THE BOX

XS (OPEN EARTIPS)

S / M / L (SEALING EARTIPS)

APP

Get even more control and personalization of your listening experience with this free app.

HOW TO WEAR

Try different sizes for optimal seal and audio performance.

* Ear tip Sound Settings available in the app

FIRST TIME

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

CELESTIAL

POWER ON + CONNECT

Others

Choose "JBL Tune Flex 2" to connect.

* Compatible with Android phones running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices

Tap × 1 | Hold (5s)

CONTROLS

ANC*

Ambient Aware*

TalkThru*

Bixby/Siri*/Others

Ear tip sound settings**

Tap × 1 | Tap × 2 |

Tap × 3 | Hold (2s)

* Enable advance controls by connecting your JBL TUNE FLEX 2 to JBL Headphones app.

** Select the ear tips you are using for the best sound performance.

TECH SPEC

Model: TUNE FLEX 2
Driver size: 12 mm/ 0.47" Dynamic Driver
Power supply: 5V --- 1A
Earbud: 4.4 g per pc (8.8 g combined) /
0.0097 lbs per pc (0.0194 lbs combined)
32.9 g/ 0.0725 lbs

Charging case: Lithium-ion battery (55mAh/ 3.85V)
Earbud battery type: Lithium-ion battery (545mAh/ 3.85V)
Charging case battery type: Lithium-ion battery (545mAh/ 3.85V)
Charging time: 2 hrs from empty

**Music playtime with BT on
and ANC off:** Up to 12 hrs

**Music playtime with BT on
and ANC on:** Up to 8 hrs

Talk time with ANC off: Up to 5 hrs

Talk time with ANC on: Up to 4.5 hrs

Frequency response: 20 Hz - 20 kHz

Impedance: 13 ohm

Sensitivity: 102 dB SPL@1 kHz

Maximum SPL: 95 dB

Microphone sensitivity: -38 dBV/Pa@1 kHz

Bluetooth version: 5.3

Bluetooth profile version: A2DP V1.4, AVRCP V1.6.2, HFP V1.8

**Bluetooth transmitter
frequency range:** 2.4 GHz - 2.4835 GHz

Bluetooth transmitter power: ≤ XX dBm (EIRP)

**Bluetooth transmitter
modulation:** GFSK, π/4-DQPSK, 8DPSK

**Maximum operation
temperature:** 45 °C

FPO

Ambient Aware*
TalkThru*
Bixby/Siri*/Others
Ear tip sound settings**
Tap × 1 | Tap × 2 |
Tap × 3 | Hold (2s)

* Enable advance controls by
connecting your JBL TUNE FLEX 2
to JBL Headphones app.

** Select the Ear tips you
using for the best sound
performance.

VOICE ARE
POWER OFF
FACTORY RESET
Tap × 2 | Hold (5s)
DO MORE WITH THE APP

CHARGING
LED BEHAVIORS

BT connecting
BT connected
BT not connected
Low battery
Charging
Fully charged

AR

WHAT'S IN THE BOX

XS (OPEN EAR TIPS)
S / M / L (SEALING EAR TIPS)

APP

Get even more control and
personalization of your listening
experience with this free app.

HOW TO WEAR

Try different sizes for optimal sealing
and audio performance.

* Ear tip Sound Settings available
in the app

FIRST TIME USE

POWER ON & CONNECT

Others
Choose "JBL Tune Flex 2" to
connect.

* Compatible with Android phones
running 6+

DUAL CONNECT + SYNC

Stereo mode | Mono mode

MULTI-POINT CONNECTION

Maximum 2 devices
Tap × 1 | Hold (5s)

CONTROLS

ANC*

TECH SPEC	
TUNE FLEX 2	Model:
12 mm/ 0.47" Dynamic Driver	Driver size:
5V --- 1A	Power supply:
4.4 g per pc (8.8 g combined) /	Earbud:
0.0097 lbs per pc (0.0194 lbs combined)	
32.9 g/ 0.0725 lbs	
Lithium-ion battery (55mAh/ 3.85V)	Charging case:
Lithium-ion battery (545mAh/ 3.85V)	Earbud battery type:
2 hrs from empty	Charging case battery type:
	Charging time:
Up to 12 hrs	Music playtime with BT on
	and ANC off:
Up to 8 hrs	Music playtime with BT on
Up to 5 hrs	and ANC on:
Up to 4.5 hrs	Talk time with ANC off:
20 Hz - 20 kHz	Talk time with ANC on:
13 ohm	Frequency response:
102 dB SPL@1 kHz	Impedance:
95 dB	Sensitivity:
-38 dBV/Pa@1 kHz	Maximum SPL:
5.3	Microphone sensitivity:
A2DP V1.4, AVRCP V1.6.2, HFP V1.8	Bluetooth version:
	Bluetooth profile version:
2.4 GHz - 2.4835 GHz	Bluetooth transmitter
≤ XX dBm (EIRP)	frequency range:
GFSK, π/4-DQPSK, 8DPSK	Bluetooth transmitter power:
	Bluetooth transmitter
	modulation:
45 °C	Maximum operation
	temperature:

TECH SPEC	
Ambient Aware*	WHAT'S IN THE BOX
TalkThru*	XS (OPEN EAR TIPS)
Bixby/Siri*/Others	S / M / L (SEALING EAR TIPS)
Ear tip sound settings**	APP
Tap × 1 Tap × 2	Get even more control and
Tap × 3 Hold (2s)	personalization of your listening
* Enable advance controls by	experience with this free app.
connecting your JBL TUNE FLEX 2	HOW TO WEAR
to JBL Headphones app	Choose the correct sizes for optimal sealing
** Select the ear tips you	and audio performance.
are using for the best sound	* Earbud Sound Settings available
experience. Tap × 1 Tap × 2	in the app
Hold (2s)	FIRST TIME USE
DO MORE WITH THE APP	POWER ON & CONNECT
LED BEHAVIORS	Choose "JBL Tune Flex 2" to
BT connecting	connect.
BT connected	* Compatible with Android phones
BT not connected	running 6+
Low battery	DUAL CONNECT + SYNC
Charging	Stereo mode Mono mode
Fully charged	MULTI-POINT CONNECTION
	Maximum 2 devices
	Tap × 1 Hold (5s)
	CONTROLS
	ANC*

TECH SPEC	
TUNE FLEX 2	Model:
12 mm/ 0.47" Dynamic Driver	Driver size:
5V --- 1A	Power supply:
4.4 g per pc (8.8 g combined) /	Earbud:
0.0097 lbs per pc (0.0194 lbs combined)	
32.9 g/ 0.0725 lbs	
Lithium-ion battery (55mAh/ 3.85V)	Charging case:
Lithium-ion battery (545mAh/ 3.85V)	Earbud battery type:
2 hrs from empty	Charging case battery type:
	Charging time:
Up to 12 hrs	Music playtime with BT on
	and ANC off:
Up to 8 hrs	Music playtime with BT on
Up to 5 hrs	and ANC on:
Up to 4.5 hrs	Talk time with ANC off:
20 Hz - 20 kHz	Talk time with ANC on:
13 ohm	Frequency response:
102 dB SPL@1 kHz	Impedance:
95 dB	Sensitivity:
-38 dBV/Pa@1 kHz	Maximum SPL:
5.3	Microphone sensitivity:
A2DP V1.4, AVRCP V1.6.2, HFP V1.8	Bluetooth version:
	Bluetooth profile version:
2.4 GHz - 2.4835 GHz	Bluetooth transmitter
≤ XX dBm (EIRP)	frequency range:
GFSK, π/4-DQPSK, 8DPSK	Bluetooth transmitter power:
	Bluetooth transmitter
	modulation:
45 °C	Maximum operation
	temperature:



To protect battery lifespan, fully charge at least once every 3 months. Battery life will vary due to usage patterns and environmental conditions.

- FR pour protéger la vie de la batterie, chargez-la complètement au moins une fois tous les 3 mois. La durée de vie de la batterie varie en fonction des modes d'utilisation et des conditions environnementales.
- DA For at optimere batteriets levetid skal du oplade fuldt ud mindst en gang i kvartalet. Batteriets levetid afhænger af brugsmonstre og omgivelser.
- DE Lade zum Schutz des Akkus diesen mindestens einmal alle 3 Monate vollständig auf. Die Akkulebensdauer kann aufgrund von Nutzungsverhalten und Umgebungsbedingungen variieren.
- EL Για να προστατέψετε τη διάρκεια ζωής της μπαταρίας, φορτίστε την πλήρως τουλάχιστον μία φορά κάθε 3 μήνες. Η ζωή της μπαταρίας ποικίλλει ανάλογα με τη χρήση και τις περιβαλλοντικές συνθήκες.
- ES Para proteger la duración de la batería, cárgala completamente al menos una vez cada 3 meses. La duración de la batería depende de los patrones de uso y las condiciones ambientales.
- FI Akun käyttöiän turvaamiseksi, lataa täyteen ainakin kerran 3 kuukauden välein. Akun käyttöikä vaihtelee käyttötapojen ja ympäristöolosuhteiden mukaan.

- HU Az akkumulátor élettartamának védelme érdekében teljesen töltsd fel 3 havonta legalább egyszer. Az akkumulátor élettartama a használatától, és a környezeti feltételektől függ.
- IT Per preservare la durata della batteria, effettuare una carica completa almeno una volta ogni 3 mesi. La durata della batteria varia a seconda del tipo di utilizzo e delle condizioni ambientali.
- NL Voor een optimale levensduur de batterij minstens om de 3 maanden volledig opladen. De levensduur van de batterij is afhankelijk van gebruikspatronen en omgevingscondities.
- NO For å beskytte batteriets levetid må det lades helt opp minst én gang hver 3. måned. Batteriets levetid vil variere etter bruksmønster og omgivelsesforhold.
- PL Aby zachować czas eksploatacji akumulatora, należy go ładować co najmniej raz na trzy miesiące. Żywotność akumulatora zależy od sposobu jego użycia i warunków otoczenia.
- PT-BR Para garantir a durabilidade da bateria, carregue-a totalmente pelo menos uma vez a cada três meses. A vida útil da bateria depende dos padrões de uso e das condições do ambiente.
- SV För att förbättra batteriets livslängd ska det laddas det fullt minst en gång var tredje månad. Batteriets livslängd varierar beroende på användning och miljöförhållanden.
- TR Pil ömrünü uzatmak için en az 3 ayda bir tam olarak şarj edin. Pil ömrü kullanım şekline ve çevresel şartlara bağlı olarak değişiklik gösterebilir.
- RU Чтобы продлить срок службы аккумулятора, полностью заряжайте его по меньшей мере раз в 3 месяца. Срок службы аккумулятора зависит от способов использования и условий окружающей среды.

ZH-CN 为了保护电池寿命,请每至少 3 个月进行一次充满。电池寿命因使用方式和环境条件而异。

ZH-TW 為保護電池的使用壽命,請至少每 3 個月對電池充滿一次電。電池續航時間因使用模式和環境條件而異。

ID Agar baterai awet, isi dayanya hingga penuh paling sedikit sekali setiap 3 bulan. Masa pakai baterai bervariasi, tergantung pola penggunaan dan kondisi lingkungan.

JP バッテリー寿命を延ばすために、最低3か月に1回はフル充電してください。バッテリーの寿命は使用パターンや環境条件によって異なります。

KO 배터리 수명을 보호하려면 3개월에 한 번 이상 배터리를 완전히 충전하십시오. 배터리 수명은 사용 패턴 및 환경 조건에 따라 다를 수 있습니다.

MM တာဝန်သက်တမ်းတိုးတောင်းခြင်းမှ ကာကွယ်ရန် အနည်းဆုံး 3 လတစ်ကြိမ် တာဝန်သက်တမ်းတိုးပေးပါ။ တာဝန်သက်တမ်းသည် သုံးစွဲမှုပုံစံများနှင့် ပတ်ဝန်းကျင်အခြေအနေများအပေါ်မူတည်ပြီး အပြောင်းအလဲရှိနိုင်သည်။

AR لحماية عمر البطارية، اشحنها بالكامل مرة واحدة على الأقل كل 3 أشهر. ويختلف عمر البطارية بسبب أنماط الاستخدام والظروف البيئية.

HE כדי להגן על אורך חיי הסוללה, יש לטעון את הסוללה במלואה לפחות פעם בשלושה חודשים. חיי הסוללה ישתנו בהתאם לאופן השימוש ולתנאי הסביבה.



The power delivered by the charger must be between min 2.5 Watts required by the radio equipment, and max 5 Watts in order to achieve the maximum charging speed.

- FR** La puissance délivrée par le chargeur doit être comprise entre 2,5 watts minimum requis par l'équipement radio et 5 watts maximum afin d'atteindre la vitesse de charge maximale.
- DA** Den effekt, som opladeren leverer, skal være mellem mindst 2,5 watt, som kræves af radioustyret, og højst 5 watt for at nå den maksimale opladningshastighed.
- DE** Die vom Ladegerät gelieferte Leistung muss zwischen mindestens 2,5 Watt, die das Funkgerät benötigt, und maximal 5 Watt liegen, um die maximale Ladegeschwindigkeit zu erreichen.

- EL** Η ισχύς που παρέχει ο φορτιστής πρέπει να κυμαίνεται μεταξύ 2,5 Watts τουλάχιστον που απαιτούνται από τον ραδιοφωνικό εξοπλισμό και 5 Watts το πολύ, προκειμένου να επιτευχθεί η μέγιστη ταχύτητα φόρτισης.
- ES** La potencia que aporta el cargador debe estar entre un mínimo de 2,5 W requerido por el equipo de radio y un máximo de 5 W para lograr la máxima velocidad de carga.
- FI** Laturin antaman tehon on oltava vähintään 2,5 watin ja enintään 5 watin välillä, jotta saavutetaan suurin mahdollinen latausnopeus.
- HU** A töltő által leadott teljesítménynek a rádióberendezés által igényelt min. 2,5 Watt és max. 5 Watt között kell lennie a maximális töltési sebesség eléréséhez.
- IT** La potenza erogata dal caricatore deve essere compresa tra min 2,5 Watt richiesti dall'apparecchiatura radio, e max 5 Watt per raggiungere la velocità di ricarica massima.
- NL** Het door de oplader geleverde vermogen moet tussen minimaal 2,5 Watt liggen dat is vereist door de radioapparatuur, en maximaal 5 Watt om de maximale laadsnelheid te bereiken.
- NO** For å oppnå maksimal ladehastighet må strømmen fra laderen være mellom min. 2,5 watt som kreves av radioustyret og 5 watt.

- PL** Moc dostarczana do ładowarki musi mieścić się w zakresie od minimum 2,5 W wymaganym przez sprzęt radiowy i maksymalnie 5 W, aby osiągnąć maksymalną prędkość ładowania.
- SV** Effekten som laddaren levererar måste ligga mellan min 2,5 watt som krävs för radioutrustningen och max 5 watt för att uppnå maximal laddningshastighet.
- TR** Maksimum şarj hızına ulaşmak için şarj cihazının sağladığı güç, radyo ekipmanının gerektirdiği minimum 2,5 Watt ile maksimum 5 Watt arasında olmalıdır.

FCC/ISED RF Exposure Information and Statement

This equipment complies with FCC/ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA)/ISED. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the head.

Renseignements et énoncé sur l'exposition aux RF d'FCC/ISDE

L'appareil est conforme aux limites d'exposition aux rayonnements FCC / ISDE spécifiées pour les environnements non contrôlés. Les utilisateurs finaux doivent suivre des instructions d'utilisation spécifiques pour répondre aux exigences de conformité en matière d'exposition aux radiofréquences. Cet émetteur ne doit pas coexister ou fonctionner conjointement avec toute autre antenne ou émetteur.

Les appareils portables sont conçus pour répondre aux exigences d'exposition aux ondes radio établies par la Federal Communications Commission / ISDE des États - Unis. Ces exigences établissent une limite SAR de 1,6 W / kg en moyenne pour un gramme de tissu. La valeur SAR la plus élevée rapportée conformément à cette norme lorsqu'elle est correctement portée sur la tête lors de la certification du produit.



DO NOT ATTEMPT TO OPEN, SERVICE, OR DISASSEMBLE THE BATTERY | DO NOT SHORT CIRCUIT | MAY EXPLODE IF DISPOSED OF IN FIRE | RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE | DISPOSE OR RECYCLE USED BATTERIES ACCORDING TO THE INSTRUCTIONS

해당무선설비는전파혼신가능성이있으므로인명안전과관련된서비스는할수없음.

**IS 13252(PART 1):2010/
IEC 60950-1 : 2005**



007-AM0206



**R-41129739
www.bis.gov.in**



Li-ion 00

**FCC ID: APITUNEFLEX2
IC: 6132A-TUNEFLEX2**



FR

**Cet appareil,
ses accessoires
et cordons
se recyclent**

**À DÉPOSER
EN MAGASIN**



OU

**À DÉPOSER
EN DÉCHÈTERIE**



Points de collecte sur www.quefairedemesdechets.fr



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

Google, Android and Google Play are trademarks of Google LLC.

The product contains non-replaceable batteries.
Battery type: 1240, nominal voltage: 3.85V

CMIIT ID: XXXXXXXX

制造商: Harman International Industries, Incorporated

Product specifications and app screens are subject to change without notice.

HP_JBL_TUNE FLEX 2_Global_QSG_PV_V3