

tedee



tedee GO

Quick to install.
Easy to love.

The new smart lock from Tedee **coming soon**

tedee GO

The second smart lock from Tedee



Just pop it on your lock*

No installation hardware required

Power with replaceable batteries

Lasting up to 9 months if used up to 8 times per day.

Enter in a new way

Compatible with Tedee smart bridge and keypad.

COMING SOON

Compare Tedee smart locks

tedee GO

Weight

213g

Dimension

Ø 57mm x 63mm

Installation method

Mount on an existing European cylinder and key. No extra hardware needed.

Power supply

Replaceable three CR123A/R batteries

Battery life

with up to 8 uses per day

Up to 9 months

tedee PRO

196 g

Ø 45mm x 55mm

Compatible European cylinder or adapter for European or Scandinavian locks.

Built-in rechargeable 3000mAh LiPo accumulator

Up to 14 months

* Tedee GO can always be installed on the inward-opening doors. It is not compatible with outward-opening doors if their width is less than 90 cm and the mortise lock backset (the distance between the cylinder axis and the lock front) is less than 50 mm. The cylinder must have an emergency feature (it can rotate with keys inserted on both sides).

No more replacing cylinders

Smart start in three steps



Insert your key
into the cylinder



Slide Tedee GO on
your key, fitting the
lock's base on the
cylinder.



Fix one screw

The easiest way to the best Tedee features


Enter

Unlock with the Tedee app, mobile widgets
and smart watches – or automatically.




Share

Easily send “digital keys” – valid forever
or on specific dates only.



Protect

Keep the activity log and manage lock
users with three access levels.



Host

Automate self-check-ins to your rental
with extra accessories.

Enter
the
smart
world.

tedee.com

support@tedee.com

 [tedeeeu](#)

 [@tedee.smart](#)

 [@tedee_smartlock](#)

 [tedee](#)