SQUARE D



Switch, manual, 30A, 3 pole, 10 HP at 575 VAC, three phase, toggle operated, no indicator, NEMA 4, two conduit opening

2510KW2H

Product availability: Stock - Normally stocked in distribution facility

#### Main

Product	Single Unit Manual Switch
Туре	К

## Complementary

Current Rating	30 A	
Cable Entry	0.75 NPT (top and bottom)	
Horsepower Rating	2 hp 115 V AC	
	1 hp 90 V DC	
	2 hp 115 V DC	
	1.5 hp 230 V DC	
	7.5 hp 230 V AC	
	10 hp 460 V AC	
	10 hp 575 V AC	
Maximum Voltage Rating	600 V AC	
	230 V DC	
Number of Poles	3P	
Control Unit Type	Toggle	
Number of Phases	3 phase	
Pilot Light	No indicator	
Starter Type	Non reversing	
Electrical Connection	Screw clamp terminals	
Wire Gauge	AWG 14AWG 10 copper	
Height	4.38 in (111.25 mm)	
Width	3 in (76.2 mm)	
Depth	4.25 in (107.95 mm)	

## **Environment**

Certifications	UL listed file E42243 CCN NLRV CSA LR25490 class 3211 05
NEMA Enclosure Rating	NEMA 4 die cast zinc alloy standard size

## Ordering and shipping details

Category	US10CP121102
Discount Schedule	0CP1
GTIN	785901554721

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Returnability	Yes
Country of origin	MX

# **Packing Units**

•		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	3.80 in (9.652 cm)	
Package 1 Width	4.80 in (12.192 cm)	
Package 1 Length	5.50 in (13.97 cm)	
Package 1 Weight	2.941 lb(US) (1.334 kg)	
Unit Type of Package 2	CAR	
Number of Units in Package 2	12	
Package 2 Height	10.00 in (25.4 cm)	
Package 2 Width	12.20 in (30.988 cm)	
Package 2 Length	15.20 in (38.608 cm)	
Package 2 Weight	36.220 lb(US) (16.429 kg)	
Unit Type of Package 3	PAL	
Number of Units in Package 3	336	
Package 3 Height	40.00 in (101.6 cm)	
Package 3 Width	40.00 in (101.6 cm)	
Package 3 Length	48.00 in (121.92 cm)	
Package 3 Weight	988.0002 lb(US) (448.149 kg)	

## **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

#### **Use Better**


Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Not compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

### Use Again

○ Repack and remanufacture	
Take-back	No

**Technical Illustration** 

### Wiring diagram



**NOTE:** The lamp is polarity sensitive in DC applications.