SONY®

Remote Controller

Operating Instructions



5-025-580-**12**(1)


RCR-VH1






Parts and Controls

Unit



- 1 Status LED
- (Automated flight pause) button
- 3 ((Power) button
- 4 Power port

- 5 (MOVIE) button
- 6 Battery level LEDs
- 7 Control sticks
- 8 Lever heads
- 9 Mobile device holder




- 10 HDMI port
- 11 USB port (USB-A)
- 12 Micro USB port (USB-B)
- 13 Handle bar
- 14 Control lever
- 15 Flight mode switch
- 16 Air vent
- 17 C1 (Custom 1) button
- 18 C2 (Custom 2) button
- 19 Control dial
- 20 Antennas (built-in)



- 21 C3 (Custom 3) button
- 22 Air inlet
- 23 C4 (Custom 4) button

Included items







Power cord

Safety Information

A WARNING

- A Samapet power sort may cause a fee or stactor which. Disarre the following capitoms to woold standaring the power costs.
- Do not post the power said towweel the unit and a table, well, or other object.
 Po not modify or idensige the power rord.
- To not place heavy objects on the power coult in
- pull on the power cost. Kanys the gower cost away from healers and other heat sources
- When you decrement the power costs always hald it by the plug.
- Do not weap the power road or connection calife. export the AC artigree. This may cause the cord or
- . Distanced the power cord and convection unites Settlet maying the product. Toleraries, the power cost and committee cables may be demagned, equiting to a file or electric shock, or connected equipment may Ref. or topple over, causing irgumes.
 Arch, take care visit to drap the product.

 + For substy measure, if the product is not to be used for
- tong periods, seging it trust the well note:

 * Do not place or other the product in a facation exposed to direct surlight or close to a heater. We recovered storing the product at an undered temperature of 16 °C (64 °T) to 30 °C (86 °T).

 + Do not let water or freeign objects get locate the
- Lest. This may cause a few or electric shook if water or homigic objects per inside the print, burn it off promettionary, and also occurs. The power contains correction cables.
- Do not discountfill the peoples Discountity or readfluetion of the unit and the included AC adapter
- or power unit may cause a file or electric allests. Use only the included AC adapter. List of a different AC Adapter may cause a file, electric allock, or mathetic field.
- Do not use the product Y-there is a possibility of lightness solke. A lightness onlike that, sauce at: electric shock. Plightning is likely unplug the product from the wall outlet to present a line electric shock, or
- . Use the exturbed power costs. The rectured pass cond in for one excitationly with this unit, and current be used with other products. Also, use only the included power cord with the unit.
- Use of a different power cost thay garantee heat, causing a fine or atechn; shock,
- . So not use the unit with the prinker/west of the unit blocked or with the unit or AC adapter covered by a slott or other object. Hear will build up and may cause product folium. Turn off the unit before placing it in a had etc.
- Turn off the power and unplug the product from the wall putter before cleaning if with a day clubs. If the product is channed with the governmental, this may have an electric street.

 Ferry connect the sunnectors.
- Do not known regular objects, who the commerter parts. This may short circuit the procund cause a
- trust the committees sinkings into the parts. If the previous are received at an angle, the year may street cream, causing a fine.
- On your place this unit along the medical discloses.
- This unit has magnetic; which may interfere with pacerbakers, programmable shurt values for hysitocophabus touriement, or zaher medical iteur
- Do not place this over those to persons who can such rendical develop. Consult your election before using this unit if you use any such medical downs
- is product a detagned for size only in the U.S.A. Use with 190 V.AC power.
- ther with other exitages, such as in other count or require, this cause a fee or electric shock floor that the AC adapter and power used may support different input yolkages, the uses to check the movingmons of the AC adapter and power cont.

A CAUTION

- Do not insert kneigh objects or other terms into the air inlet or the air year. This may cause product follow Section of the territories the OF PROFIME
- . Do not address the product to strong trapacts. If yo apply recession force to the product, such as by judding a heavy object on top of it, dropping it, or etopping on it. His may below as highly or product
- + Keep the product seek from inform, and young chalden. If a person is colorately tractive the mineral parts of the product while if is in operation, this may course demagn to the product or injuries.

Eathery safety

He sure to observe the following cautions to avoid twel generation, ignition, names, or other bazasts.

- . This product has a built or ballow.
- Charge the liattery army by the method specified by Bony. Please refer to the Stamuy Guide and Hely Guide Rockly elected.
- . To reduce the risk of injury or properly stemage, red expose the batteries (battery pack or installed Saftenes; to the or other haad sources. Also, do not crosh or drop the battery pack or furthery ord

Compliance Information

The evaluation orientally evolution above but above that and health problems are associated with uping low power wireless desices. There is no proof, towever these low power warriers stryton are absolutely cate Low power Milesters devices error low levers of radio flanguesco mempy (MT) in the microwisine range white being used, Whemas high levels of MT can produce houghly effects (by fearing littaue), expresses of lose time IV that does not produce heating effects casses to symmet adverse heatist effects. Many studies of loss in All segments have not found any tological affects Some studies have supposted that some biological selects might occur, but such findings have not been coefficient by additional exerunt h. Their equipment has been brood and found to comply with FIS. radiation exposes limits set forth for an uncont procedurement shall reserve the PCC scaller Responsive (RR) Paramora Guidelines

Greson FCC to: AVENDEZATE

This framemer reservor be to-located or specified in conjunction with any other america or specified except Grant conditions.

You are continued that any changes or modificator not expressly approved in this moreow routh exist your authority to operate that expansions.

Supplier's Disconnection of Continently Trade Name: SONY Model: BCR: Vol.1 Anaporador Farty Sany Electronics has Address: 18036 Via Esperbo, San Seeger, CA 92107 U.S.A. Telluphone Mumber: 808-942-2019

This device complies with part 15 of the PCE take Operation is subject to the following two conditions: (II) This device may not cause harmful onerlessess; and []] this stretce must accept any martinerica received accept michaeling interference that may cause underseat nami etioni

This equipment has been tested and found to comply with the limits for a Class II digital theirs, pursuant to part 18 of the PGI Rues. These limits are obtained to provide reasonable protection against fourthin interference in a regalismical installation. This equipment generates, uses and can radiate status frequency over and, if you resigned and used to accommon with the management, may could harryful transference to radio communications. However, these is no guarantee than interference will not occur or a particular installation. If this equipment does cause factoful interference to table or television incophism, which can be determined by turning the equipment off and on, the uper is excludingful to by to obvious the otherholisms by one or wave of the following twanters.

- Return to responde the recovery arrests, increase the equipment and PERMIT
- Connect the equipment into an outline on a chilate different from that he which the requirer is connected
- Crescit the double or an experienced indiviTV weblicies for help

Notes on Use

- This product it designed for our origin the U.S.A. Operation is not quaranteed when used in other countries or regions.

 On not connect the AC adapter to an elect
- transferrer Dowel converters. This may cause hear generation or product Salues
- The window transmission function of the printer. in instagrand for user any in the U.S.A. Use or other primary or regions may be purcishable by law

Caution when carrying the unit.

Carry the unit by the hondle bar. The handle bar, control stricts, and matate device holder may break if ascensive fume is applical for Wester parts

About the Wireless Transmission Function

Cautions when using this product

- When using this product to by an aircraft, itum off the Wr Ft[®] and Blockook[®] functions of the taken or other Fire with no betrumm covers widow
- The unit has built in orderings in a pain of the rundle bar and a part close to file all wird. Take care not to closer the parts consisting the built in amounts with your hamil, caldles, or other objects.

 • Point the handle har (with fault in artenna) of the set
- toward the encret as shown in the Rushatians below Alteret to unlet become tally





About software

information about the system software

By updating the system software, you can add now. Neatures by this product, regerors user experience of the product, and anhance satisfity of the product Please se the dedicated app to leady your product up

information about the third-party software

This product contains the software that exhibits influent (organizatio juditely audition in the unit) ode or as five software or its derivative granted for our reter the Social agreement imposed by the software right holder other than Suny Group Corporation (hereinally) referred to as "third pump colloced To use any their party software, you are tired to comply with its iconse agreement. The license agreement of each third party software is provided on the wellater at the following URs. You are advance to visit this welcome and told such and every is this agreement.

Many - Free Lang Books Company RCR - WHILE

Some of the third party software is applicable to SASS General Public Licensia (ISPL) or ISPU Linear Gener Public License (LISPL) described on the website of the above URL With compliance to the GPL/USPL conditions, you are arrested to others, after, and stabilizes the software code of such software. The sufficient code of each of each software is provided on the website at the following URL To download the outbourn code, account the website and wint TRE-MH.

Fitting of Female states Arek (Products A Linux)

Please the afficient that no arrower will be provided. Sony to the impuly commoning the common of the saftware state

Other Information

Main our the supported mobile devives and severe consists on following site.

heter / Nectories away corn (repeat (support) compatibility



Competible (Ped models

- that Ar (Srt generation)
 Pad mon (Srt generation)
- · Pat 395 processor
- · PARCTE GENERALIES
- 4 Plat (5th penetation)

Tradiomarks and copyrights

- Wi-fi is organized madernal of Ni-fi Alliania
 The **Bluetooth**² word mark and rogic are regid
- transment investible Riversoft Mil. Inc. and any use of such risets by Sery Droop Corporation at subsidiaries is under ficense.
- . The serve HDMI and HDMI High Defense Multimedia trinerfane, and the VENE Logic are trademark or organizated trademarks of FEME Linercing Administrator, for the libried flaster, and other
- + Apple?, Med?, that root?, that his? and throne? are Made thanks of Apprix the _ registered in the U.S. and
- Lise of the Made for Apple budge means that an accessory has been designed to connect specifically to the Apple products; secretard to the budge and has been continued by the developer to meet Apple. performance standards. Apple is not responsible for the operation of this Besse or its compliance with safety and regulatory standards. Please rate that use of this processing with an Apple product may affect welson performance

Symper und for product numeri resettanced in this discurrent are, in general, registered trademants of trademarks of their requestive developers and the "**" and ¹⁶" marks are seriously in the next. Furthernow, any payights not explicitly itentioned in this document ser the property of their expectation of





RECYCLING RECHARGEABLE BATTERIES

this batteries are vicyoub You can hate preserve our sewrones your used rechargeable batteries to the sollection and recycling location release (ex-

Fix come influentation regarding very ling of rechargeable batteries, shift were sony convince books feet ricarusperosed

Caution: Do not harely damaged or leating red haven able to the rem

