



INSTRUCTION MANUAL




HF1 / HF2:



HF3:



COMPONENTS



SETTING UP TWIINS® HF DEVICE INSIDE YOUR HELMET

Helpful Hint #1: Activation will be easier if you wait to install your Twins® HF device into your helmet after all other steps have been completed.

Step 1: Setting Up in Your Helmet

· Remove the side padding from the inside of your helmet (if it can be removed) and place the headsets at the height of your ears. The device is designed so that the main unit with the boom microphone is placed on the left side.


Step 2: Using the Velcro Pads

· The wire between headsets (2) and (3) must be stored inside the helmet, beneath the padding. In order to fix the headsets in place, two velcro pads are provided (male and female) with an adhesive backing (7). When using the velcro, stick the male part of the pad onto the device and the female part onto the inside of the helmet.

· Depending on the internal configuration of your helmet, it may be necessary to use the entire velcro pad or only a portion of it. (see figure 2). In some cases, it may only be necessary to stick the male part onto the device as the inside of your helmet may already have padding that can serve as velcro (female). If needed, comfort pads (6) to place on the headsets are also provided, in order to improve comfort against your skin.

Step 3: The Microphone

· Place the microphone (1) on the front section of the helmet so it's both close to and oriented towards your mouth.




Twiiins®
CONNECTED IN MOVEMENT

CHARGING AND TURNING ON AND OFF

Step 1: Charge the Device Completely

Before using your Twins® HF device for the first time, you must charge the device completely. Connect the terminal (1c) to the provided USB charging cable (4) and then connect the cable to a USB charging port. While charging, the red LED light will switch on (1a), and it will change to blue once charging is completed.




Step 2: Switch the Product ON

Press and hold the button (1b) for two seconds, until the speakers produce an acoustic signal and the LED indicator (1a) begins to flash blue.



Step 3: Switch the Product OFF

Press and hold the control button (1b) for five seconds until the speakers produce an acoustic signal and the LED indicator (1a) begins flashing in red before the device powers off.



Note: Don't pull on the cable to disconnect it from the USB Port.

Note: As time goes by, batteries gradually lose their charge. This is why it's important to charge the battery fully before using the device and allow the battery to use almost all of its charge in between charging cycles.


Note: To ensure proper function, do not operate the Twins® HF device while charging.

WARNING: If you plan to store your Twins® device for a long period of time, be sure to recharge it, at least, once every six months, to ensure a perfect battery performance.

HOW TO PAIR YOUR TWIINS® HF DEVICE WITH YOUR PHONE


· While the device is switched off, hold the control button (1b) for six seconds until the LED indicator (1a) begins flashing in red and blue. Your phone will find the device under the name HANDSFREE HF.

· Select the device and if necessary, enter the access code: 0000.




Note: Depending on your phone's Operating System software version, there is a possibility that during the phone's Bluetooth® device search you have to turn off your phone's Bluetooth® functionality and then turn it on again after two or three seconds, allowing the Twiins® device to find it properly. This is normal and it should only happen during the first pairing with your phone.


Step 3: While the device is switched off, hold the control button (1b) for six seconds until the LED indicator (1a) begins flashing in red and blue. Your Twins® HF device is now in searching mode, ready to be paired again.



Your Twins® Hands-Free device will be paired to both phones.



Option 1: Answering through a voice command: answer the call by speaking any word out loud (eg "Answer!")



To use the INTERCOM TO PASSENGER function, please make sure you have logged out from GROUPTALK / ZELLO APP, and closed the APP