

USER MANUAL

Smart Soil Moisture Sensor

Model No. HCS026FRF




Welcome to the **RAINPOINT** family! Please read the manual before use to learn about the features and functions.



Contents

1.	Contents in the box	01
2.	Introduction	02
	2.1 Product Overview	02
	2.2 Specifications	02
	2.3 Functions	03
3.	Installation & Pairing	04
	3.1 Installing the battery	04
	3.2 Pairing the soil meter with WiFi hub	05
4.	Moisture Alert Setting	07
5.	Share With Family Members	10
6.	Troubleshooting	13
7.	Precautions	13
8.	Warranty Policy	13
9.	FCC Statement	14
10.	Customer Support	15


1. Contents in the box



- 1. HCS026FRF Smart Soil Moisture Meter
- 2. User Manual
- 3. Warranty Card
- 4. Phillips Screwdriver

2. Introduction

2.1 Product Overview



2.2 Specifications

- Working Environment: Temperature 14°F~140°F (-10°C~60°C) Humidity: 10%~90%
- Preservation: 14°F~140°F (-10°C~60°C)
 Humidity: 10%~90%
- Humidity Range: 1% RH~99%RH
- Probe Length: 4.33ft (11cm)
- Powered by 3*AAA batteries (Not included)

2.3 Functions

Moisture Detection

Auto detection: Insert the soil meter into the soil, and automatically detect soil moisture level every 3 mins. The reading on app will be refreshed under the following

The reading on app will be refreshed under the following conditions:

- Every 8 mins
- After manual detection
- When the change on moisture level exceeds 5% upon the trigger of auto detection.

Manual detection: Short press the button to detect the current soil moisture level immediately.

Low Power Indicator



Choice of Soil Type

You can choose the soil type on app if soil meter is paired with RainPoint WiFi Hub (model: HWG023, HWG023WBRF, HWG040).



3. Installation & Pairing

3.1 Installing the battery



1. Unscrew the battery compartment.



2. Insert the batteries and tighten the screw.

3.2 Pairing the soil meter with WiFi hub

Note: This smart soil moisture meter can be used alone or paired with RainPoint WiFi hub.

If you already have the hub, just simply add soil meter under the hub you would like to pair with.

If you don't have existing hub, please refer to hub user manual to download app and connect the hub with WiFi first.


After the hub is successfully connected with WiFi, select button on app home page or click "Add Device" on hub home page.





Note: The hub works with 2.4GHz WiFi network only. A 2.4GHz connection has better stability and use less power, and is the optimal frequency for this product.

2. Then select **"HCS026FRF"** or tap [—] icon on Add Device page, and scan QR code below.



3. Click Next and move onto Pairing page. Follow the in-app instruction to complete the pairing.



4. Moisture Alert Setting

Step 1: Go to app's Smart page, tap • icon.



 $\begin{tabular}{ll} \textbf{Step 2:} Select \textbf{Add Condition}, then tap \textbf{Device Status} and choose your moisture meter. \end{tabular}$





EN

Step 3: Tap **Moisture**. Set the low/high moisture value you want and click **Confirm**.





Step 4: Select **Add Task**, then tap **Send Notification**. Select the way and enter alert content you would like to be notified. Click **Confirm**.





Step 5: Set Effective Period, Daily Frequency Limit and Min Interval you want, then click Create to finish.




5. Share With Family Members

Tips: To achieve joint management of multiple mobile phones/multiple members, it is necessary to set up a separate account for each mobile phone/each member and log in on different mobile devices (tablets, cellphones) .

 Select on the "Me" page at the bottom right, enter into "HOME Management". And then Select the group you set up earlier.






2. Tap on "Members" and press + on the top right corner.





 Enter the email or mobile number of the invited member (the member need to complete the account registration in the APP on his mobile phone). Then select "Invite" and tap "Accept" in the invited phone app.





 On the "Members" page of the owner APP, select the member you want to adjust, and then tap "Admin" to adjust the member's permission.





6. Troubleshooting

Problem	Possible Reason	Solution
Inaccurate reading	Touch stones or hard rock soil. Not inserted deep enough into the soil.	Please avoid stones or hard rock soil around the sensor. Reinsert the sensor into the soil to reach the BEST line. The reading might not be accurate if it's loosely inserted.
No display on the screen	Batteries are low.	Replace brand new alkaline batteries.
Soil meter can't pair with hub	Too far from the hub or too many obstructions between soil meter and hub. Miss the searching time during connecting. The hub firmware version is too low.	Stay close with the hub when pairing with soil meter. Try to reconnect the soil meter by following the in-app instructions. Go to hub home page, click "Firmware Version" to update firmware version.

7. Precautions

- Please make sure to use 2.4GHz band WiFi to connect to this product.
- Do not mix old and new batteries or different types of batteries.

8. Warranty Policy

RAINPOINT provides a 1-year limited warranty on this product against manufacturing defects in materials and workmanship. You can get an extra two years of extended warranty by registering your product on our website **www.rainpointonline.com**

EN

9. FCC Statement (FCC ID: 2AWDBHCS026FRF)

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference.
- 2. This device must accept any interference received, including interference that may cause undesired operation.

FCC Warning: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be deter mined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

-14-

10. Customer Support

If you find it difficult to set up and want to watch the setting tutorial video, please subscribe to our channel RainPoint on YouTube



Or scan the QR code to visit the RainPoint channel on YouTube quickly.

If you encounter any issues during setup, please feel free to email our customer support team.

Email: support@rainpointonline.com

Note: The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.



















Points de collecte sur www.quefairedemesdechets.fr Privilégiez la réparation ou le don de votre appareil!

Need Help?

Scan the QR code for more help.



or Email: support@rainpointonline.com

