VEVOR Affordable. Reliable. Home Improvement.

SUPPORT BEAM HANGER

MODEL:LTDJQX-2X10-50

Technical Support and E-Warranty Certificate www.vevor.com/support





SUPPORT BEAM HANGER

MODEL:LTDJQX-2X10-50



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Safety Instructions

Read and understand this entire manual before assembling, installing, operating, or servicing this product. Failure to follow these warnings and instructions can cause personal injury or damage to valuable property.

ALL AROUND USE

Light support beams can be used for floor deck or ceiling trusses, or attached to the rafters, where roof beams are firmly held in place and made as strong as possible to withstand greater strength or give you peace of mind to store items.


SAFETY PRECAUTIONS

- 1. Do not allow children to climb on the unit. 2. Keep children and pets away during assembly.
- 2. Please assemble the product in strict accordance with the instructions. Incorrect assembly could be hazardous.
- 3. Please wear safety goggles and work gloves properly during assembly.
- 4. Do not try to assemble the product when feeling tired or when under the influence of alcohol, drugs or medication.
- 5. Load bearing capacity and other product parameters are applied to the properly and completely assembled product only.
- 6. Separate and count all parts and hardware.
- 7. Prepare the following tool: Philips Head Screwdriver.
- 8. If using power tools, please be careful to slow down and stop when needed.
- 9. Two people are required for assembly.
- 10. Follow the intended uses only.

Parameter List


Product Model	LTDJQX-2X10-50
inside dimension(A×B×S)	1.57×1.5×7.83inch (40×38×199mm)

Number of kits	50pcs
Screw	800pcs




INSTALLATION GUIDE


1.According to the user needs, place the support beam hanger on the beam; use the hammer to insert the pin into the beam and complete simple fixing. We suggest that the wood strip be placed in the product cavity before installing the support beam hanger to avoid the deviation of the support beam crane.



2.10 screws lock the support beam hanger to the beam



3.Lock the wood square in the support beam hanger with 3 screws on each side.



Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu,

shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD

NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim

Place, Rancho Cucamonga, CA 91730

UK REP

YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

EC REP

E-CrossStu GmbH Mainzer Landstr.69, 60329 Frankfurt am Main.



Technical Support and E-Warranty Certificate www.vevor.com/support