




Nano Furnace Flue Air Disk Stone Series

User Manual



This Series Aquarium air stone is made of high-quality white alundum, be sintered at a high temperature of 1300 degrees Celsius. Its heavy, Sturdy, Durable.

To achieve the desired ideal use effect, please read this manual carefully and follow it strictly.

1. Attention Please:

- ✓ Please immerse the air disk stone in the water for 2 hours before first using.
- ✓ Please increase the wattage of the air pump properly if the tank water exceeds 15inch depth.
- ✓ Clean the algae and other impurities on the surface of the stone once month , Or when you find a decrease in air output.
- ✓ When the power of the air pump meets the bubble stone, the smaller the air output is regulated, the more delicate the bubble will be.

2. PRODUCT FEATURES


Ultra-High Dissolved Oxygen

Release Bubbles More Denser, Uniform

Heavy, Sturdy, Durable

Suitable for both Freshwater & Saltwater

3. APPLICATION DIAGRAM:



4.PRODUCT PARAMETER

Model	S50	S100
Diameter of air diffuser area	2inch	4inch
Net weight	5.2 oz	15.2 oz
Air Flow	1L/Min	3L/Min
Advised air Pump	2W or more wattage	4W or more wattage
User Manual	✓	✓
Control Valve	✓	✓
Suction Cup	✓	✓
Check Valve	✓	✓
T Connector		✓
Reducer		✓

5. CONTACT INFORMATION

E-mail: service@hygger-online.com

Website: www.hygger-online.com