

COMMAND™ HOOKS INSTRUCTIONS FOR USE

**EASY
ON**



1
WIPE WALL lightly
with rubbing alcohol.



2
REMOVE RED LINER.
PRESS adhesive to hook.



3
REMOVE BLACK LINER.
PRESS hook firmly
against the wall.



4
SLIDE HOOK UP and
off the mounting base.



5
PRESS BASE FIRMLY
for 30 seconds.



6
SLIDE HOOK BACK ON
the mounting base.
WAIT 1 HOUR before
hanging anything.

**EASY
OFF**



1
SLIDE HOOK UP.



2
GENTLY HOLD
MOUNTING BASE.
STRETCH the strip.



3
PULL Tab
STRAIGHT DOWN.

DAMAGE-FREE HANGING SURFACES




Painted Walls



Painted/Varnished
Wood



Painted Cinder
Block or Concrete



Tile




Metal



Glass



Laminates




Smooth Solid Surface
(Most Plastics, Acrylic, PVC, PE, PP)


**Do Not
Use On**




Wallpaper




Fabrics



Textured Walls
or Textured Surfaces



Brick



Other rough and
non-stick surfaces

HOW MUCH DOES YOUR ITEM WEIGH?

225g

0.5 lb.



450g

1 lb.



900g

2 lb.



1.3kg

3 lb.



1.8kg

4 lb.



2.2kg

5 lb.



3.6kg

8 lb.



5.4kg

12 lb.



7.2kg

16 lb.



**COMMAND™ WEIGHT
REFERENCE GUIDE**