

concept 2 **BikeERG** ASSEMBLY INSTRUCTIONS

PARTS

*not to scale

x 16
3/4" (1.9 cm)
PN 2233

x 2
3" (7.62 cm)
PN 1267

x 1
3/8" (1 cm)
PN 1238



T27 6-Lobe Driver


x 1
3" (7.6 cm)
PN 1268

x 1
PN 1271


x 6
1/2" (1.3 cm)
PN 1299

x 1
PN 7120

x 1
3 1/4" (8.3 cm)
PN 1224




x 1
Slide Rail/Wrench
PN 7104



x 1




6 mm Lkey




BikeErg weight: 68 lb (31 kg)

Space required for use (training area): 48 in x 60 in (122 cm x 152 cm)



IMPORTANT: Do not fully tighten screws until all screws are in place. Use the 6-lobe driver with Lkey inserted (as shown) and fully tighten all fasteners using this configuration.










Questions? Comments? Problems?

Contact Concept2 directly at 800.245.5676 (US and Canada)


Or visit us online: concept2.com

Concept2, Inc. 105 Industrial Park Drive Morrisville, Vermont USA 05661 concept2.com/contact






8 (4) 1/2" (1.3 cm)
PN 1299




9 (1) 3" (7.6 cm)
PN 1268

(1) PN 1271




10




PN 7104

11

(2) 1/2" (1.3 cm)
PN 1299




12







PN 7104


13

(1) 3 1/4" (8.3 cm) PN 1224 (1) PN 7120 (1) 3/8" (1 cm) PN 1238





How to Use the Device Holder





Download our **FREE**
ErgData app for:

- Workouts
- More data displays
- Real time rowing with the Concept2 community

concept2.com/ergdata

 Download on the App Store  GET IT ON Google Play

