




HG022 USER MANUAL

hygger COB submersible aquarium light



E-mail: Mago@hygger-online.com

Please read this user manual attentively before use and follow instructions carefully.

1.PRODUCT FEATURES

- **Illuminating and coloring the aquarium:** This light is equipped with COB and explosion protection glass, providing you a more clear and safer fish aquarium lights, making the color of the fish appear more vibrant.
- **High color rendering index:** COB light source has high color rendering, light color close to natural color, no stroboscopic, soft light source, more suitable for fish growth.COB full color has good color consistency, large viewing angle, uniform light spot and high brightness.
- **Waterproof and easy to mount:** It is submersible and with moveable suction cups, mount the light on tank bottom or at the top, attach it into the tank any angle or even outside the tank.
- **Suitable for plants and freshwater aquariums:** Can be widely used in fish tanks, cisterns, rockeries, pet cages and others. Bright LED bar can make your tank look like part of oceans, and your fish and reptiles seen where they're swimming or moving.
- **Unique Appearance Design:** Made of a highly transparent and explosion-proof glass, it is durable and easy to clean. The LED aquarium light is close to natural light, Safer, more reliable and eye-friendly and won't cause any harm to people or fish.

2.PRODUCT PARAMETERS

MODLE	9W-RGB 30CM	12W-RGB 45CM	14W-RGB 60CM	8.5W-BW Blue&White 30CM	11W-BW Blue&White 45CM	15W-BW Blue&White 60CM
VOTAGE	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ	110V/60HZ
LED LIGHT	COB	COB	COB	COB	COB	COB
POWER	9W	12W	14W	8.5W	11W	15W
LIGHT SIZE	13.4inch	19.3inch	24.4inch	13.4inch	19.3inch	24.4inch
APPLICATION	13.9"-22"	19.8"-30"	24.9"-40"	13.9"-22"	19.8"-30"	24.9"-40"
POWER CORD	6.5ft(2m)					


3.METHOD OF APPLICATION

(1)Unpack the box and check that if the light and other accessories are included.


If any parts are missing, please contact seller.

(2)Place the tube in the proper position of the fish tank and fix it with suction cup.

(3)Power on and turn on the switch.



Non diving



Diving

4.ATTENTION:

- Please read this user manual carefully before using and follow it strictly.
- Please keep the switch away from water since it is not waterproof.
- Please keep the light away from flammable items to avoid accidents.
- Please unplug the power and contact the seller if the light is not working properly,
OPNEING WILL VOID WARRANTY
- Please unplug the power before maintenance.
- Please mind that the temperature range for the 23 is between 113°F.

5. PACKAGE INCLUDE

- 1× Led Light
- 1× AC/DC adaptor
- 2× Sucker
- 1× User manual


6. IMPORTANT SAFETY INSTRUCTIONS

Warning: To guard against injury, basic safety precautions should be observed, including the following:

READ AND FOLLOW ALL SAFETY INSTRUCTIONS

- ① You should read all the important notices on the appliance before using. Failure to do so may result in loss of fish life or damage to this appliance.
 - ② Danger: to avoid possible electric shock, special care should be taken since water is employed in the use of aquarium equipment. For each of the following situations, do not attempt to repair by yourself. Return the appliance to an authorized service facility for service or discard the appliance.
- A: Carefully examine the appliance after installation. Do not operate any appliance if it has a damaged cord or plug, or if it is malfunctioning or it is dropped or damaged in any manner. The power cord of this appliance cannot be replaced. If the cord is damaged, the appliance should be discarded. Never cut the cord.

B: To avoid the possibility of the appliance plug or receptacle to one side of a wall mounted receptacle to prevent water from dripping onto the receptacle or plug. A “drip loop” (see illustration) should be arranged by the user for the cord connecting appliance to a receptacle. The drip loop is that part of the cord below the level of the receptacle or the connector if an extension cord is used to prevent water travelling along the cord and coming in contact with the receptacle. If the plug or receptacle does get wet, do not unplug the cord. Disconnect the fuse or circuit breaker that supplies power to the appliance. Then unplug and examine for presence of water in receptacle.



- ③ This appliance is not intended for use by persons (including children) with significantly impaired physical or mental capabilities, unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety. Children should always be supervised to ensure that they do not play with the appliance.
- ④ To avoid injury, do not touch moving parts or hot parts.
- ⑤ CAUTION-Always unplug or disconnect all appliances in the aquarium from electricity supply before placing hands in water, before putting on or taking off

parts and while the equipment is being installed, maintained or handled. Never yank cord to pull plug from outlet. Grasp the plug and pull to disconnect. Always unplug an appliance from an out let when not in use.

- ⑥ Do not install or store the appliance where it will be exposed to weather or temperatures below freezing. For indoor household use only. Do not immerse.
- ⑦ Make sure the appliance is mounted correctly and securely positioned on the aquarium before operating the appliance.
- ⑧ If an extension cord is necessary, a cord with proper rating should be used. A cord rated for less amperes or watts than the appliance rating may overheat. Care should be taken to arrange the cord so that it will not be tripped over or pulled. The connection should be carried out by a qualified electrical installer.
- ⑨ The socket-outlet shall be installed near the equipment and shall be easily accessible.

7. WARRANTY

- 1-year free warranty.
- 1-month free return.
- Free replacement for 3 months.

8.DISPOSAL

Do not dispose this product as unsorted municipal waste. Collection of such waste separately for special treatment is necessary. This product has to be disposed at an authorized place for the recycling of electrical and electronic appliances rather than being disposed together with the domestic waste. Collecting and recycling waste is a way of saving natural resources. So, please consult with your local seller to make sure the product is disposed in an environmentally friendly way.

9.CONTACT INFORMATION

Brand owner: Shenzhen Mago Trading Co., Ltd

Add: Bantian Group Business Central, Longgang District, Shenzhen City,
Guangdong Province, China

WhatsApp: +12028664104

Website: www.hygger-online.com

E-mail: Mago@hygger-online.com

Thank you for choosing hygger!

If you have any problem, please provide your amazon order id (amazon invoice) and shipping address by E-mail: mago@hygger-online.com.

One Year Limited Warranty:

This product **MUST** be purchased from an authorized hygger reseller. Visit our website for a list of unauthorized resellers. Hygger warrants this product against defects in materials and workmanship for **ONE (1) YEAR** from the date of the original retail purchase and is non-transferable.

Warranty on all products, including aquariums. But it is limited to the replacement of the product and does not cover fish loss, personal injury, property loss or direct, incidental or consequential damage caused by using this product.

Note: One-Year Limited Warranty does not cover damage caused by the followings: improper installation, saltwater corrosion, electrical surges or modifications.

If you discover a defect, please contact hygger, who will, at its option, repair or replace the product at no charge, provided that you return it during the warranty period. A copy of the bill of sale is required as proof of the original purchase date in the event the product needs repairs within the warranty period. Hygger does not warrant any products that are not hygger's.

This warranty does not apply if the product has been damaged by accident, abuse, misuse or misapplication, or modified without the written permission of hygger.

EC**REP**

E-CrossStu GmbH
Mainzer Landstr.69, Frankfurt am Main,
Baden-Württemberg, 60329, Germany
E-CrossStu@web.de
+49 69332967674

UK**REP**

YH Consulting Limited
C/O YH Consulting Limited Office
147, Centurion House, London Road,
Staines-upon-Thames, Surrey,
TW18 4AX, London
H2YHUK@gmail.com
+44 07514-677868



MADE IN CHINA