

Welcome to the Mercator 2025 Ventilation Catalogue

For over 60 years, Mercator has been a trusted leader in the air movement industry, continuously innovating and evolving to provide customers with the best solutions for their homes and businesses. This Ventilation Catalogue marks a continuation of that legacy, showcasing our dedication to superior quality, cutting-edge technology, and captivating design.

We understand the profound impact that air quality and temperature have on wellbeing and productivity, and we are driven by a passion to create environments that are both comfortable and stylish.

Every Mercator product is meticulously crafted with the highest quality materials and features state-of-the-art technology. We prioritise energy efficiency and sustainable practices, ensuring that our products are not only effective but also environmentally responsible.

Our commitment extends beyond product quality. We offer comprehensive merchandising solutions and exceptional customer service to support your business. Our knowledgeable team is always available to answer your questions and provide expert advice, ensuring you find the perfect air movement and heating solutions for your specific needs.

Embrace the legacy of innovation and comfort with the Mercator Ventilation Catalogue. Discover the ideal air solutions and heating options to elevate your space and enhance your well-being.



Sales Order Hotlines

1300 552 255

1300 552 256

General & Accounts Enquiries

VIC Head Office VIC Showroom

Mercator Pty Ltd Caribbean Park 36 Lakeview Dive Scoresby VIC 3179

03 9302 6200

03 9302 6262

WWW.MERCATOR.COM.AU









General Information

All hard wired electrical products must be installed by a qualified electrician.

Measurements

All measurements within this manual are in millimetres and are designed to be used as a guide only. Measurements may vary slightly to those within this manual and may be modified for design or enhancement purposes.

Mercator reserves the right to cancel or change all products without any prior notice. EXT indicates the extension from the wall or ceiling to the outer edge of the product.

Images

Minor design changes or alterations may result in slight variations between the product shown in this catalogue and the final product.

CONTENTS


How To Keep A Room Well Ventilated	2
A Selection Guide	4
IP Ratings	5
Your Heating Choices - Heat Lamp vs PTC	6
BATHROOM HEATERS	8
Introducing the Mercator DC Exhaust Range	20
Why Choose A Mercator DC Exhaust Fan	21
EXHAUST FANS	22
Accessories	40
Index	42
Warranty & Technical Information	44





Exhaust Fans & Bathroom Heaters

Modern styles with superior performance to suit the air movement need of any bathroom, laundry or kitchen.



3 important factors determine how well an exhaust fan removes steam produced by showers/baths:

Extraction rate

Selecting the right extraction rate of an exhaust fan involves 3 simple steps:

Calculate the room size.

Example: Volume of a $2.5m \times 2.0m \times 2.4m$ rooms = $12m^3$

- 2 For reasonably good ventilation an exhaust fan must be capable of replacing the air in a room about 15 times per hour (15 ACH). However a prolonged hot shower on a cold day may warrant more frequent air changes per hour to help get rid of excessive moisture in the air. If required choose a larger ACH value (>20). Example: Required ACH = $15 \times 12 = 180 \text{m}^3/\text{h}$
- 3 Choose an exhaust fan with extraction rate more than the required ACH. Example: Required extraction rate (>180m³/h) = 200m³/h

How to keep a room well ventilated

Adequate cross ventilation

Getting a decent exhaust fan with sufficient air extraction rate alone does not guarantee that a room can be well ventilated. A little planning before fan installation is carried out goes a long way. To ensure that steam is effectively removed from bathroom, exhaust fan should be located, as far as practicable, opposite air intake openings so that cross breeze can traverse through the room.

Replenishment of exhaust air

Air discharged must be adequately replenished by fresh air from the outside.

Typical sources of air intake include opening under door, grille on door or window. If a room has insufficient avenues for air intake, an exhaust fan can be noticeably noisier and will barely extract air. Prolonged use of exhaust fan inside an air tight bathroom may shorten useful life of the motor.

The reasons above-mentioned account for most complaints relating to performance of a good exhaust fan. Other common factors affecting air extraction performance include wrinkled duct and restricted movement of self-closing draft stopper.

The impact of poor ventilation

Without adequate ventilation, stale air, moisture, and condensation can accumulate—gradually damaging building structures and creating unpleasant, uncomfortable, and unhealthy living conditions

Poor ventilation allows humidity, steam, smoke, and odours from bathrooms, toilets, and kitchens to linger, making spaces feel damp and unwelcoming. Condensation forms when moist air meets cool surfaces like walls or windows, leading to mould growth, peeling paint or wallpaper, and even serious structural issues such as timber decay. These outcomes are all preventable with the right ventilation system and fan selection.

Ventilation Requirements Under the NCC - To comply with the National Construction Code (NCC), specific ventilation standards must be met in bathrooms, toilets, and other occupied spaces:

Clause F6D6

Any room occupied for any purpose (e.g. bathrooms, toilets, offices, laundries) must have:

- (a) Natural ventilation as per F6D7; or
- (b) Mechanical ventilation complying with AS 1668.2 and AS/NZS 3666.1

Clause F6D7 - Natural Ventilation

If using natural ventilation (F6D6), openings like windows or doors must:

Provide a ventilating area of at least 5% of the room's floor area, and open to an appropriate external space such as:

- (i) A court or open sky
- (ii) A verandah, carport, or similar
- (iii) An adjoining room that meets F6D8

Clause F8D4 - Exhaust Systems

For mechanical exhaust in kitchens, bathrooms, and laundries:

Must achieve a minimum flow rate of:

- 25 L/s for bathrooms or toilets
- 40 L/s for kitchens or laundries

Exhaust air must discharge directly to the outside, either via duct or shaft

If the system doesn't run continuously and the space lacks natural ventilation:

- It must be interlocked with the light switch, and
- Include a 10-minute run-on timer after the light is turned off

How to make the best choice for your space

		A SELECTION GUIDE								
		Room Type (Air Change/Hour)		let ACH)		hroom w er (15-20			estic Kit 5-20 AC	
		Room size in m³ (Area × Ceiling Height)	SMALL (<7)	STANDARD (7-10)	SMALL (<12)	STANDARD (12-17)	LARGE (17-33)	SMALL (<10)	STANDARD (10-17)	LARGE (17-33)
	EXHAUST	NOVALINE II 240	•	•	•	1+	1+	•	1+	1+
	FAN	NOVALINE II 290	•	•	•	•	1+	•	1+	1+
		EMELINE II 240	•	•	•	•	1+	•	1+	1+
		EMELINE II 290	•	•	•	•	•	•	1+	1+
		REVOLINE 240	•	•	•	1+	1+	•	1+	1+
		REVOLINE 290	•	•	•	•	1+	•	1+	1+
		TURBOLINE II	•	•	•	•	•	•	•	•
	EXHAUST	ACELINE	•	•	•	1+	1+	•	1+	1+
≥	FAN & LIGHT	AFFINITY	•	•	•	•	•	•	•	1+
ABILI		SKYLINE	•	•	•	1+	1+	•	1+	1+
SUIT		STARLINE	•	•	•	•	1+	•		1+
VERY		STEADY	•	•	•	•	•	•	•	1+
AIR DELIVERY SUITABILITY		ZEALINE 255	•	•	•	•	1+	•	1+	1+
AIR		ZEALINE 300	•	•	•	•	•	•	•	1+
		ARDENE DUO		•		1+	1+			
		ARDENE QUATTRO		•		1+	1+			
	3-IN-1	MIDAS DUO		•		•	1+			
	BATHROOM	MIDAS QUATTRO		•		•	1+			
	HEATER, EXHAUST	MERCURY					1+			
	& LIGHT	MERCURY LITE		•	•	1+	1+			
		DOMINI	•	•	•	•	•			
		DOMINO				•				

 $^{^{\}star}$ +1 Indicates more than one unit is ideal, or consider installing higher extraction model for efficient ventilation.

IP Rating stands for Ingress Protection Rating, defined by IEC standard 60529. It classifies the degree of protection provided by electrical enclosures against solid objects and liquids.

The format is: IPXY, where:

X = protection against solid objects (like dust)

Y = protection against liquids (like water)

IPX2

Protected from dripping water when the enclosure is tilted up to 15° from vertical.

Not protected from splashes or sprays (e.g. near sinks, showers).

Typically used indoors, in low humidity or damp zones; toilets, laundry rooms, or wall fans under eaves; and away from direct water sources.

IPX4

Offers a much higher degree of protection against water splashes from any direction. Suitable for intermittent exposure to water (not immersion).

Typically used in bathrooms, kitchens with steam and splashes, covered outdoor patios/ceilings and areas close to showers or sinks (but not inside them).

			IP RATING
	EXHAUST FAN	NOVALINE II 240	IPX2
	EXHAUST FAIN	NOVALINE II 290	IPX2
		EMELINE II 240	IPX2
		EMELINE II 290	IPX2
		REVOLINE 240	IPX4
		REVOLINE 290	IPX4
		TURBOLINE II	IPX4
	EVITATICE CAN OFFCIT	ACELINE	IPX2
≥	EXHAUST FAN &LIGHT	AFFINITY	IPX4
ABILI		SKYLINE	IPX4
AIR DELIVERY SUITABILITY		STARLINE	IPX4
IVERY		STEADY	IPX4
S DELI		ZEALINE 255	IPX4
AIA		ZEALINE 300	IPX4
		ARDENE DUO	IPX2
		ARDENE QUATTRO	IPX2
		MIDAS DUO	IPX2
	3-IN-1	MIDAS QUATTRO	IPX2
	BATHROOM HEATER, EXHAUST& LIGHT	MERCURY	IPX2
		MERCURY LITE	IPX2
		DOMINI	IPX2
		DOMINO	IPX2

YOUR HEATING CHOICES



Instant Heat

Provides immediate warmth, Ideal for quickly heating up bathrooms e.g. The Domino II features a powerful 800W R7s heat lamp

Focused Heating

Perfect for warming specific areas, Avoid wasting energy

Cost Effective

Generally more affordable to purchase and install

Light & Heat

Includes built-in lighting allowing for single unit installation to cover all bases. e.g. The Domino II features 2 x 11W LED panel lights





YOUR HEATING CHOICES



Energy Efficient

Consumes less power while providing consistent heating e.g. The Mercury Lite features a powerful 2000W PTC heating element

Even Heat Distribution

Provides a uniform warmth e.g. The Mercury features a high airflow extraction up to 360 m³/hr

Safe & Durable

Long-lasting with automatic shut-off to prevent overheating e.g. The Mercury features thermal safety protection

Quiet Operation

Ensures a peaceful environment both inside the bathroom and in neighbouring rooms









- R7 linear heat lamp
- 2 x 11W CCT LED panel light: 1200lm max.
- · Heavy duty durable metal housing
- Wall controller with 3 switches included for separate heat, light and fan control
- Thermal cut out & overheating protection
- Side entry draft stopper and 1.5m x Ø150mm flexible duct included
- 2 year warranty on heat lamp
- 3 year 'In Home' warranty

This product must be installed by licensed electrician.



Model No.	Colour	Fan	Heater	Light	Air Extraction	Cutout size	Duct size
BH152ESWWH	White	60W	R7, 1 x 800W	2×11W CCT LED	500 m³/hr	540 x 320mm	ø150mm
BH152ESWBK	Black	60W	R7, 1 x 800W	2×11W CCT LED	500 m ³ /hr	540 x 320mm	ø150mm






- Heat lamp for instant warmth
- 1 x 13W CCT LED panel light: 950lm max.
- · Triple overheat protection: thermostat, thermal cut-out and fuse
- · Wall controller with 3 switches included for separate heat, light and fan control
- · Heavy duty durable metal housing

- · Extra safety protection with contact switch activated heat lamp
- Side entry draft stopper and 1.5m x Ø150mm flexible duct included
- 2 year warranty on heat lamp
- 3 year 'In Home' warranty

This product must be installed by licensed electrician.



Model No.	Colour	Fan	Heater	Light	Air Extraction	Cutout size	Duct size
BH161ESWWH	White	60W	R7, 1 x 800W	1 x 13W CCT LED	460 m³/hr	440 x 320mm	ø150mm
BH161ESWBK	Black	60W	R7, 1 x 800W	1 x 13W CCT LED	460 m³/hr	440 x 320mm	ø150mm





- 3 in 1 bathroom solution optimal for 2.1 - 2.7m ceilings
- High airflow extraction up to 360 m³/hr
- 1 x 2000W PTC heating element
- 1 x 15W CCT LED panel light (3000K 5000K) Warm White, Neutral Light, Cool White
 - Up to 1100lm
- · Powerful 45W ball bearing motor


- · Durable heat resistant PBT polymer housing
- Wall controller with 3 switches included for separate heat, light and fan control
- Thermal safety protection
- Side ducted and 1.5m x ø100mm flexible duct included
- · Cut out template included
- 3 year 'In Home' warranty




This product must be installed by licensed electrician.



Model No.	Colour	Fan	Heater	Light	Air Extraction	Cutout size	Duct size
BH212ESWWH	White	45W	2000W PTC	1 x 15W CCT LED	360 m³/hr	575 x 275mm	ø100mm
BH212ESWBK	Black	45W	2000W PTC	1 x 15W CCT LED	360 m³/hr	575 x 275mm	ø100mm






- 3 in 1 bathroom solution optimal for 2.1 - 2.7m ceilings
- PTC heating element
- 1 x 12W CCT LED panel light
- 35W ball bearing motor
- · Durable heat resistant PBT polymer housing
- · Wall controller with 3 switches included for separate heat, light and fan control
- · Thermal safety protection
- Side ducted and 1.5m x ø100mm flexible duct included
- 3 year 'In Home' warranty




This product must be installed by licensed electrician.



Model No. Colour Fan H		Heater	Light	Air Extraction	Cutout size	Duct size	
BH202ESWWH	White	35W	2000W PTC	1 x 12W CCT LED	240 m³/hr	275 x 275mm	ø100mm





- 2 or 4 x 275W durable IR lamps for instant heating (included)
- 1 x 7W LED lamp included (3000K 750lm)
- High air extraction up to 270m³/hr
- Powerful 30W ball bearing motor
- 75°C thermal cut out feature for safety
- Removable grille for easy cleaning

- Side duct and 1.5m x ø100mm flexible duct included
- · Wall controller with 4 switches included for separate heat, light and fan control
- · Cut out template included
- 3 year 'In Home' warranty




This product must be installed by licensed electrician.



White (WH)

Model No.	Colour	Fan	Heater	Light	Air Extraction	Cutout size	Duct size
BS132ESWWH	White	30W	E27, 2 × 275W	1 x 7W LED	270 m³/hr	345 x 190mm	ø100mm
BS134ESWWH	White	30W	E27, 4 x 275W	1 x 7W LED	270 m³/hr	290 x 290mm	ø100mm





- 2 x 275W durable IR lamps for instant heating (included)
- 1 x 6W R63 E27 LED included (daylight)
- Air extraction up to 220m³/hr
- Powerful 30W ball bearing motor
- 90°C thermal cut out feature for safety
- · Removable grille for easy cleaning


- Side duct and 1.5m x ø100mm flexible duct included
- · Wall controller with 3 switches included for separate heat, light and fan control
- · Mounting Kit included
- · Cut out template included
- 3 year 'In Home' warranty



This product must be installed by licensed electrician.



Model No. Colour Light Air Extraction Cutout size Fan Heater **Duct size** BS122ESWWH White 30W E27, 2 x 275W 1 x 6W R63 E27 220 m³/hr 345 x 190mm ø100mm BS124ESWWH White 30W E27, 4 x 275W 1 x 6W R63 E27 220 m³/hr 290 x 290mm ø100mm




MERCATOR DC EXHAUST FAN RANGE

THE AFFINITY



Transform your space with the unmatched efficiency and style of Mercator DC exhaust fans. Visit our website or contact your local distributor to learn more and make your purchase today.

20 EXHAUST FANS MERCATOR.COM.AU



Energy Efficient

Our DC exhaust fans consume up to 70% less energy compared to traditional AC fans, helping you save on electricity bills while reducing your carbon footprint

Whisper-Quiet Operation

Enjoy a peaceful environment with our ultra-quiet DC motors, which ensure minimal noise without compromising on performance

Sleek & Stylish

Mercator DC exhaust fans are not only functional but also aesthetically pleasing, seamlessly blending into any decor with their sleek and modern design

Advanced Features

Equipped with the latest technology, our fans offer features such as variable speed control, remote operation, and timer settings for ultimate convenience and customisation


Durability & Reliability

Built with high-quality materials and backed by Mercator's reputation for excellence, our DC exhaust fans are designed to provide long-lasting performance and reliability









BUILT-IN DELAY ON/OFF TIMER

0 • 5 • 10 • 15 • 20 • 25 MINUTE OPTIONS AVAILABLE USE FLAT HEAD SCREWDRIVER TO ADJUST

PRODUCT DETAILS

- 19W CCT LED lamp option (2700K-4500K)
- Powerful DC ball bearing motor
- 4 Pin Plug and 4 Pin Cord included for run on timer function
- Adjustable built in run on timer (0 25 min)
- Draft stopper and duct adaptor included
- 12 month replacement warranty
- Light kits sold separately (XBE620WH)




4 Pin Plug




LIGHT KIT FASCIA ONLY

Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE6200SPWH	White	45W	-	560 m³/hr	ø300mm	ø150mm
XBE620WH	White	-	19W CCT LED	480 m³/hr	ø300mm	-



Ø300MM CUT-OUT SIZE Ø148MM DUCT SIZE




- Remote control: ON/OFF, BOOST (runs at max for 10 min then back to 24/7 mode), RUN (normal speed for 20 min then back to 24/7), 24/7 mode (runs at low continuously)
- 19W CCT LED lamp option (3000K 5000K)
- Powerful ball bearing motor
- Flex & plugs included for fan & light control
- Draft stopper and duct adaptor included
- 12 month replacement warranty





Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE550ESPWH	White	75W Max.	19W LED	520 m³/hr	ø300mm	ø150mm






- Interchangeable duct size (ø100 or ø150mm)
- 15W CCT LED lamp option (3000K-5300K)
- Powerful DC ball bearing motor
- Draft stopper and duct adaptor included
- Flex & plugs included for separate fan and light control
- 12 month replacement warranty

White (WH)

PRODUCT DIMENSIONS



Ø255MM CUT-OUT SIZE Ø100/150MM DUCT SIZE

Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE6000SPWH	White	20W	-	360 m³/hr	ø255mm	ø100 / 150mm
BE600ESPWH	White	20W	15W CCT LED	360 m³/hr	ø255mm	ø100 / 150mm

26 EXHAUST FANS MERCATOR.COM.AU






• Interchangeable duct size (ø100 or ø150mm)

White (WH)

- 15W CCT LED lamp option (3000K-5000K)
- · Powerful DC ball bearing motor
- Draft stopper and duct adaptor included
- Flex & plugs included for separate fan and light control
- 12 month replacement warranty

PRODUCT DIMENSIONS




Ø300MM CUT-OUT SIZE Ø100/150MM DUCT SIZE

Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE6100SPWH	White	40W	-	480 m³/hr	ø300mm	ø100 / 150mm
BE610ESPWH	White	40W	15W CCT LED	480 m³/hr	ø300mm	ø100 / 150mm



- Silent and powerful motor
- Draft stopper and duct adaptor included for energy efficient operation
- Flex & plugs included
- 12 month replacement warranty

PRODUCT DIMENSIONS



Ø100MM DUCT SIZE Ø240MM CUT-OUT SIZE


Model No.	Colour	Fascia	Fan	Air Extraction	Cutout size	Duct size
BE3200SPWH	White	Square	30W	270 m³/hr	ø240mm	ø100mm
BE3400SPWH	White	Round	30W	270 m³/hr	ø240mm	ø100mm

28 EXHAUST FANS MERCATOR.COM.AU



- · Silent and powerful motor
- Draft stopper and duct adaptor included for energy efficient operation
- Flex & plugs included
- 12 month replacement warranty

PRODUCT DIMENSIONS



Ø150MM DUCT SIZE Ø290MM

CUT-OUT SIZE

Model No.	Colour	Fascia	Fan	Air Extraction	Cutout size	Duct size
BE3300SPWH	White	Square	35W	320 m³/hr	ø290mm	ø150mm
BE3500SPWH	White	Round	35W	320 m³/hr	ø290mm	ø150mm






- 19W CCT LED lamp option (3000K-5000K)
- Powerful ball bearing motor
- 2 step fan speed control

- Draft stopper and duct adaptor included
- 12 month replacement warranty



This product must be installed by licensed electrician.

PRODUCT DIMENSIONS



Ø300MM CUT-OUT SIZE Ø150MM DUCT SIZE

Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE500ESPBK	Black	100W Max.	-	600 m³/hr	ø300mm	ø150mm
BE510ESPBK	Black	100W Max.	19W CCT LED	600 m³/hr	ø300mm	ø150mm
BE510ESPWH	White	100W Max.	19W CCT LED	600 m³/hr	ø300mm	ø150mm


30 **EXHAUST FANS**






- 19W CCT LED lamp option (3000K-5000K)
- Powerful ball bearing motor
- Flex & plugs included for separate fan and light control
- · Draft stopper and duct adaptor included
- 12 month replacement warranty

PRODUCT DIMENSIONS



Ø300MM CUT-OUT SIZE
Ø150MM DUCT SIZE

Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE501ESPWH	White	100W Max.	-	600 m³/hr	ø300mm	ø150mm
BE511ESPWH	White	100W Max.	19W CCT LED	600 m³/hr	ø300mm	ø150mm



- Ideal for bathrooms, toilets and/or kitchens
- Separate fan and light power cords included
- Side ducted with draft stopper
- 12 month warranty


This product must be installed by licensed electrician.

PRODUCT SPECIFICATIONS



Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE370ESPWH	White	30W	14W LED	250 m³/hr	245 x 245	ø100mm


PRODUCT DIMENSIONS






- IP45 rating suitable for above shower installation
- Flex & plugs included for separate fan and light control
- 5000K/1000lm LED lamp
- Draft stopper and duct adaptor included
- 12 month replacement warranty

PRODUCT DIMENSIONS





100MM/150MM DUCT SIZE

Ø295MM CUT-OUT SIZE


Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE190ESPWH	White	40W	16W LED	400 m³/hr	ø295mm	ø100/150mm

34 EXHAUST FANS MERCATOR.COM.AU



- 22W T5 4200K fluorescent energy saving lamp OR 15W LED lamp (4000K/1000lm) included
- Side duct and draft stopper included for energy efficient operation
- Silent and powerful motor
- Flex & plugs included for separate fan and light control
- 12 month replacement warranty

PRODUCT DIMENSIONS



Ø100MM DUCT SIZE

Ø250MM CUT-OUT SIZE

Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE220FSPWH	White	30W	22W T5	250 m³/hr	ø250mm	ø100mm
BE240ESPWH	White	30W	15W LED	250 m³/hr	ø250mm	ø100mm






White (WH)

PRODUCT DETAILS

- 13W tricolour LED panel (3000K-5000K)
- Upto 700lm
- Separate fan and light power cords incl.
- Draft stopper and duct adaptor included
- 2 year replacement warranty

PRODUCT DIMENSIONS





Ø100MM DUCT SIZE Ø240MM CUT-OUT SIZE

Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE380ESPWH	White	28W	13W CCT LED	270 m³/hr	ø240mm	ø100mm

36 EXHAUST FANS MERCATOR.COM.AU







White (WH)

PRODUCT DETAILS

- 17W tricolour LED panel (3000K-5000K)
- Upto 1000lm
- Separate fan and light power cords incl.
- Draft stopper and duct adaptor included
- 2 year replacement warranty

PRODUCT DIMENSIONS





Ø150MM DUCT SIZE Ø290MM CUT-OUT SIZE


Model No.	Colour	Fan	Light	Air Extraction	Cutout size	Duct size
BE390ESPWH	White	40W	17W CCT LED	350 m³/hr	ø290mm	ø150mm





- · Silent and powerful motor
- Draft stopper and duct adaptor included for energy efficient operation
- 10W LED incl (4000K 860lm)
- Flex & plugs included
- 12 month replacement warranty

PRODUCT DIMENSIONS



Ø100MM DUCT SIZE Ø240MM CUT-OUT SIZE


Model No.	Colour	Fascia	Light	Fan	Air Extraction	Cutout size	Duct size
BE320ESPWH	White	Square	10W LED	30W	270 m³/hr	ø240mm	ø100mm
BE340ESPWH	White	Round	10W LED	30W	270 m³/hr	ø240mm	ø100mm

38 EXHAUST FANS MERCATOR.COM.AU



- · Silent and powerful motor
- Draft stopper and duct adaptor included for energy efficient operation
- 10W LED incl (4000K 860lm)
- Flex & plugs included
- 12 month replacement warranty

PRODUCT DIMENSIONS



Model No.	Colour	Fascia	Light	Fan	Air Extraction	Cutout size	Duct size
BE330ESPWH	White	Square	10W LED	35W	320 m³/hr	ø290mm	ø150mm
BE350ESPWH	White	Round	10W LED	35W	320 m³/hr	ø290mm	ø150mm




- Up to 90 minutes of adjustable delay-OFF
- 0-5 minutes of adjustable delay-ON
- · Ideal for bathrooms, kitchens and laundries
- · Aids in managing condensation in areas with poor natural ventilation
- · Compact; fits directly behind traditional switch panels for a sleek, unobtrusive look.
- · Mounting plate for easier installation
- Ensures the exhaust system runs for an additional 10 minutes after turning off at the switch
- Motor safety and EMC compliant, meeting all safety standards for peace of mind.



This product must be installed by licensed electrician.

PRODUCT DIMENSIONS



Model No.	Colour	Compatibility	Wattage	Voltage	Frequency
BET001WH	White	Exhaust Fan (no light)	150W max.	220-240V a.c.	50Hz
BET002WH	White	Exhaust Fan & Light	150W max.	220-240V a.c.	50Hz

RECOMMENDED PARTS/ACCESSORIES

			AUST				EX	HAUS	T FAN	1 WIT	H LIG	нт							3 - 1	N - 1			
		F	AN																				
MODEL	DESCRIPTION	NOVALINE II 240	NOVALINE II 290	EMELINE II 240	EMELINE II 290	REVOLINE 240	REVOLINE 290	TURBOLINE II	ACELINE	AFFINITY	SKYLINE	STARLINE	STEADY	ZEALINE 255	ZEALINE 300	ARDENE DUO	ARDENE QUATTRO	MIDAS DUO	MIDAS QUATTRO	MERCURY	MER CURY LITE	DOMINI	DOMINO
HEAT LAMP	DECOKA ITOM				_		_	Ė	1		-	-	-	- 1	-	_	_						
LR275E27GRR	275W, E27, 2450K	Т	П																				
XBH1514	D125mm×H183mm 800W, R7S, 2500K																					•	•
LAMP	00011, 10 0, 200011					_												_		_	_	-	_
	6W, R63 LED globe,	Т	Т																				
LF6WLEDR63	27, 3000K																						
XBE3216BK/WH	10W, LED downlight, 4000K			•	•																		
LC22WT5EB	22W, T5 circular fluro, 4200K										•												
WALL CONTROL																							
FSX90263	3 Gang switch															•		•				•	•
FSX90264	4 Gang switch																•		•				
DRIVER	<u>'</u>																						
XBH1516	LED driver	Т	Т									П						П		П			•
XBH1616	LED driver					•																•	
DRAFT STOPPER																							
XBE322BK	Draft stopper		Т	•	П	•			П														
XBE332BK	Draft stopper		•		•																		
XBH1512	Draft stopper																						•
WALL GRILLE	1																						
XBH1513		Т	Т		П	Π			П			П	Т					Π		Π		•	•
FRONT PANEL (FASCIA)		1																					
XBE3201BK/WH	Fascia only, square		Т	П	П	Π			П	П		П	Т					Τ		Π	Π		
XBE3301BK/WH	Fascia only, square	1																					
XBE3401BK/WH	Fascia only, round		-																				
XBE3501BK/WH	Fascia only, round	Ť																					
XBE3211BK/WH	-		Ť	•																			
XBE3311BK/WH	Fascia only, square Fascia only, square			-																			
XBE3411BK/WH	Fascia only, round			•	Ť																		
XBE3511BK/WH	-			•																			
XBE500BK/WH	Fascia only, round Fascia only, round				Ť																		
XBE501BK/WH	Fascia only, round																						
-	· · · · · ·							•					·	•									
XBE600WH XBE601WH	Fascia only, round Fascia with LED, round													•									
XBE610WH														•	•								
	Fascia only, round																						
XBE611WH	Fascia with LED, round														٠				_				
XBS1341SWH XBE1701WH	Fascia only																		•				
	Fascia with LED, square											•											
XBE1901WH	Fascia with LED, round											•											
XBE3701BK/WH	Fascia with LED, square								•														
XBE3801BK/WH	Fascia with LED, round					•																	
XBE3901BK/WH	Fascia with LED, round	-					•																
XBH1511BK/SL/WH	Fascia with LED																						•
XBH1611BK/SL/WH	Fascia with LED																					•	
XBH2121BK/WH	Fascia only																			•			

Model No.	Product Name	Category	Page
BE190ESP	Starline LED	Exhaust Fan & Light	34
BE220FSP	Skyline	Exhaust Fan & Light	35
BE240ESP	Skyline LED	Exhaust Fan & Light	35
BE3200SP	Novaline II 240	Exhaust Fan	28
BE320ESP	Emeline II 240	Exhaust Fan & Light	38
BE3300SP	Novaline II 290	Exhaust Fan	29
BE330ESP	Emeline II 290	Exhaust Fan & Light	39
BE3400SP	Novaline II 240	Exhaust Fan	28
BE340ESP	Emeline II 240	Exhaust Fan & Light	38
BE3500SP	Novaline II 290	Exhaust Fan	29
BE350ESP	Emeline II 290	Exhaust Fan & Light	39
BE370ESP	Aceline	Exhaust Fan & Light	32
BE380ESP	Revoline LED 240	Exhaust Fan & Light	36
BE390ESP	Revoline LED 290	Exhaust Fan & Light	37
BE500ESP	Turboline - No Light	Exhaust Fan	30
BE501ESP	Turboline II - No Light	Exhaust Fan	31
BE510ESP	Turboline - W Light	Exhaust Fan & Light	30
BE511ESP	Turboline II - W Light	Exhaust Fan & Light	31
BE5500SP	Steady DC - W Light	Exhaust Fan	24
BE600ESP	Zealine DC 255 - W Light	Exhaust Fan	26
BE6000SP	Zealine DC 255 - No Light	Exhaust Fan	26
BE610ESP	Zealine DC 300 - W Light	Exhaust Fan & Light	27
BE6100SP	Zealine DC 300 - No Light	Exhaust Fan	27
BE6200SP	Affinity DC	DC 24/7 Exhaust Fan	22
BET001	Delay On/Off Timer - No Light	Accessory	40
BET002	Delay On/Off Timer - W Light	Accessory	40
BH152ESW	Domino	3-in-1 Bathroom Heater	8
BH161ESW	Domini	3-in-1 Bathroom Heater	10
BH202ESW	Mecury Lite	3-in-1 Bathroom Heater	14
BH212ESW	Mercury	3-in-1 Bathroom Heater	12
BS122ESW	Ardene Duo	3-in-1 Bathroom Heater	18
BS124ESW	Ardene Quattro	3-in-1 Bathroom Heater	18
BS132ESW	Midas Duo	3-in-1 Bathroom Heater	16
BS134ESW	Midas Quattro	3-in-1 Bathroom Heater	16
XBE620	Affinity DC - Fascia	Light Kit	23

INDEX BY PRODUCT NAME

Affinity DC	Product Name	Model No.	Category	Page
Affinity DC - Fascia XBE620 Light Kit 23 Ardene Duo BS122ESW 3-in-1 Bathroom Heater 18 Ardene Quattro BS124ESW 3-in-1 Bathroom Heater 18 Delay On/Off Timer - No Light BET001 Accessory 40 Delay On/Off Timer - W Light BET002 Accessory 40 Demini BH161ESW 3-in-1 Bathroom Heater 10 Domino BH152ESW 3-in-1 Bathroom Heater 10 Domino BH152ESW 3-in-1 Bathroom Heater 10 Domino BH152ESW 3-in-1 Bathroom Heater 18 Emeline II 240 BE320ESP Exhaust Fan & Light 38 Emeline II 240 BE340ESP Exhaust Fan & Light 39 Emeline II 290 BE330ESP Exhaust Fan & Light 39 Emeline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 12 Midas Duo BS132ESW 3-in-1 Bathroom Heater 12 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Novaline II 240 BE320OSP Exhaust Fan 28 Novaline II 290 BE330OSP Exhaust Fan 29 Novaline II 290 BE330OSP Exhaust Fan 29 Novaline II 290 BE350OSP Exhaust Fan 30 Revoline LED 240 BE360SP Exhaust Fan 30 Revoline LED 290 BE360SP Exhaust Fan 8 Light 36 Starline LED BE20FSP Exhaust Fan 8 Light 35 Starline LED BE20FSP Exhaust Fan 8 Light 35 Starline LED BE30OSP Exhaust Fan 8 Light 34 Turboline - No Light BE50OSP Exhaust Fan 8 Light 32 Turboline - No Light BE50OSP Exhaust Fan 8 Light 32 Turboline - W Light BE50OSP Exhaust Fan 8 Light 32 Turboline - W Light BE50OSP Exhaust Fan 8 Light 32 Turboline II - No Light BE50OSP Exhaust Fan 8 Light 32 Evaluat Fan 8 Light 32 Exclude DC 255 - No Light BE60OSP Exhaust Fan 8 Light 33 Zealine DC 255 - No Light BE60OSP Exhaust Fan 8 Light 33 Zealine DC 255 - No Light BE60OSP Exhaust Fan 8 Light 33	Aceline	BE370ESP	Exhaust Fan & Light	32
Ardene Duo BS122ESW 3-in-1 Bathroom Heater 18 Ardene Quattro BS124ESW 3-in-1 Bathroom Heater 18 Delay On/Off Timer - No Light BET001 Accessory 40 Delay On/Off Timer - W Light BET002 Accessory 40 Domini BH161ESW 3-in-1 Bathroom Heater 10 Domino BH152ESW 3-in-1 Bathroom Heater 10 Domino BH152ESW 3-in-1 Bathroom Heater 10 Domino BH152ESW 3-in-1 Bathroom Heater 18 Emeline II 240 BE320ESP Exhaust Fan & Light 38 Emeline II 240 BE340ESP Exhaust Fan & Light 39 Emeline II 290 BE330ESP Exhaust Fan & Light 39 Emeline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 14 Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Novaline II 240 BE320OSP Exhaust Fan 28 Novaline II 240 BE320OSP Exhaust Fan 28 Novaline II 290 BE330OSP Exhaust Fan 29 Novaline II 290 BE350OSP Exhaust Fan 30 Skyline BE220FSP Exhaust Fan 8 Light 36 Skyline BE220FSP Exhaust Fan 8 Light 35 Skyline BE20FSP Exhaust Fan 8 Light 35 Starline LED BE190ESP Exhaust Fan 8 Light 34 Steady DC - W Light BE500SP Exhaust Fan 8 Light 32 Turboline - No Light BE500SP Exhaust Fan 8 Light 32 Turboline - No Light BE500SP Exhaust Fan 8 Light 32 Turboline - W Light BE500SP Exhaust Fan 8 Light 32 Emeline II - No Light BE500SP Exhaust Fan 8 Light 32 Emeline II - No Light BE500SP Exhaust Fan 8 Light 32 Emeline II - No Light BE500SP Exhaust Fan 8 Light 32 Emeline II - W Light BE500SP Exhaust Fan 8 Light 32 Emeline II - No Light BE500SP Exhaust Fan 8 Light 33 Emeline II - W Light BE500SP Exhaust Fan 8 Light 33 Emeline II - W Light BE500SP Exhaust Fan 8 Light 33 Emeline II - W Light BE500SP Exhaust Fan 8 Light 33	Affinity DC	BE6200SP	DC 24/7 Exhaust Fan	22
Ardene Quattro BS124ESW 3-in-1 Bathroom Heater 18 Delay On/Off Timer - No Light BET001 Accessory 40 Delay On/Off Timer - W Light BET002 Accessory 40 Domini BH161ESW 3-in-1 Bathroom Heater 10 Domini BH162ESW 3-in-1 Bathroom Heater 10 Domino BH152ESW 3-in-1 Bathroom Heater 8 Emeline II 240 BE320ESP Exhaust Fan & Light 38 Emeline II 240 BE340ESP Exhaust Fan & Light 38 Emeline II 290 BE330ESP Exhaust Fan & Light 39 Emeline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 14 Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Movaline II 240 BE320SP Exhaust Fan 28 Novaline II 240 BE330SP Exhaust Fan 28 Novaline II 290 BE330SP Exhaust Fan 29 Novaline II 290 BE330SP Exhaust Fan 29 Novaline II 290 BE330SP Exhaust Fan 29 Revoline LED 240 BE350SP Exhaust Fan 29 Revoline LED 240 BE360SP Exhaust Fan & Light 36 Skyline BE220FSP Exhaust Fan & Light 36 Skyline BE220FSP Exhaust Fan & Light 36 Starline LED BE240ESP Exhaust Fan & Light 37 Skyline BE350OSP Exhaust Fan & Light 36 Starline LED BE240ESP Exhaust Fan & Light 36 Starline LED BE240ESP Exhaust Fan & Light 36 Starline LED BE240ESP Exhaust Fan & Light 36 Starline LED BE360SP Exhaust Fan & Light 32 Starline LED BE360SP Exhaust Fan & Light 32 Starline LED BE360SP Exhaust Fan & Light 32 Starline LED BE360SP Exhaust Fan & Light 33	Affinity DC - Fascia	XBE620	Light Kit	23
Delay On/Off Timer - No Light BET001 Accessory 40	Ardene Duo	BS122ESW	3-in-1 Bathroom Heater	18
Delay On/Off Timer - W Light	Ardene Quattro	BS124ESW	3-in-1 Bathroom Heater	18
Domini BHI6IESW 3-in-I Bathroom Heater 10 Domino BHI52ESW 3-in-I Bathroom Heater 8 Emeline II 240 BE320ESP Exhaust Fan & Light 38 Emeline II 240 BE340ESP Exhaust Fan & Light 38 Emeline II 290 BE330ESP Exhaust Fan & Light 39 Mercline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-I Bathroom Heater 14 Mercury BH212ESW 3-in-I Bathroom Heater 12 Midas Duo BS132ESW 3-in-I Bathroom Heater 16 Midas Quattro BS134ESW 3-in-I Bathroom Heater 16 Novaline II 240 BE3200SP Exhaust Fan 28 Novaline II 240 BE340OSP Exhaust Fan 28 Novaline II 290 BE330OSP Exhaust Fan 29 Novaline II 290 BE350OSP Exhaust Fan 29 Revoline LED 240 BE390ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP	Delay On/Off Timer - No Light	BETO01	Accessory	40
Domino BH152ESW 3-in-1 Bathroom Heater 8 Emeline II 240 BE320ESP Exhaust Fan & Light 38 Emeline II 240 BE340ESP Exhaust Fan & Light 38 Emeline II 290 BE330ESP Exhaust Fan & Light 39 Emeline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 12 Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS34ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS34ESW 3-in-1 Bathroom Heater 16 Movaline II 240 BE3200SP Exhaust Fan 28 Novaline II 240 BE340SP Exhaust Fan 28 Novaline II 290 BE330OSP Exhaust Fan 29 Novaline II 290 BE330OSP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan 36 Revoline LED 290 BE390ESP <	Delay On/Off Timer - W Light	BET002	Accessory	40
Emeline II 240 BE320ESP Exhaust Fan & Light 38 Emeline II 240 BE340ESP Exhaust Fan & Light 38 Emeline II 290 BE330ESP Exhaust Fan & Light 39 Emeline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 16 Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Novaline II 240 BE320OSP Exhaust Fan 28 Novaline II 240 BE320OSP Exhaust Fan 28 Novaline II 290 BE330OSP Exhaust Fan 29 Novaline II 290 BE350OSP Exhaust Fan & Light 36 Revoline LED 240 BE380ESP Exhaust Fan & Light 37 Skyline BE20FSP Exhaust Fan & Light 35 Skyline LED BE30ESP <td>Domini</td> <td>BH161ESW</td> <td>3-in-1 Bathroom Heater</td> <td>10</td>	Domini	BH161ESW	3-in-1 Bathroom Heater	10
Emeline II 240 BE340ESP Exhaust Fan & Light 38 Emeline II 290 BE330ESP Exhaust Fan & Light 39 Emeline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Novaline II 240 BE320OSP Exhaust Fan 28 Novaline II 240 BE320OSP Exhaust Fan 28 Novaline II 290 BE330OSP Exhaust Fan 29 Novaline II 290 BE350OSP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan 29 Revoline LED 240 BE390ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline BE220FSP Exhaust Fan & Light 35 Starline LED BE90ESP Exhaust Fan & Light 35 Starline LED BE90ESP Exhaust Fan & Light 36 Starline LED BE90ESP Exhaust Fan & Light 37 Starline LED BE90ESP Exhaust Fan & Light 38 Starline II - No Light BE500ESP Exhaust Fan & Light 32 Turboline - No Light BE500ESP Exhaust Fan & Light 32 Turboline II - No Light BE500ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE600SP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE600SP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE600SP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE600SP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE600SP Exhaust Fan 26	Domino	BH152ESW	3-in-1 Bathroom Heater	8
Emeline II 290 BE330ESP Exhaust Fan & Light 39 Emeline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 12 Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS34ESW 3-in-1 Bathroom Heater 16 Midas Quattro BE300SP Exhaust Fan 28 Novaline II 240 BE3300SP Exhaust Fan 29 Revoline II 240	Emeline II 240	BE320ESP	Exhaust Fan & Light	38
Emeline II 290 BE350ESP Exhaust Fan & Light 39 Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 12 Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Novaline II 240 BE3200SP Exhaust Fan 28 Novaline II 240 BE3400SP Exhaust Fan 28 Novaline II 290 BE3300SP Exhaust Fan 29 Novaline II 290 BE3500SP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Straine LED BE190ESP Exhaust Fan & Light 34 Stready DC - W Light BE500ESP Exhaust Fan 24 Turboline - No Light BE500ESP	Emeline II 240	BE340ESP	Exhaust Fan & Light	38
Mercury Lite BH202ESW 3-in-1 Bathroom Heater 14 Mercury BH212ESW 3-in-1 Bathroom Heater 12 Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS34ESW 3-in-1 Bathroom Heater 16 Movaline II 240 BE3200SP Exhaust Fan 28 Novaline II 240 BE3400SP Exhaust Fan 28 Novaline II 290 BE3300SP Exhaust Fan 29 Novaline II 290 BE3500SP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE390ESP Exhaust Fan & Light 34 Steady DC - W Light BE500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline II - No Light BE501ESP	Emeline II 290	BE330ESP	Exhaust Fan & Light	39
Mercury BH212ESW 3-in-1 Bathroom Heater 12 Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Novaline II 240 BE3200SP Exhaust Fan 28 Novaline II 240 BE3400SP Exhaust Fan 28 Novaline II 290 BE3300SP Exhaust Fan 29 Novaline LED 240 BE380ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Straline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline II - No Light BE501ESP Exhaust Fan & Light 33 Turboline II - No Light BE501ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light	Emeline II 290	BE350ESP	Exhaust Fan & Light	39
Midas Duo BS132ESW 3-in-1 Bathroom Heater 16 Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Novaline II 240 BE3200SP Exhaust Fan 28 Novaline II 240 BE3400SP Exhaust Fan 28 Novaline II 290 BE3300SP Exhaust Fan 29 Novaline II 290 BE3500SP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan 8 Light 36 Revoline LED 290 BE390ESP Exhaust Fan 8 Light 37 Skyline BE220FSP Exhaust Fan 8 Light 35 Skyline BE240ESP Exhaust Fan 8 Light 35 Starline LED BE190ESP Exhaust Fan 8 Light 35 Starline LED BE190ESP Exhaust Fan 8 Light 34 Steady DC - W Light BE5500SP Exhaust Fan 8 Light 34 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE500ESP Exhaust Fan 33 Turboline II - No Light BE501ESP Exhaust Fan 8 Light 32 Turboline II - No Light BE501ESP Exhaust Fan 8 Light 32 Turboline II - W Light BE501ESP Exhaust Fan 8 Light 32 Turboline II - W Light BE501ESP Exhaust Fan 8 Light 32 Turboline II - W Light BE501ESP Exhaust Fan 8 Light 32 Turboline II - W Light BE501ESP Exhaust Fan 8 Light 33 Turboline II - W Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE501ESP Exhaust Fan 32 Turboline DC 255 - No Light BE600SP Exhaust Fan 26 Turbol DC 300 - No Light BE600SP Exhaust Fan 26 Turbol DC 300 - No Light BE600SP Exhaust Fan 26	Mercury Lite	BH202ESW	3-in-1 Bathroom Heater	14
Midas Quattro BS134ESW 3-in-1 Bathroom Heater 16 Novaline II 240 BE3200SP Exhaust Fan 28 Novaline II 240 BE3400SP Exhaust Fan 29 Novaline II 290 BE3300SP Exhaust Fan 29 Revoline II 290 BE3500SP Exhaust Fan & Light 36 Revoline LED 240 BE380ESP Exhaust Fan & Light 37 Skyline BE390ESP Exhaust Fan & Light 35 Skyline LED BE220FSP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline II - No Light BE50ESP Exhaust Fan & Light 32 Turboline II - No Light BE50ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE600OSP Exhaust Fan 26 Zealine DC 255 - W Light BE600CSP Exhaust Fan 27 Zealine DC 300 - No Light<	Mercury	BH212ESW	3-in-1 Bathroom Heater	12
Novaline II 240 BE3200SP Exhaust Fan 28 Novaline II 240 BE3400SP Exhaust Fan 28 Novaline II 290 BE3300SP Exhaust Fan 29 Novaline II 290 BE3500SP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline II - No Light BE510ESP Exhaust Fan & Light 32 Turboline II - W Light BE511ESP Exhaust Fan 26 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE6000SP Exhaust Fan 27	Midas Duo	BS132ESW	3-in-1 Bathroom Heater	16
Novaline II 240 BE3400SP Exhaust Fan 28 Novaline II 290 BE3300SP Exhaust Fan 29 Novaline II 290 BE3500SP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Midas Quattro	BS134ESW	3-in-1 Bathroom Heater	16
Novaline II 290 BE3300SP Exhaust Fan 29 Novaline II 290 BE3500SP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline II - No Light BE501ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Novaline II 240	BE3200SP	Exhaust Fan	28
Novaline II 290 BE3500SP Exhaust Fan 29 Revoline LED 240 BE380ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan & Light 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Novaline II 240	BE3400SP	Exhaust Fan	28
Revoline LED 240 BE380ESP Exhaust Fan & Light 36 Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE5500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE6000SP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Novaline II 290	BE3300SP	Exhaust Fan	29
Revoline LED 290 BE390ESP Exhaust Fan & Light 37 Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE5500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline II - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - W Light BE511ESP Exhaust Fan 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Novaline II 290	BE3500SP	Exhaust Fan	29
Skyline BE220FSP Exhaust Fan & Light 35 Skyline LED BE240ESP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE5500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Revoline LED 240	BE380ESP	Exhaust Fan & Light	36
Skyline LED BE240ESP Exhaust Fan & Light 35 Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE5500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Revoline LED 290	BE390ESP	Exhaust Fan & Light	37
Starline LED BE190ESP Exhaust Fan & Light 34 Steady DC - W Light BE5500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Skyline	BE220FSP	Exhaust Fan & Light	35
Steady DC - W Light BE5500SP Exhaust Fan 24 Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Skyline LED	BE240ESP	Exhaust Fan & Light	35
Turboline - No Light BE500ESP Exhaust Fan 32 Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Starline LED	BE190ESP	Exhaust Fan & Light	34
Turboline - W Light BE510ESP Exhaust Fan & Light 32 Turboline II - No Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Steady DC - W Light	BE5500SP	Exhaust Fan	24
Turboline II - No Light BE501ESP Exhaust Fan 33 Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Turboline - No Light	BE500ESP	Exhaust Fan	32
Turboline II - W Light BE511ESP Exhaust Fan & Light 33 Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Turboline - W Light	BE510ESP	Exhaust Fan & Light	32
Zealine DC 255 - No Light BE6000SP Exhaust Fan 26 Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Turboline II - No Light	BE501ESP	Exhaust Fan	33
Zealine DC 255 - W Light BE600ESP Exhaust Fan 26 Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Turboline II - W Light	BE511ESP	Exhaust Fan & Light	33
Zealine DC 300 - No Light BE6100SP Exhaust Fan 27	Zealine DC 255 - No Light	BE6000SP	Exhaust Fan	26
y	Zealine DC 255 - W Light	BE600ESP	Exhaust Fan	26
Zealine DC 300 - W Light BE610ESP Exhaust Fan & Light 27	Zealine DC 300 - No Light	BE6100SP	Exhaust Fan	27
	Zealine DC 300 - W Light	BE610ESP	Exhaust Fan & Light	27



Warranty & Technical Information

Terms & Conditions

Mercator Limited Warranty

Bathroom Heater/ Exhaust Fan

1 LIMITED REPAIR / REPLACEMENT WARRANTY

MERCATOR offers a repair or replacement warranty on MERCATOR products in cases where the product fails due to defective materials or workmanship. Please refer to the LIMITED WARRANTY PERIOD TABLE which sets out the relevant warranty and warranty period which MERCATOR grants to the purchaser of the MERCATOR product. The warranty period begins from the date of purchase. Also, please refer to WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY.

You must have proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer to make a warranty claim. In addition, a certificate of compliance for the installation as required by law from the installating electrician is required for products requiring installation by licensed electricians. Please refer to the Instruction leaflet for the MERCATOR product purchased, which will state if the product is required to be installed by a licensed electrician. Warranty claims without this documentation will NOT be accepted.

Repairs / Replacements

MERCATOR Products presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

Balance of Warranty

To the maximum extent permitted by law, any replaced or repaired products by MERCATOR are covered only by the balance of the warranty period remaining from the date of purchase of the original MERCATOR product.

2 IN-HOME REPAIR / REPLACEMENT WARRANTY

In addition to the limited warranty terms set out under section (1) above, the in-home warranty applies to all lighting products which are hard wired to the electricity supply at residential premises and are required to be installed by a licensed electrician.

Where a consumer asserts that a product installed in-home is faulty, and a MERCATOR service agent has attended at the property, A SERVICE CALL FEE WILL BE CHARGED TO THE CONSUMER IF:

The product is deemed to be a non-MERCATOR product:

- There is nothing wrong with the MERCATOR product or to the extent that the failure is not a failure of the product to perform in accordance with its published features and specifications as reasonably determined by MERCATOR:
- The original installation of the MERCATOR product was not carried out by a licensed electrician;
- The installation is not performed in accordance with the relevant MERCATOR product installation instructions;
- The defects have been caused by incorrect application or abuse or misuse by the consumer of the MERCATOR product.

In cases of in-home repair/replacements in areas outside the coverage of MERCATOR service agents, MERCATOR will reimburse customers a standard fee of \$82.50 (inc. GST) for using their own electrician. Any service request must be arranged with the MERCATOR warranty department and obtained an Approval Reference Number (ARN) before calling your own electrician. Reimbursements will not be made for call-out fees or other costs without prior approval in writing of the MERCATOR warranty department. In the circumstances where an emergency has arisen out of normal business hours and the MERCATOR warranty department cannot be contacted to dispatch a service agent to the premises, MERCATOR will reimburse customers their reasonable costs (as determined by MERCATOR) for using their own electrician.

3 WARRANTY TRANSFER

If the ownership changes on the dwelling where the MERCATOR product is installed, the balance of the warranty period passes to the new owner provided the proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer is retained by the new owner. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians.

▲ AUSTRALIAN CONSUMER LAW

The benefits given to you in this warranty document are in

Terms & Conditions

Mercator Limited Warranty

Bathroom Heater/ Exhaust Fan

addition to your other rights and remedies under a law in relation to the products to which this warranty document relates.

"YOUR CONSUMER RIGHTS"

"Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure."

Subject to "Your Consumer Rights" outlined above, but otherwise to the maximum extent permitted by law, MERCATOR will not be liable for any consequential or indirect loss or damage suffered or incurred by you in relation to a MERCATOR product, including but not limited to loss of use, loss or damage for business interruption, or profits.

5 WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY OR THE IN-HOME REPAIR / REPLACEMENT WARRANTY

Subject to "Your Consumer Rights", but otherwise to the maximum extent permitted by law, the MERCATOR warranties provided in this document will not cover the following:

- MERCATOR products that are not purchased from an authorised retailer and installed in Australia.
- Where installation was not carried out by a licensed electrician as required.
- MERCATOR products not installed in accordance with the product's installation instructions or specifications.
- MERCATOR products not used in accordance with the instructions for use or specifications.
- Defect, damage or failure to a MERCATOR product resulting from misuse, accident, neglect, abuse, tampering, modifications or unauthorised repairs of any kind by any person.
- Damages not caused by a fault in the MERCATOR product materials or workmanship.
 Defect, damage or failure to a MERCATOR

- product resulting from any acts of God, including damages from lightning, power grid fluctuations, or power surges.
- Minor variations of speed may be evident between different fans, including the same model.
- Replacement of light sources (globes, fluorescent tubes, etc) unless specified.
- Replacement of batteries supplied with certain products.
- 10. Power supply "noise", intermittent "humming" or other influences from mains power delivery infrastructure. Signals sent through the power grid by the electricity provider for the control of off peak hot water, street lights and other devices may cause an intermittent humming noise in your MERCATOR product. Filters for blocking/reducing such signals are available in Australia at the customer's expense. These noises do not indicate the MERCATOR product is faulty.
- Damage caused by alternative power systems (for example: solar inverters, etc.).
- Water damage of any kind caused by inappropriate placement of fittings not IP rated for that location.
- The cost of renting, obtaining and using special access equipment (i.e. scaffoldings, scissor lifts, etc.) for accessing products installed at a height of greater than 3.0 meters.
- 14. Travelling costs incurred by MERCATOR personnel or service agents traveling greater than 25 Km from a MERCATOR authorised service agent. The purchaser must meet these traveling costs.
- Where the product does not perform to the expectation of a user but it does perform to its published features and specifications.
- Non-structural corrosion damage of non-316 stainless steel components such as surface rust or minor rust.
- 17. Liability for consequential loss or claims for damage to furniture, carpets, walls, ceilings, foundations or any other event either directly or indirectly resulting from a faulty product or accessory to the maximum extent permitted by

Terms & Conditions

Mercator Limited Warranty

Bathroom Heater/ Exhaust Fan 3

COMMERCIAL USE

Mercator products which specifically designed for commercial use are designated as Commercial Use Products on the product packaging.

All Mercator ceiling fan/bathroom heater/exhaust fan products are designed for domestic use unless otherwise specified in the warranty documentation supplied with the product.

Where products designed for domestic use are used in a commercial environment/commercial premises one third of the domestic warranty as supplied with the product applies.

THIS WARRANTY IS VALID IN AUSTRALIA ONLY

HOW TO MAKE A WARRANTY CLAIM

- A Limited repair/replacement warranty: Please return the faulty MERCATOR product together with a copy of the proof of purchase, and if required, a certificate of compliance for the installation of the product by the licensed electrician who installed the product, to the authorised MERCATOR retailer where the product was purchased. To the maximum extent permitted by law, the customer must bear the costs and expenses of claiming under this warranty, including but not limited to the cost incurred in freight, postage, handling, travel, dismantling or reinstalling the product.
- B. In-home repair/replacement warranty: Where an in-home warranty applies, please phone the MERCATOR customer care hotline 1300 55 22 55 (select option 2.) Australia for all in-home warranty enquiries and do not phone or return the product to the retailer. Do not uninstall or return a hard-wired product to the retailer unless advised to do so by a MERCATOR customer service representative.

IN CASE OF MISSING ACCESSORIES OR PARTS, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE INSTALLATION OF THE PRODUCT. IF YOUR PRODUCT IS DEFECTIVE OR EXCESSIVELY NOISY, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE THE ELECTRICIAN LEAVES THE RESIDENCE WHERE THE INSTALLATION IS TAKING PLACE.

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

MERCATOR PTY LTD ABN: 23 005 946 958 36 Lakeview Drive, Scoresby, VIC, 3179 Telephone: 1300 552 255

Email: warranty@mercator.com.au

1. LIMITED REPAIR / REPLACEMENT WARRANTY

MERCATOR offers a repair or replacement warranty on MERCATOR products in cases where the product fails due to defective materials or workmanship. Please refer to the LIMITED WARRANTY PERIOD TABLE which sets out the relevant warranty and warranty period which MERCATOR grants to the purchaser of the MERCATOR product. The warranty period begins from the date of purchase. Also, please refer to WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY.

You must have proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer to make a warranty claim. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians. Please refer to the Instruction leaflet for the MERCATOR product purchased, which will state if the product is required to be installed by a licensed electrician. Warranty claims without this documentation will NOT be accepted.

REPAIRS / REPLACEMENTS

MERCATOR Products presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

BALANCE OF WARRANTY

To the maximum extent permitted by law, any replaced or repaired products by MERCATOR are covered only by the balance of the warranty period remaining from the date of purchase of the original MERCATOR product.

2. IN-HOME REPAIR / REPLACEMENT WARRANTY

In addition to the limited warranty terms set out under section (1) above, the in-home warranty applies to all lighting products which are hard wired to the electricity supply at residential premises and are required to be installed by a licensed electrician.

Where a consumer asserts that a product installed in-home is faulty, and a MERCATOR service agent has attended at the property, A SERVICE CALL FEE WILL BE CHARGED TO THE CONSUMER IF:

The product is deemed to be a non-MERCATOR product;

- There is nothing wrong with the MERCATOR product or to the extent that the failure is not a failure of the product to perform in accordance with its published features and specifications as reasonably determined by MERCATOR;
- The original installation of the MERCATOR product was not carried out by a licensed electrician;
- The installation is not performed in accordance with the relevant MERCATOR product installation instructions;
- The defects have been caused by incorrect application or abuse or misuse by the consumer of the MERCATOR product.

WARRANTY

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

In cases of in-home repair/replacements in areas outside the coverage of MERCATOR service agents, MERCATOR will reimburse customers a standard fee of \$95.00 (inc. GST) for using their own electrician. Any service request must be arranged with the MERCATOR warranty department and obtained an Approval Reference Number (ARN) before calling your own electrician. Reimbursements will not be made for call-out fees or other costs without prior approval in writing of the MERCATOR warranty department.

In the circumstances where an emergency has arisen out of normal business hours and the MERCATOR warranty department cannot be contacted to dispatch a service agent to the premises, MERCATOR will reimburse customers their reasonable costs (as determined by MERCATOR) for using their own electrician.

3. WARRANTY TRANSFER

If the ownership changes on the dwelling where the MERCATOR product is installed, the balance of the warranty period passes to the new owner provided the proof of purchase (such as the original dated purchase receipt) from an authorised MERCATOR retailer is retained by the new owner. In addition, a certificate of compliance for the installation as required by law from the installing electrician is required for products requiring installation by licensed electricians

4. AUSTRALIAN CONSUMER LAW

The benefits given to you in this warranty document are in addition to your other rights and remedies under a law in relation to the products to which this warranty document relates.

"YOUR CONSUMER RIGHTS"

"Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure."

Subject to "Your Consumer Rights" outlined above, but otherwise to the maximum extent permitted by law, MERCATOR will not be liable for any consequential or indirect loss or damage suffered or incurred by you in relation to a MERCATOR product, including but not limited to loss of use, loss or damage for business interruption, or profits.

5. WHAT IS NOT COVERED BY THE LIMITED REPAIR / REPLACEMENT WARRANTY OR THE IN-HOME REPAIR/REPLACEMENT WARRANTY

Subject to "Your Consumer Rights", but otherwise to the maximum extent permitted by law, the MERCATOR warranties provided in this document will not cover the following:

- MERCATOR products that are not purchased from an authorised retailer and installed in Australia.
- 2. Where installation was not carried out by a licensed electrician as required.
- MERCATOR products not installed in accordance with the product's installation instructions or specifications.
- MERCATOR products not used in accordance with the instructions for use or specifications.
- Defect, damage or failure to a MERCATOR product resulting from misuse, accident, neglect, abuse, tampering, modifications or unauthorised repairs of any kind by any person.
- Damages not caused by a fault in the MERCATOR product materials or workmanship.

WARRANTY

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

- Defect, damage or failure to a MERCATOR product resulting from any acts of God, including damages from lightning, power grid fluctuations, or power surges.
- 8. Replacement of light sources (globes, fluorescent tubes, etc) unless specified.
- Replacement of batteries supplied with certain products.
- 10. Power supply "noise", intermittent "humming" or other influences from mains power delivery infrastructure. Signals sent through the power grid by the electricity provider for the control of off peak hot water, street lights and other devices may cause an intermittent humming noise in your MERCATOR product. Filters for blocking/reducing such signals are available in Australia at the customer's expense. These noises do not indicate the MERCATOR product is faulty.
- Damage caused by alternative power systems (for example: solar inverters, etc.).
- Water damage of any kind caused by inappropriate placement of fittings not IP rated for that location.
- 13. The cost of renting, obtaining and using special access equipment (i.e. scaffoldings, scissor lifts, etc.) for accessing products installed at a height of greater than 3.0 meters.
- 14. Travelling costs incurred by MERCATOR personnel or service agents traveling greater than 25 Km from a MERCATOR authorised service agent. The purchaser must meet these traveling costs.

 Non-structural corrosion damage of non-316 stainless steel components such as surface rust or minor rust.

6. COMMERCIAL USE

Mercator products which specifically designed for commercial use are designated as Commercial Use Products on the product packaging.

All other Mercator products are designed for domestic use.

Where products designed for domestic use are used in a commercial environment/commercial premises one third of the domestic warranty.

THIS WARRANTY IS VALID IN AUSTRALIA ONLY

HOW TO MAKE A WARRANTY CLAIM

A. Limited repair/replacement warranty: Please return the faulty MERCATOR product together with a copy of the proof of purchase, and if required, a certificate of compliance for the installation of the product by the licensed electrician who installed the product, to the authorised MERCATOR retailer where the product was purchased. To the maximum extent permitted by law, the customer must bear the costs and expenses of claiming under this warranty, including but not limited to the cost incurred in freight, postage, handling, travel, dismantling or reinstalling the product.

B. In-home repair/replacement warranty: Where an in-home warranty applies, please phone the MERCATOR customer care hotline 1300 55 22 55 (select option 2.) Australia for all in-home warranty enquiries and do not phone or return the product to the retailer. Do not uninstall or return a hard-wired product to the retailer unless advised to do so by a MERCATOR customer service representative.

WARRANTY

MERCATOR – LIMITED WARRANTY – LIGHTING PRODUCTS TERMS AND CONDITIONS

IN THE CASE OF MISSING ACCESSORIES OR PARTS, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE INSTALLATION OF THE PRODUCT. IF YOUR PRODUCT IS DEFECTIVE OR EXCESSIVELY NOISY, PLEASE CONTACT MERCATOR CUSTOMER SERVICE BEFORE THE ELECTRICIAN LEAVES THE RESIDENCE WHERE THE INSTALLATION IS TAKING PLACE.

In order for you to assist us with your claim, please complete the enclosed warranty form in full.

Visit our website at mercator.com.au for warranty claims and more information















Sales Order Hotlines

1300 552 255

1300 552 256

General & Accounts Enquiries

VIC Head Office VIC Showroom

Mercator Pty Ltd Caribbean Park 36 Lakeview Dive Scoresby VIC 3179

03 9302 6200

03 9302 6262

All items shown are available at time of printing and are available until sold out. All units other than do-it-yourself models must be installed by a qualified electrician. Products marked with globe/tube to suit product. Colours shown may vary slightly from actual product. Mercator reserves the right to correct any errors at any time.

