

NAKAYAMA[®]

PRO

Shaping outdoor life.



**EUROPEAN
40 YEARS BRAND**

TRUSTED GLOBALLY

EU CERTIFIED QUALITY



CATALOGUE 2025



NAKAYAMA[®] PRO



With 40 years of experience, **NAKAYAMA PRO** is a **European brand** that blends **European technology** with exceptional manufacturing quality to create reliable garden tools and accessories for professionals and demanding users.

Our range includes **1,500 articles**, each certified by **TÜV NORD GERMANY** to ensure maximum safety and performance. We proudly serve **60 countries across 4 continents**, supported by **30.000 sq.m.** of warehouse space.

As a **one-stop shop**, we provide not only a complete range of garden solutions, but also reliable after-sales support and a full assortment of spare parts. Our customer-first approach and commitment to continuous growth make **NAKAYAMA PRO** the ideal partner for your professional gardening needs.

Join our global network and experience the power of European quality.



1.500
Products





30.000sqm
Total Warehouses



22.000
Spare Parts



60 Countries
of Exports



B2B Platform for orders, photos videos, specifications, spare parts drawings user manuals, financial information.



**SCAN HERE
AND TAKE
A TOUR TO OUR
FACILITIES**






Certified by TÜV NORD GERMANY





**Integrated services
for the dynamic promotion
of your business.**





VARIOUS POS MATERIALS

NAKAYAMA[®]
PRO





Shaping outdoor life.



**EUROPEAN
BRAND**
40 YEARS
TRUSTED GLOBALLY
EU CERTIFIED QUALITY



NAKAYAMA[®] PRO

21V
LITHIUM-ION

ONE BATTERY FOR ALL





NAKAYAMA[®]
PRO

Shaping outdoor life.



CONTENTS



▶ Garden tools

p. 12-13



▶ Chainsaws
▶ Pole saws

p. 14-19



▶ Brush cutters

p. 20-21



▶ Lawn mowers

p. 22-23



▶ Tillers/cultivators

p. 24-27



▶ Olive harvester
▶ Transport vehicles
▶ Shredders

p. 28-29



▶ Pumps
▶ Watering

p. 30-34



▶ Sprayers
▶ Blowers
▶ Trimmers

p. 35-39



▶ HANDTOOLS - ACCESSORIES

p. 42-59





NEW

- Cordless mini chainsaw**
- Guide bar 10cm
 - Chain 1/4" x 1.1mm 28Links
 - 825gr
 - Chain speed: 10m/s

EC1040
Code 082453



**EXTRA
SECOND
CHAIN**

- Cordless mini chainsaw**
- Guide bar 15cm
 - Chain 1/4" x 1.1mm 37Links
 - Includes 2 batteries
 - 2Ah and charger
 - Chain speed: 10m/s
 - 0.82gr

EC1050
Code 075028



**EXTRA
SECOND
CHAIN**

- Cordless mini chainsaw**
- Guide bar 15cm
 - Chain 1/4" x 1.1mm 37Links
 - With lubrication system
 - Includes 2 2Ah batteries and charger
 - Chain speed: 10m/s
 - 1kg

EC1100
Code 074991



**EXTRA
SECOND
CHAIN**

- Cordless mini chainsaw**
- Guide bar 20cm
 - Chain 1/4" x 1.1mm 46Links
 - Chain lubrication system with pump
 - Chain speed: 10m/s
 - Includes 2 batteries 2Ah and charger
 - 1,3kg

EC1200
Code 075004



- Cordless pruning shears**
- Double cutting 0-22/0-28mm
 - Display: digital
 - Includes 2 2Ah batteries and charger
 - 1kg

EC1250
Code 075035



- Telescopic extension rod**
- Length 1,4-2,1m
 - For EC1100, EC1250
 - 1,2-1,9m
 - 1kg
 - Suitable for: EC1050, EC1100, EC1250

EC1020
Code 075011



PRO

BRUSHLESS

2x4.0Ah

NEW



Cordless mini chainsaw

- Motor: BRUSHLESS
- Guide: 30cm
- Chain speed: 14m/s
- Chain size 1/4" 1,1mm 62Links
- Charging time: 2-3hours/4Ah
- Lubrication System: pump
- Machine weight: 2kg



EC1230

Code 082996

PRO

BRUSHLESS

2x2.0Ah



NEW

Pruning shears

- Cutting Diameter (2 positions): 0-15/40mm
- Progressive Cutting
- Display: HD Digital
- Blade : Sk5
- Charging Time: 1-1,5hours
- Body: 0,9kg



EC1440

Code 082910

PRO

BRUSHLESS

2x2.0Ah



NEW

Pruning shears

- Cutting Diameter (2 positions): 0-15/35mm
- Progressive Cutting
- Display: HD Digital
- Blade : Sk5
- Charging Time: 1-1,5hours
- Body: 0,85kg



EC1435

Code 082903



PRO

BRUSHLESS

2x5.0Ah

NEW

Pruning chainsaw

- Bar Length cm: 20
- Chain-Guides/Links: 1/4x1,1mm 47
- Chain Speed m/s: 11m/s
- Tool Weight without Battery: 1,4kg
- Chain Lubrication: With Pump



EC1520

Code 082927

PRO



Belt for 4 batteries

(For EC1601, EC1602
EC1606, EC1201,
EC1101)

EC1604

Code 071716

PRO



Connecting wire for batteries

*connects the machine to the battery in the belt for more relaxing work

- For EC1600, EC1620, EC1630

EC1605

Code 071723

21V
LITHIUM-ION
ONE BATTERY FOR ALL



BRUSHLESS

SOLO

Cordless mini chainsaw 16.8v

- Guide bar 20cm
- Chain 1/4x1,1mm (48 guides)
- Chain lubrication system with pump
- Length 150-300cm
- Blade Length cm: 20
- Chain-Guides/Links: 1/4x1,1mm 48links
- Chain Speed: 6m/s
- Oil Tank (ml): 150
- 150- 300cm
- Telescopic
- 2.4kg

EC1620

Code 078043

PRO



THE
LIGHTEST
IN THEIR
CLASS

PRO



21V
LITHIUM-ION
ONE BATTERY FOR ALL

BRUSHLESS

SOLO

Extension pruner

- Height 2,2m
- Cutting Diameter (25STEPS): 0-22/0-35mm
- Height: 2,2m
- 1.9kg

EC1630

Code 079026

PRO



21V
LITHIUM-ION
ONE BATTERY FOR ALL

BRUSHLESS

2x4.0Ah

NEW

Telescopic pole saw

- Blade Length: 20cm
- Chain-Guides/Links: 1/4x1,1mm /47
- Chain Speed m/s:10
- Oil Tank (ml): 150
- Overall Length of Reciprocating Saw: 1,8-3m
- Tool Weight without Battery: 2.1kg



EC1615

Code 083092



Battery 21V
• 4.0Ah

EC1101

Code 075042



Charger 21V
• 1A

EC1102

Code 075783

PRO



Battery 21V
• 4.0Ah

EC1602

Code 061700

Battery 21V
• 5Ah

EC1606

Code 078050

Battery 21V
• 10Ah

EC1601

Code 071693

With Samsung elements



Battery 21V
• 20Ah

EC1608

Code 078074



Charger 3A
• Για EC1608)

EC1609

Code 078081

PRO

PRO

Charger

- 1,5A για EC1600, EC1620, EC1630



EC1631

Code 079033

PRO

Charger

- 2.2A
- Double



EC1607

Code 078067



PRO
BRUSHLESS
1x2.0Ah

watch VIDEO

EC1500

Cordless mini chainsaw 16.8V

- Guide Bar 13cm
- Lubrication system
- Includes 2Ah batteries and charger
- Guide Bar: 13cm'
- Chain speed: 11m/s
- Chain sprocket: 7teeth
- Chain size 1/4" 1,1mm 32links
- Thickness of the guide 3.2mm
- 0.88kg

EC1500
Code 053101



PRO
BRUSHLESS
1x2.0Ah

watch VIDEO

EC1350

Battery pruning shears 16.8V

- Double cutting 0-25/0-32mm
- Progressive cut
- Includes 2Ah batteries and charger
- 0.74Kg

EC1350
Code 055648

THE TOOLS EC1500 AND EC1350 HAVE A COMMON BATTERY, CHARGER & EXTENSION ROD

EC1501
Code 053118
Battery 16.8V
EC1500 2.0Ah
EC1350



PRO

EC1500EXT
Code 065227
Telescopic extension bar
1,5-2,1m, for EC1500
& EC1350



EC1503
Code 073994
Connecting wire
for EC1350 & EC1500



PRO



BRUSHLESS
PRO
2x2.0Ah

watch VIDEO

EC1510

Cordless mini chainsaw 16.8V

- Guide 15cm
- Chain speed : 8m/s
- Chain size 1/4" 1,1mm 32Links
- Thickness of the guide 3.2mm
- Lubrication system chain with pump
- Machine weight: 990g

EC1510
Code 077411



BRUSHLESS
PRO
1x2.0Ah

watch VIDEO

EC1300

Battery pruning Shears 16,8V

- Double cutting 0-22/0-28mm
- Includes 2Ah battery and charger
- 0.69Kg

EC1300
Code 053064

THE TOOLS EC1510 AND EC1300 HAVE A COMMON BATTERY & CHARGER

EC1510EXT
Code 077459
Telescopic extension bar
1,5-2,1m,
for pruning saw EC1510



PRO

EC1301
Code 053071
Battery 16.8V,
2.0Ah for EC1300,
EC1510



PRO



PRO

BRUSHLESS

1x2.0Ah



Battery pruning shears 21V

- Double cutting 0-30/0-40mm
- It has a progressive cutting function
- Includes 2Ah battery and charger
- 0,97Kg

EC1400

Code 053088

THE EC1550 AND EC1400 HAVE A COMMON BATTERY & CHARGER

EC1405

Code 073987
Connecting wire
EC1400 EC1550



EC1401

Code 053095
Battery 21V,
2.0Ah
EC1400
EC1550



EC1402

Code 055662
Battery 21V,
4.0Ah
EC1400
EC1550



EC1400 EXT

Telescopic extension bar
• For branch shears EC1400
• Height 1,5-2,1m



**1/4"x1,1
CHAIN**

SOLO

Cordless brushless chain saw 20V

- Guide Bar Carving 25cm
- Chain 1/4x1,1mm, 58Links
- Chain speed 11m/s
- Oil tank capacity 60ml
- 1.9Kg



**watch
VIDEO**



EC3000

PRO

BRUSHLESS

**EXTRA
SECOND
CHAIN
& GUIDE
BAR**

EC3000

Code 042099

EC3005

Code 042105
Battery 20V
• Li-Ion-4.0Ah PRO
• Suitable for EC3000



EC3010

Code 042112
Charger 20V
• Li-Ion-4A PRO
• Suitable for EC3000



EASY
START

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION



PRO

2,5
KG

2STROKE

PC2525

Code 068228

Gasoline chain saw

- 25cc
- 1.4hp
- Guide Bar Carving 25cm
- Chain 1/4" 1.1mm 56Links
- Fuel tank capacity: 190ml
- Oil tank capacity: 140ml
- 2.5Kg
- Including: Service tools, Fuel mixing tank



**watch
VIDEO**



PC3100

2STROKE



Gasoline chain saw

- 25cc
- 1.3hp
- Guide Bar Carving 25cm
- Chain 3/8" 1.3mm 40Links
- Fuel tank capacity: 230ml
- Oil tank capacity: 150ml
- 3Kg
- Including: Service tools, Fuel mixing tank

PC3100

Code 029052



2STROKE

Gasoline chain saw

- 45cc
- 2.45hp
- Guide Bar 45cm
- Chain 325" 1.3mm 72Links
- Fuel tank capacity: 550ml
- Oil tank capacity: 260ml
- 4.5Kg
- Including: Service tools, Fuel mixing tank

PC4600

Code 029069



2STROKE

Gasoline chain saw

- 50cc
- 2.6hp
- Guide Bar 50cm
- Chain 325" 1.5mm 76Links
- Fuel tank capacity: 550ml
- Oil tank capacity: 260ml
- 5Kg
- Including: Service tools, Fuel mixing tank

PC5600

Code 029076



2STROKE

**watch
VIDEO**



PC6700



Gasoline chain saw

- 56.3cc
- 3.8hp
- Guide Bar 55cm
- Chain 325" 1.5mm 86Links
- Fuel tank capacity: 550ml
- Oil tank capacity: 260ml
- 6.7Kg
- Including: Service tools, Fuel mixing tank

PC6700

Code 029083

EASY
START

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PRO

2-STROKE



Gasoline chain saw

- 39.6cc
- 2hp
- Guide Bar 40cm
- Chain 3/8"LP 1.3mm 56Links
- Fuel tank capacity: 550ml
- Oil tank capacity: 260ml
- 4.3Kg
- Including: Service tools, Fuel mixing tank

PC4100

Code 036456

PRO

2-STROKE



Gasoline chain saw

- 45.6cc
- 2.4hp
- Guide Bar 45cm
- Chain 325" 1.3mm 72Links
- Fuel tank capacity: 450ml
- Oil tank capacity: 260ml
- 4.9Kg
- Including: Service tools, Fuel mixing tank

PC4610

Code 036463

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

EASY
START

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PRO

2-STROKE



Gasoline chain saw

- 54.5cc • 3.5hp
- Guide Bar 50cm
- Chain 325" 1.5mm 78Links
- Fuel tank capacity: 450ml
- Oil tank capacity: 260ml
- 5.2Kg
- Including: Service tools, Fuel mixing tank

PC5610

Code 036470

PRO



Electric chain saw

- 2400W
- Guide bar 45cm
- Chain 3/8"LP 1.3mm (57 guides)
- 4.5kg

EC2350

Code 034322

PRO



Face shield visor

PB970

Code 031833



Cutting saw stand

- Maximum weight 150Kg

CS1500

Code 014423



Electric chain saw

- 1800W
- Guide bar 35cm
- Chain 3/8"LP 1.3mm (52 guides)
- 4.4kg

EC2035

Code 042600



Electric chain grinder

- 230W
- Disc Ø145mm
- Working light

ES3010

Code 049241

PRO



Chain saw sharpener

- 220W
- Disc Ø100mm

ES2310

Code 036289

Gasoline pole saw

- 25.4cc
- 1,1Hp
- Guide bar carving 25cm
- Chain 1/4" 1.1mm (58 guides)
- One-piece tube 26mm
- Total length 2,2m
- 6Kg

PS2600

Code 029113



Pole extension
100cm for PS2600

PS2500EXT


Code 012801

PRO

2STROKE

Electric pole saw

- 750W
- Guide Bar 20cm
- Chain 3/8" 1.3mm 33Links
- Chain Speed:11 m/s
- One-tube 26mm
- Total Length 2.8m
- Adjustable Head
- 6Kg
- Including: Service tools, Fuel mixing tank



ES7250

Code 034339

2STROKE

Gasoline multitool 4 in 1

- 51.7cc
- 2.1hp
- Shaft Diameter: 26mm
- Hedge Trimmer cutting length: 395mm
- Bar/Chain: 255mm/25cmx, 3/8LP x1,3mm 39Links
- Extension Shaft:1m
- Fuel tank capacity:1200ml
- Oil tank capacity:150ml
- Fuel Type: Gasoline
- Includes: Nylon Head, 3T Blade (255mm) & Double Belt 14,5kg



PS5170

Code 054115

2STROKE

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

PRO

Multi-functional tool 4 in1

- 25.4cc
- 1Hp
- Length of scissors 39,5cm
- Guide bar 25cm
- Chain 1/4" (56 leads) 1.1mm
- Total length without extension 2,2m



PS5105

Code 036500

Extension pole for PS5105

- Length 76cm

PS5105EXT

Code 036524

Gasoline brush cutter

- 26cc
- 1hp
- One-piece tube Ø26mm
- Weight 6Kg
- Loop handle
- Belt: Single
- Automatic Head
- Blade: 255mm (3T)

PB2626

Code 078647



Gasoline brush cutter

- 33cc
- 1,2hp
- One-piece tube Ø26mm
- Weight 6.9Kg

PB3326

Code 078623



Gasoline brush cutter

- 43cc
- 1.8Hp
- One-piece tube Ø26mm
- Weight 7.4Kg
- Belt : Double
- Automatic Head
- Blade: 255mm (3T)

PB4320

Code 066606



Gasoline brush cutter

- 52cc
- 2Hp
- One-piece tube Ø28mm
- Weight 7.6Kg
- Bicycle handle
- Belt: Double
- Automatic Head
- Blade: 255mm (3T)

PB5221

Code 033783



Gasoline brush cutter

- 52cc
- 2hp
- Divided tube Ø28mm
- Bicycle type
- Belt: Double
- Automatic Head
- Blade: 255mm (3T)
- Weight 7.2Kg

PB5228

Code 078906



Gasoline brush cutter

- 62cc
- 3Hp
- One-piece tube Ø28mm
- Bicycle handle
- Belt: Double
- Blade: 1pc nylon cutter & 1pc 3T metal blade
- Weight 7.8Kg

PB6210

Code 024255



watch
VIDEO



PB6210

Brush cutter with anti-vibration

- 62cc
- 3Hp
- One-piece tube Ø28mm
- Bicycle handle
- Belt: Double
- Blade: 1pc nylon cutter & 1pc 3T metal blade
- Weight 9.8Kg

PB6310

Code 024248





Gasoline brush cutter

- 72cc
- 3.8Hp
- One-piece tube Ø28mm
- Bicycle handle with anti-vibration
- Belt: Double
- Cutting diameter: 255mm (brush cutter) 415mm (grass trimmer)
- Weight 9.4Kg

PB7230
Code 066484

ENGINE EURO5 UP TO **-40%** LESS EXHAUST GAS CONSUMPTION



Gasoline brush cutter with antivibration

- 52cc
- 2.3Hp
- One-piece tube Ø28mm
- Automatic Head
- Blade: 255mm (3T)
- Weight 8.5Kg

PB5600
Code 033790

watch VIDEO
PB5600

ENGINE EURO5 UP TO **-40%** LESS EXHAUST GAS CONSUMPTION



Gasoline brush cutter

- 63cc
- 3Hp
- One-piece tube Ø28mm
- Bicycle handle
- Belt: Double
- Cutting diameter: 305mm (brush cutter) 440mm (grass trimmer)
- Weight 8.8Kg

PB7500
Code 033813

ENGINE EURO5 UP TO **-40%** LESS EXHAUST GAS CONSUMPTION



Gasoline brush cutter with antivibration

- 63cc
- 3Hp
- One-piece tube Ø28mm
- Bicycle handle
- Belt: Double
- Cutting diameter: 305mm (brush cutter) 440mm (grass trimmer)
- Weight 10.8Kg

PB7700
Code 033806

watch VIDEO
PB7700

PRO



Electric brush cutter

- 1000W
- Automatic head/Disc 3 Teeth
- Divided axis
- Steering wheel Adjustable
- Weight 2.95Kg

EB1010
Code 053033

Electric grass trimmer

- 550W
- Auto-feed
- Weight 2Kg



ET6100
Code 034278

Tiller for brush cutter

- Compatible With Dia 28mm Tube and 9T Shaft



PB1000
Code 015611



ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

4STROKE

Push gasoline lawnmower

- 145cc
- 3.5Hp
- Cutting height 25-75mm, (6)
- Cutting width 42cm
- Bucket 45Lt
- Wheels 6"-7"
- 23kg

PM4810

Code **032373**



ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

4STROKE

Push gasoline lawnmower

- 145cc
- 3.9Hp
- Cutting height 25-75mm, (6)
- Cutting width 46cm
- Bucket 65Lt
- Wheels 6"-7"
- 23.5kg

PM4820

Code **032380**



ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

4STROKE

Self-propelled gasoline lawnmower

- 145cc
- 3.5Hp
- Cutting height 25-75mm, (6)
- Cutting width 46cm
- Bucket 65Lt
- Wheels 7"-9"
- 26kg

PM4830

Code **032397**



ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION

4STROKE

Self-propelled gasoline lawnmower

- 170cc
- 5.5Hp
- Cutting height 25-75mm, (6)
- Cutting width 51cm
- Bucket 65Lt
- Wheels 7"-9"
- 29kg

PM5310

Code **032403**



4STROKE
4CUT
DECK IN

watch
VIDEO



PM5810

Self-propelled gasoline lawnmower

- 196cc
- 6.5Hp
- Cutting height 25-75mm, (6)
- Cutting width 53cm
- Bucket 65Lt
- Wheels 8"-11"
- 39.5kg

PM5810

Code **032410**



4STROKE
4CUT
DECK IN

ENGINE EUROS
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION



Self-propelled gasoline lawnmower

- 196cc
- 6.5Hp
- Cutting height 25-75mm, (6)
- Cutting width 56cm
- Bucket 65Lt
- Bucket fullness indicator
- Possibility of lawn fertilization
- Wheels 8"-11"
- 39.5kg

PM5860

Code **042327**



PRO

Electric lawnmower

- 1200W
- Cutting height 25-65mm, (3)
- Cutting width 32cm
- Bucket 25Lt
- Wheels 6"-6"



EM3220

Code 066361

Electric lawnmower

- 1400W
- Cutting height 25-65mm, (5)
- Cutting width 34cm
- Bucket 35Lt
- Wheels 6"-6"



EM3410

Code 032342



PRO

**watch
VIDEO**



EM4010

Electric lawnmower

- 1600W
- Cutting height 20-70mm, (5)
- Cutting width 38cm
- Bucket 40Lt
- Wheels 6"-8"

EM4010

Code 032359



PRO

Electric lawnmower

- 1800W
- Cutting height 25-75mm, (11)
- Cutting width 42cm
- Bucket 50Lt
- Bucket fullness Indicator
- Wheels 7"-9"

EM4020

Code 032366

Electric tiller

- 1400W
- Working width 40cm
- Max. Working Depth: 20cm
- Knives 12+12
- 13kg



MB2100

Code 034346

Gasoline tiller

- Two-stroke engine
- 52cc
- 2.2Hp
- Tilling Width: 30cm
- Tilling Depth: 10cm
- Blade Diameter: 22.5cm
- Knives 8+8
- Fuel Tank Capacity: 1.2lt
- 14Kg



MB2510

Code 033080

Gasoline tiller

- Two-stroke engine
- 62cc
- 2.8Hp
- Tilling Width: 40cm
- Tilling Depth: 20cm
- Knives 12+12
- Fuel Tank Capacity: 1.2lt
- 16Kg



MB2620

Code 066507

Gasoline tiller

- 139cc
- 4Hp
- Working width 60cm
- Max working depth: 260mm
- Depth adjustment: 3 positions
- Speeds 1 forward
- Knives 12+12
- With belt & gears transmission
- Housing: steel
- Wheel size: 6"
- 33Kg



MB5005

Code 053736

Gasoline tiller

- 208cc
- 7hp
- Working width 75-90cm
- Speeds 1 forward+ 1 reverse
- Knives 12+12
- With belt & gears transmission
- Adjustable handle height: 3 positions
- Wheels: 4.0 - 8.0
- Hand start
- 66Kg



MB5800

Code 078548

- Knives included



- Wheels included



Motor cultivator

- 212cc
- 7Hp
- Working width 85cm
- Speeds 2 forward, 1 reverse
- Knives 12+12
- Wheels: 3.5 - 4 + front wheel
- Hand start
- Belt Driven
- 76Kg

MB6000

Code 000495

- Knives included



Motor cultivator

- 212cc
- 7Hp
- Working width 90-110cm
- Speeds 2 forward, 1 reverse
- Knives 12+12
- Air filter
- Wheels: 4.0 - 8.0
- Hand start
- Small gear - driven
- 85Kg

**MB7000
CLASSIC**

Code 011736

PRO

- Wheels included



Motor cultivator

- 212cc
- 7.5Hp
- Work Width : 90-110cm
- Gears : 3 Forward , 1 Reverse
- Blades : 12+12
- Wheels : 4.0 - 8.0
- Transmission with gears
- Adjustable Height and Width
- Steering Wheel
- Folding Wheel
- 90Kg

MB7100

Code 036302

Diesel tiller

- 418cc
- 10Hp
- Working width 110cm
- Speeds 2 forward – 1 reverse
- Knives 16+16
- Starting with starter motor
- Transmission with crown-core
- 110Kg

- Wheels included



**MB9000
CLASSIC**

Code 011729

PRO



- Knives included



Diesel tiller

- 418cc
- 10Hp
- Working width 100 - 120cm
- Speeds 2 forward , 1 reverse
- Steering wheel adjustable in height and width
- Knives: 16+16
- Wheels: 5.00x12"
- Electric starter and light
- Transmission with gears
- 155Kg

MB9005

Code 033288



Trailer 500kg

- Wheel dimension 4.00x12"
- Trolley dimension 1,40x1,00m
- Effective: 1,20x0,80m
- Total Size: 270x105x100cm
- Tipping Trolley

MB211

Code 012719

Adjustable plough for tillers

- Suitable for: MB9000, MB9005
- Dimensions: 40x60x20
- 4.65Kg

MB137

Code 012696



Potato digger for tillers

- Suitable for MB9000, MB9005
- Dimensions: 50x60x40cm

MB138

Code 012702



PRO

**CULTIVATOR-HOWER
WITH THE POSSIBILITY
OF ROTATING THE KNIVES
FORWARD AND BACKWARD**

2+1

**AND FURROW
DEPTH**

200-300mm

REQUIRED TO BE
USED WITH
MB6512
OR WITH MB6511

**watch
VIDEO**



MB6510



**4-Stroke
gasoline cultivator**

- 212cc
- 7Hp
- Working width: 58cm
- Speeds 1 forward, 1 reverse
- Steering wheel adjustable in height and width
- Knives 12+12
- Wheels 4.0 - 7
- 65Kg



MB6510

Code **053743**



PRO

Ditching blades (for MB6510)
• Knives 4+4

MB6512

Code **070771**



PRO

2 pcs set metallic wheels (for MB6510)
• Diameter ø320mm

MB6511

Code **070764**



4-Stroke self-propelled Grass chipper

- Power: 6.5hp
- Tire: 3.5-4 Rubber wheel
- Drive Type: Self-propelled
- Transmission Type: Gearbox
- Gear: 2+1
- Adjustable distance of the handle from the ground: Maximum 80cm
- Working width: 60cm
- Cutting drum speed: 3200rpm
- Number of blades: 48pcs
- 94kg

PRO



PB8600

Code **074779**

PRO

**Diesel mini cultivator / tractor**

- Power 11Hp
- 4WD/2WD drive
- Working depth 150mm
- Working width 1050mm
- 3 gears FWD (forward) +1 REV (reverse)
- Knives 16+16 without side plate
- Starting system: E-start and recoil
- With rear view mirror
- With ROPS roll-over protection system
- With 1 set 4.00-8 & 5.00-12 rubber wheels
- With 1 set of iron wheels Ø480mm
- Driver max weight: 100Kg
- Weight 200Kg

watch
VIDEO

MB9300

MB9300

Code 070740



PRO

Trailer

- (for MB9300)
- Dimensions 1200x800x250mm
- Max load 300Kg
- Wheels: 4.00x12"
- Max. load 300Kg
- Weight 75kg

MB9305

Code 070801

PRO



**Single ditcher
adjustable
(for MB9300)**

**Double ditcher
adjustable
(for MB9300)**

MODEL	CODE	WIDTH	WEIGHT
MB9303 - SINGLE	070788	30-50cm	12,1Kg
MB9304 - DOUBLE	070795	100cm	20,3Kg

PRO

BRUSHLESS



NEW

Olive harvester

- DC12V
- 800bpm
- 5000rpm
- Length: 2,2 - 3m
- Cable Length: 15m
- Weight: 2,8kg

NX2800

Code 083085



for 2 Olive harvester

PRO



2stroke power generator DC 12V-50A

- Fuel: Gasoline
- Displacement (cc) / Type: 69/2Stroke
- Output Voltage Low/High (V): 14/18
- Max Output Amp(A): 50
- Speed (rpm): 3600
- Starting System: Recoil
- Fuel Tank (lt) : 2,2
- Product Dimensions LxWxH (mm): 330x275x320
- Weight (kg): 12
- Includes: : 12V charging cable, maintenance tools

GB1310

Code 036197

for 4 Olive harvester

PRO



4stroke power generator inverter DC

- 196cc
- 100A
- Output Voltage 12V
- 28Kg

GB1330

Code 064039

PRO

watch
VIDEO



MB3150



Electric transport vehicle

- Maximum load 1000kg
- Power 800W
- Battery 48V 20Ah
- Charging voltage 220V/ 50Hz
- Platform dimensions
- 150x90cm
- Wheel dimensions 4.00x10"
- Off-road wheels 4 pcs
- Road wheels 4 pcs
- With driver platform
- For upright driving
- With detachable side rails
- Speeds 2 forward & 2 reverse
- With double oil brake
- With charging indicator display
- Net weight 240kg

MB3150

Code 079699

PRO



Gasoline skythe mower

- 196cc
- 6.5Hp
- Cutting width 100cm
- Speeds 1 forward -1 reverse
- Height adjustment 1-8cm
- Transmission with belt

SM9800

Code 043034

PRO



Blade shredder

- 2500W
- Cutting thickness 40mm
- 5000rpm
- 10.25Kg

ES2510

Code 053057

PRO



Gasoline chipper shredder 4 stroke

- 196cc
- 6.5Hp
- Starting system: Starter/ Recoil
- Cutting thickness 76mm
- Blade: 2pcs

GS8600

Code 029168

PRO



With the ability
to produce
lighter

watch
VIDEO



GS8700



Wood cutting machine for firewood with length 4 stroke

- 212cc • 7HP
- 3600rpm
- Blade: 6pcs Shredding diameter 60mm
- Cutting length 50-100mm
- Starting system: Starter/Recoil
- Cutting thickness 60mm • 110Kg

GS8700

Code 069478

PRO




Gasoline chipper shredder 4 stroke

- 420cc • 15Hp • 3600rpm
- Starting system: Starter/Recoil
- Towing kit • Cutting thickness 120mm
- Blade: 2pcs • 170Kg

GS9600

Code 029175



PRO

Photovoltaic peripheral pump

- 24v 210w, 0,28hp,
- Flow rate 2000Lt/h
- Maximum manometer 25m,
- Spout Ømm 1"x1"
- Set with 450W panel, pump cables




NP2200

Code 080039

Photovoltaic well pump

- 48v 400w, 0,55hp 3,8m³/h
- Manometric 55m
- Spout Ømm: 1,25"
- Set with 700W, pump cables and panels
- They include metal mounting frame and 2 panels (2x350W).



PRO


NP2220

Code 080053



Photovoltaic well pump

- 96v, 750w, 1hp, 3,8m³/h
- Manometric 95m
- Spout Ømm: 1,25"
- Set with 1650W, pump cables and panels
- They include metal mounting frame and 3 panels (3x550W)
- Panel dimensions: 227,9x113,4x3,5cm
- Panel weight: 3x28kg



PRO

NP2230

Code 080107



PRO



Garden inox pump with tank

- 800W
- Flow rate 3500Lt/h
- Manometric 38m
- Container 19Lt
- Spout Ømm 1"x1"

NP2105

Code 034674

PRO



Garden pump with tank

- 750watt
- 3000l/h
- Manometric: 50m
- 1"x1" 24lt

NP2108

Code 036043

PRO



Stainless steel pump head

- 1100W
- Maximum Flow 4100Lt/h
- Manometric 42m
- Tank Capacity 24Lt
- Spout 1"x1"

NP2115

Code 034681

PRO

anós/
10/6/2025

NEW



Water pressure pump

- 1300W
- Maximum Flow 6000Lt/h
- Manometric 53m
- LCD display

NP2150

Code 081203



Surface ss head jet pump

- 1100W
- Flow rate 4200Lt/h
- Manometric 45m
- Spout Ømm 1"x1"

NP2120

Code 035152

Peripheral pump

- 370W
- Flow rate 2.100Lt/H
- Manometric 40m
- Bronze wing
- Stainless steel shaft
- Spout Ømm 1"x1"

NP2015

Code 036029



Peripheral pump

- 750W
- Flow rate 2.700Lt/H
- Manometric 70m
- Bronze wing
- Stainless steel shaft
- Spout Ømm 1"x1"

NP2025

Code 036036



Surface jet pump with stainless steel head

- 800W
- Flow rate 3.500Lt/H
- Manometric 38m
- Automatic suction
- Stainless steel shaft
- Spout Ømm 1"x1"

NP2035

Code 034636



Jet surface water pump

- 800W
- Flow rate 3.000Lt/H
- Manometric 50m
- Bronze wing
- Stainless steel shaft
- Spout Ømm 1"x1"

NP2045

Code 034643



Multistage pump

- 950W
- Flow rate 6600l/h
- Manometric 52m
- Carbon steel shaft
- Spout Ømm 1,1/4"x1"

NP2095

Code 036067



Centrifugal pump high flow

- 1100W
- Flow rate 24000L/h
- Manometric 20m
- Bronze wing
- Stainless steel shaft
- Spout Ømm 2"x2"

NP2075

Code 036050



Centrifugal pump 2 stages

- 1500W
- Flow rate 8.400Lt/H
- Manometric 50m
- Bronze wing
- Stainless steel shaft
- Spout Ømm 1,25"x 1"

NP2065

Code 069461



Bilge pump

- 12V
- Flow rate 4180lt/h
- Manometric 4m
- Outlet Diameter: 29mm

NP1160

Code 024729



Electronic pressure switch

- Starting pressure 1,5bar
- Degree of protection IP65
- Spout Ømm1"x1"

NP2085

Code 049807



Bilge pump

- 80W
- Flow rate 4000Lt/h
- Manometric 5m
- Max. Grain Size: 3,5mm

SP1210

Code 038207



Stainless submerible pump inox

- 75W
- Flow rate 2.600Lt/h
- Manometric 2.6m

NP1150

Code 020004

Metallic oil pump for barrel

- 1,2m
- Ø: 110mm
- Flow: 22kg/min

SP1500

Code 011927





PRO



Clean water submersible pump

- 750W
- Flow rate 12.500Lt/h
- Manometric 8.5m
- Max. Particle Size: 5mm

NP1020
Code 019879



PRO

Clean water submersible pump

- 400W
- Flow rate 7000L/h
- Manometric 8m
- Max. Particle Size: 5mm

NP1010
Code 019862



PRO

Clean water stainless submersible inox pump

- 550W
- Flow rate 8.500Lt/h
- Manometric 7.5m
- Max. Particle Size: 5mm

NP1050
Code 019909



PRO

Clean water submersible pump with floter

- 750W
- Flow rate 13000Lt/h
- Manometric 8.5m
- With integrated float and possibility of automatic or manual operation

NP1070
Code 019923



PRO

Dirty water submersible pump

- 550W
- Flow rate 10.000Lt/h
- Manometric 7m
- Max. Particle Size: 35mm

NP1030
Code 019886



PRO

Dirty water submersible pump

- 900W
- Flow rate 14.000Lt/h
- Manometric 8.5m
- Max. Particle Size: 35mm

NP1040
Code 019893



PRO

Dirty water submersible pump

- 900W
- Flow rate 15500Lt/h
- Manometric 8.5m
- With built-in floater and possibility of automatic or manual operation
- Max. Particle Size: 35mm

NP1080
Code 019930

PRO



Submersible pump with floater

- 550W
- Flow rate 17000Lt/h
- Manometric 9m
- Lowest Suction Level: 1mm
- Max. Particle Size: 5mm

NP1115

Code 070542

NP1100

Code 019954



Dirty water submersible pump

- 900W
- Flow rate 15.500Lt/h
- Manometric 8.5m
- Max. Particle Size: 35mm

PRO



Dirty water stainless submersible pump

- 1100W
- Flow rate 16500Lt/h
- Manometric 10.5m
- Max. Particle Size: 35mm

NP1060

Code 019916

PRO



Dirty water pump inox

- 1300W
- Flow rate 25.000Lt/h
- Manometric 11m
- High flow rate
- Max. Particle Size: 35mm

NP1130

Code 019985

PRO



Dirty water submersible pump

- 1100W
- Manometric 10m
- Flow rate 15000l/h
- Spout Ømm 2"
- With cutter

SP1115

Code 078425

PRO



Dirty water submersible pump

- 1300W
- Manometric 12m
- Flow rate 18000Lt/h
- Spout Ømm 2"
- With cutter

SP1315

Code 051848

PRO



Submersive pump

- 1000W
- Flow rate 6000L/h
- Manometric 45m
- Automatic operation
- 4 tiers
- With built-in floater for automatic start & stop
- Max Depth: 12m

NP1180

Code 030362

PRO



Submersive pump inox

- 1000W
- Flow rate 6.500Lt/h
- Manometric 40m
- Spout Ømm 1"
- Max Depth: 7m

NP1120

Code 019978

PRO



Well inox pump

- operation
- 1200W
- Flow rate 5500L/h
- Manometric 54m
- Equipped with automatic start & stop floater
- Maximum particle size: 1,5mm

NP1185

Code 030614

PRO



Well inox pump

- 900W
- Flow rate 4500L/h
- Manometric 60m
- Spout Ømm 1"
- Includes: 10m cable & panel

NP1190

Code 030621

PRO



4 inch submersible pump

- 1100W
- 1,5Hp
- Flow rate 5400Lt/h
- Manometric 96m
- Spout Ømm 1 1/4"
- 4 inches submersible pump

SP6200

Code 015925

PRO



4 Stroke gasoline pump

- 2.5Hp
- 97cc,
- Max Manometric: 15m
- 1.5x1.5"
- 11kg

SP9800

Code 042815

PRO



Battery sprayer

- Telescopic tube
- Voltage 12V
- Containers 5+1Lt
- Maximum autonomy up to 40h
- Includes 3 different injectors

NS2631

Code 035992

PRO

ENGINE EURO5
UP TO
-40%
LESS EXHAUST GAS
CONSUMPTION



Gasoline sprayer

- 26cc
- 1Hp
- 15Lt
- Flow rate 5-8Lt/min
- Pressure 25Bar
- 9Kg

NS2640

Code 038153

PRO



Gasoline mist duster

- 42cc
- 2.2Hp
- Spray range up to 16m
- 14lt
- 9,5Kg

NS2618

Code 038146



**2 Stroke
backpack
gasoline sprayer**

- 26cc
- 1Hp
- 25Lt
- Flow rate 8Lt/min
- Pressure 25Bar
- 9Kg

NS2635

Code 032854



Piston brass pump

- 4Hp
- Flow rate 15-22Lt/min
- Pressure 2,1-4,5MPa
- 8,5Kg

NS2520

Code 053569



Power sprayer

- Flow rate 45Lt/min
- Pressure 45bar
- 9Kg

NS3610

Code 042501



2 Stroke sprayer

- Two-stroke engine
- 26cc
- Maximum pressure 25Bar
- Maximum flow rate 8Lt/min
- With hose 20m and flute
- 9kg

NS2610

Code 032892



4stroke gasoline sprayer

- Four-stroke engine
- 196cc
- 6.5Hp
- Maximum pressure 40bar
- Flow rate 14-25Lt/min
- Heavy-duty monoblock pump
- 24kg

NS4010

Code 032861

watch VIDEO



NS4010



Gasoline wheeled sprayer with reel

- Four-stroke engine
- 196cc
- 6.5Hp
- Flow rate 30-45Lt/min
- Maximum pressure 35bar
- 30m rubber band and lumen

NS4510

Code 032885

PRO



2stroke gasoline sprayer

- Two-stroke engine
- 26cc
- Container 50lt, with wind
- Rubber 8.5mm x30m & lumen
- Pressure bar: 25
- Max flow Lt/min: 8

NS5210

Code 032908



High Pressure Spray Hose

- Ø8.5mm
- 50m
- Max. Pressure: 120bar
- 5 layers

NS1050


Code 043041

High Pressure Spray Hose

- Ø8.5mm
- 100m
- Max. Pressure: 120bar
- 5 layers
- No torsion Technology

NS1100

Code 043058



Hose reel

- Up to 100m hose

NS100

Code 010319

4-Stroke gasoline sprayer 196cc

- Four-stroke engine
- Power 6.5Hp
- Container capacity 160Lt
- Maximum pressure 15-30bar
- Flow rate 36Lt/min
- With wind and hose 30m
- 196cc
- Maximum pressure 15-30bar
- Flow rate 36Lt/min

NS6200

Code 025276





Pressure sprayer
• 16lt

NS1602
Code 053576

PRO



Backpack sprayer
• 16lt

NS1610
Code 037538



Knapsack battery sprayer
• 12V, 8Ah, 16lt, with anodized telescopic lumen & brass connector
• 2.9 - 3.6 Lt/min
• 4 nozzles

NS1619
Code 077992

PRO



Electric blower
• 2600W
• Air speed 288km/h
• Collection Bag 45Lt
• 5000±10%rpm
• Air volume 12m³/min
• 4.1Kg

EB3600
Code 034285



Electric blower/leaf vacuum
• 3000W
• Air speed 270km/h
• Collection Bag 35Lt
• 15000rpm
• Air volume: 13.2m³/min
• 2.8Kg

EB3500
Code 020356



Gasoline blower
• 25.4cc
• Air speed 148km/h
• 1hp
• Fuel Tank: 450ml
• Air volume: > 0,2m³/sec

BL2510
Code 053378



Gasoline shoulder carried blower
• 63cc
• Air speed 280km/h
• 3,5Hp
• Two Stroke Air Cooling Engine
• 9,1kg

BL6005
Code 078197



Electric hedge trimmer

- 450W
- 3500±10%rpm
- Blade length: 500mm
- Blade Cutting Length: 466mm
- Blade cutting width: 18mm
- Tooth Space: 28mm

PRO



EH4510

Code 053040

Hedge trimmer

- 710W
- 1500rpm
- Cutting Length: 650mm
- Handle Rotary : -90°to 90°
- Max. cutting Ø24mm
- Blade Length 71cm



EH7750

Code 043089

Gasoline hedge trimmer

- 25.4cc
- 1.2hp
- 70cm laser cut
- Cutting Length: 550mm
- Fuel Tank: 530ml
- Blade cutting width Ø28mm
- Double Blade 70cm
- 5,80kg



PH2570

Code 054108



2IN1**Cordless grass shear**

- 7.2V
- Li-ion 1,5Ah
- Cutting width 9.6cm
- Cutting length 13,6cm
- Working time: 40min
- Charging time: 3-5H

EH1100

Code 034308

**52cc auger without drill**

- 52cc
- 2Hp
- Two Stroke Air Cooling Engine
- 1000ml
- 2800-3200rpm
- Easy Start Does not contain Drill Bit

PD5230

Code 043256

**Earth auger**

- 63cc
- 2.8Hp
- Two operation
- 63cc
- Two Stroke Air Cooling Engine
- 1200ml
- 9000rpm
- Gasoline
- Does not contain Drill Bit
- 9,1kg

PD6330

Code 078203

MODEL	CODE	DIMENSIONS
PD1090	038085	ø10x80cm
PD1590	038092	ø15x80cm
PD2090	038108	ø20x80cm
PD2590	038115	ø25x80cm

MODEL	CODE	DIMENSIONS
PD1150	043263	ø15x80cm
PD1200	043270	ø20x80cm
PD1250	043287	ø25x80cm
PD1300	043294	ø30x80cm

**Crushing machine 1100w - wire with support**

- 1100W
- Production 300kg/h, with sieves 1-2-3-4mm

FM1100

Code 016809



**EUROPEAN
40 YEARS BRAND**
TRUSTED GLOBALLY
EU CERTIFIED QUALITY



NAKAYAMA[®]
PRO

HANDTOOLS - ACCESSORIES



Shaping outdoor life.

• 1:50

2 STROKE ENGINE OIL ANTI-SMOKING TECHNOLOGY

CODE	MODEL	CAPACITY	PACKING
034988	LB1000	100ml	48



• 1:50

2 STROKE NO SMOKE PRE-MIX OIL WITH MEASURER

CODE	MODEL	CAPACITY	PACKING
034995	LB1050	1Lt	12



• 1:50

2 STROKE ENGINE OIL ANTI-SMOKING TECHNOLOGY

CODE	MODEL	CAPACITY	PACKING
036821	LB1060	5Lt	4



NYLON THREAD ROUND

CODE	MODEL	DIMENSIONS
065630	NC1030	1.60mm-15m
065647	NC1031	2.00mm-15m
065654	NC1032	2.40mm-15m
065661	NC1033	2.40mm-87m
065678	NC1034	3.00mm-56m
065685	NC1035	3.50mm-41m
065692	NC1036	2.4mm-262m
065708	NC1037	3.00mm-168m
065715	NC1038	3.50mm-124m



NYLON THREAD CARBON 3 TWIST

CODE	MODEL	DIMENSIONS
033585	NC1000	3,00mm-50m
033592	NC1001	3,50mm-36m
033608	NC1002	4,00mm-28m
033615	NC1003	4,30mm-23m
033622	NC1004	4,70mm-19m
033639	NC1005	4,00mm-80m
033646	NC1006	4,30mm-70m
033653	NC1007	4,30mm-113m



MEȚINEZA ALUMINIUM SQUARE

CODE	MODEL	DIMENSIONS
033714	NC1013	3.00mm x 48m
033721	NC1014	3.50mm x 35m
033738	NC1015	4.00mm x 24m
033745	NC1016	3.00mm x 140m
033769	NC1018	4.00mm x 80m



• 10W-30

4 STROKE ENGINE OIL

CODE	MODEL	CAPACITY	PACKING
078111	LB1120	1Lt	12



• 20W-50

4 STROKE ENGINE OIL

CODE	MODEL	CAPACITY	PACKING
078135	LB1250	1Lt	12
078159	LB1255	5Lt	4



BIODEGRADABLE CHAIN OIL

CODE	MODEL	CAPACITY	PACKING
035015	LB1150	1Lt	12
035022	LB1200	5Lt	4



• Metal construction

FUEL TANK

CODE	MODEL	CAPACITY
014300	FT2000	20Lt



NYLON THREAD ROUND TWIST

CODE	MODEL	DIMENSIONS
065562	NC1040	3.50mm-41m
066064	NC1041	4.00mm-32m
066071	NC1042	4.30mm-27m
066088	NC1043	4.70mm-23m



NYLON THREAD SQUARE TWIST

CODE	MODEL	DIMENSIONS
043225	NC1019	1.6mm-15m
043232	NC1020	2.0mm-15m
043249	NC1021	2.4mm-15m
062851	NC1022	2.4mm-87m
065579	NC1023	3.00mm-56m
065586	NC1024	3.50mm-41m
065593	NC1025	4.00mm-32m
065609	NC1026	3.00mm-168m
065616	NC1027	3.50mm-124m
065623	NC1028	4.00mm-95m



- Aluminum
- 4 Exits



TRIMMER HEAD

CODE	MODEL
011774	PB300

- Semi-Automatic
- 2 Exits



TRIMMER HEAD

CODE	MODEL
014782	PB310

- Universal
- Aluminum
- 4 / 8 Exits



TRIMMER HEAD

CODE	MODEL
023937	PB340

- 4 Exits
- Universal
- Material: Aluminum, plastic



TRIMMER HEAD

CODE	MODEL
071655	PB440

- Easy to install
- Universal
- 2 Exits



TRIMMER HEAD

CODE	MODEL
014799	PB320

- Thickness 3mm
- Teeth 2T



BRUSH CUTTER BLADE

CODE	MODEL	DIAMETER
011781	PB400	30cm

- Thickness 3mm
- Teeth 2T



BRUSH CUTTER BLADE

CODE	MODEL	DIAMETER
011798	PB500	30cm

- Thickness 3mm
- Teeth 40T



BRUSH CUTTER BLADE

CODE	MODEL	DIAMETER
013037	PB700	25.5m

- Thickness 3mm
- Teeth 3T



BRUSH CUTTER BLADE

CODE	MODEL	DIAMETER
011804	PB600	30cm

- 25cm
- For axis 28mm



TILLER FOR BRUSH CUTTER

CODE	MODEL
015611	PB1000

- ABS



EAR MUFF

CODE	MODEL	NNR
051695	PB920	25dB

- With ratchet adjustment and black mesh



HEADGEAR

CODE	MODEL
018155	PB900

- Face shield visor
- ABS + Metal Screen



FACE SHIELD VISOR

CODE	MODEL
031833	PB970

- It has protective pads and a quick release safety system



SHOULDER HARNESS

CODE	MODEL
011767	PB200



SHOULDER HARNESS

CODE	MODEL
011750	PB100

Compatible blades and chains with Nakayama models

MODEL	BLADE	BLADE CODE	CHAIN	CHAIN CODE
Gasoline chainsaws				
PC2000	PO - 8" (20cm)	010975	1/4" 1.3mm - 48 LINKS	EK13-S-048
PC2525 PC3600	AT RIVET - 10" (25cm)	XSW10-43GE	1/4" 1.1mm - 56 LINKS	EK11-M-056
PC2700 PC3000 PC3100	PO - 10" (25cm)	P010-50SR 50160098R P010-50SROR	3/8"LP 1.3mm - 40 LINKS	0290521002 BG13-S-040 CA13-040
PC3500 (3/8"LP)	PO CARVING - 10" (25cm)	P010-50CA 0306520151 9999950903 AT10-50	3/8"LP 1.3mm - 42 LINKS	BG13-S-042
PC3500 (1/4")	PO CARVING - 10" (25cm)	P010-50CA 0306520151 9999950903 AT10-50	1/4" 1.3mm - 60 LINKS	EK13-S-060 PC3521
PC4100	POH - 16" (40cm)	0364560163	3/8"LP 1.3mm - 56 LINKS	BG13-S-060
PC4500 PC4600 PC4610	POH - 18" (45cm)	POH18-50NM POH18-50TH 0364630207	.325" 1.3mm - 72 LINKS	AB008 KB13-S-072 CA325-072
PC5500 PC5600 PC6600	POH - 20" (50cm)	POH20-58WHNM POH20-58WHNA POH20-58WH	.325" 1.5mm - 76 LINKS	AB316 KB15-S-076
PC5610	POH - 20" (50cm)	0364700206	.325" 1.5mm - 78 LINKS	KB15-S-078
PC6600 PC6700	POH - 22" (55cm)	AB314 0265907002	.325" 1.5mm - 86 LINKS	KB15-S-086 0265907004
Electric chainsaws				
EC2040	PO - 16" (40cm)	P016-50SR	3/8"LP 1.3mm - 56 LINKS	BG13-S-056
EC2345	QUICK FIT - 18" (45cm)	0107150305	3/8"LP 1.3mm - 62 LINKS	BG13-S-062
EC2350	QUICK FIT - 18" (45cm)	0343220008	3/8"LP 1.3mm - 62 LINKS	
Gasoline pole saws				
PS2300, PS2500, PS2700 PS2800, PS3500	M10 - 10" (25cm)	AK044	3/8"LP 1.3mm - 39 LINKS	BG13-S-039
PS2600	M10 - 10" (25cm)	0291033004	1/4" 1.3mm - 58 LINKS	0291033003 EK13-S-058
PS2605	M10 - 10" (25cm) 1.1mm	0364870034	1/4"LP 1.1mm - 58 LINKS	BG11-S-040
PS3100 PS5000 PS5100	M10 - 10" (25cm)	0291063004	3/8"LP 1.3mm - 40 LINKS	0290521002 0291063003 EPS005 BG13-S-040 CA13-040
PS3000 PS4001	M10 - 12" (30cm)		3/8"LP 1.3mm - 45 LINKS	BG13-S-045
Electric pole saws				
ES1200 ES7200	PO - 8" (20cm)	0173940008	3/8"LP 1.1mm - 33 LINKS	BG11-S-033
ES9021	M10 - 10" (25cm)	0291063004	3/8"LP 1.3mm - 40 LINKS	0290521002 BG13-S-040 CA13-040

1/4" CHAINSAW CHAINS / SPEED CUT

CODE	MODEL	PITCH	WIDTH	LINKS
082170	EK11-M-028	1/4" MINI	(.043") 1,1mm	28
072812	EK11-M-032	1/4" MINI	(.043") 1,1mm	32
072829	EK11-M-047	1/4" MINI	(.043") 1,1mm	47
072836	EK11-M-048	1/4" MINI	(.043") 1,1mm	48
031413	EK11-M-056	1/4" MINI	(.043") 1,1mm	56
038252	EK11-M-058	1/4" MINI	(.043") 1,1mm	58
049562	EK11-M-060	1/4" MINI	(.043") 1,1mm	60
EK11-M-064	EK11-M-064	1/4" MINI	(.043") 1,1mm	54
038269	EK11-M-072	1/4" MINI	(.043") 1,1mm	72
013525	EK13-S-052	1/4"	(.050") 1,3mm	52
030959	EK13-S-058	1/4"	(.050") 1,3mm	58
025344	PC3521	1/4"	(.050") 1,3mm	60
038214	EK13-S-060	1/4"	(.050") 1,3mm	60
038238	EK13-S-076	1/4"	(.050") 1,3mm	76

3/8"LP CHAINSAW CHAINS / ANTI-VIBRATION FAN

CODE	MODEL	PITCH	WIDTH	LINKS
038276	BG11-S-033	3/8"LP	(.043") 1,1mm	33
038283	BG11-S-034	3/8"LP	(.043") 1,1mm	34
9999951777	BG11-S-039	3/8"LP	(.043") 1,1mm	39
038290	BG11-S-040	3/8"LP	(.043") 1,1mm	40
038306	BG11-S-044	3/8"LP	(.043") 1,1mm	44
031499	BG11-S-050	3/8"LP	(.043") 1,1mm	50
038320	BG11-S-055	3/8"LP	(.043") 1,1mm	55
9999951786	BG11-S-057	3/8"LP	(.043") 1,1mm	57
038337	BG13-S-034	3/8"LP	(.050") 1,3mm	34
031512	BG13-S-039	3/8"LP	(.050") 1,3mm	39
013594	BG13-S-040	3/8"LP	(.050") 1,3mm	40
031529	BG13-S-042	3/8"LP	(.050") 1,3mm	42
BG13-S-044	BG13-S-044	3/8"LP	(.050") 1,3mm	44
BG13-S-045	BG13-S-045	3/8"LP	(.050") 1,3mm	45
038344	BG13-S-047	3/8"LP	(.050") 1,3mm	47
031550	BG13-S-050	3/8"LP	(.050") 1,3mm	50
031567	BG13-S-052	3/8"LP	(.050") 1,3mm	52
BG13-S-053	BG13-S-053	3/8"LP	(.050") 1,3mm	53
031581	BG13-S-055	3/8"LP	(.050") 1,3mm	55
031598	BG13-S-056	3/8"LP	(.050") 1,3mm	56
BG13-S-057	BG13-S-057	3/8"LP	(.050") 1,3mm	57
038368	BG13-S-060	3/8"LP	(.050") 1,3mm	60
031604	BG13-S-061	3/8"LP	(.050") 1,3mm	61
BG13-S-062	BG13-S-062	3/8"LP	(.050") 1,3mm	62

.325" CHAINSAW CHAINS / WITH ANTI-VIBRATION

CODE	MODEL	PITCH	WIDTH	LINKS
038429	KB13-S-064	.325"	(.050") 1,3mm	64
KB13-S-066	KB13-S-066	.325"	(.050") 1,3mm	66
031635	KB13-S-072	.325"	(.050") 1,3mm	72
038405	KB13-S-078	.325"	(.050") 1,3mm	78
038412	KB15-S-056	.325"	(.058") 1,5mm	56
KB15-S-072	KB15-S-072	.325"	(.058") 1,5mm	72
KB15-S-076	KB15-S-076	.325"	(.058") 1,5mm	76
031666	KB15-S-078	.325"	(.058") 1,5mm	78
038443	KB15-S-086	.325"	(.058") 1,5mm	86
038450	KB16-S-062	.325"	(.063") 1,6mm	62
038467	KB16-S-067	.325"	(.063") 1,6mm	67
038474	KB16-S-068	.325"	(.063") 1,6mm	68
038481	KB16-S-074	.325"	(.063") 1,6mm	74

3/8" CHAINSAW CHAINS / WITH ANTI-VIBRATION

CODE	MODEL	PITCH	WIDTH	LINKS
038504	EP13-S-067	3/8"	(.050") 1,3mm	67
038511	EP13-S-070	3/8"	(.050") 1,3mm	70
EP13-S-072	EP13-S-072	3/8"	(.050") 1,3mm	72
BG13-S-072	BG13-S-072	3/8"	(.050") 1,3mm	72
038528	EP15-S-056	3/8"	(.058") 1,5mm	56
038535	EP15-S-060	3/8"	(.058") 1,5mm	60
038542	EP15-S-064	3/8"	(.058") 1,5mm	64
EP15-S-072	EP15-S-072	3/8"	(.058") 1,5mm	72
038566	EP15-S-084	3/8"	(.058") 1,5mm	84
038573	EP16-S-060	3/8"	(.063") 1,6mm	60
038603	EP16-S-084	3/8"	(.063") 1,6mm	84

404" CHAINSAW CHAINS / SPEED CUT

CODE	MODEL	PITCH	WIDTH	LINKS
038610	PM16-060	.404"	(.063") 1,6mm	60
038627	PM16-068	.404"	(.063") 1,6mm	68

CARBIDE CHAINSAW CHAINS


CODE	MODEL	PITCH	WIDTH	LINKS
CA13-040	CA13-040	3/8"	(.050") 1,3mm	40
CA13-057	CA13-057	3/8"	(.050") 1,3mm	57
CA325-072	CA325-072	3/8"	(.050") 1,3mm	72

CHAINS IN 1:1


(place the chain on top of the photo to easily find its step)

1/4" (6,35mm)


Available in: 0,043" (1,1mm) & 0,050" (1,3mm)

**3/8"LP (9.525mm) low profile**


Available in: .043"(1,1mm) & .050"(1,3mm)

**.325"(8.255mm)**

Available in: .050"(1,3mm), .058"(1,5mm), .063"(1,6mm)

**3/8"(9.525mm)**

Available in: .050"(1,3mm), .058"(1,5mm), .063"(1,6mm)



CHAINSAW BARS NAKAYAMA

CODE	MODEL	TYPES TAIL	LENGTH	PITCH	WIDTH CHAIN	LINKS	EDGE	COMPATIBLE
0265907002	0265907002	POH	22"(55CM)	1/4"	1.5mm	86	RIVET-4N	PC6700
0291033004	0291033004	M		1/4"	1.3mm	58	RIVET-1S	PS2600
0291039004	0291039004	M	10"(25CM)	1/4"	1.3mm	58	CARVING	PS2600
0291063004	0291063004	M	10"(25CM)	3/8	1.3mm	40	RIVET-1S	PS2600/PS3100
0343150120	0343150120	PO	16"(40CM)	3/8"LP	1.3mm	57	RIVET-1S	EC2050
0364560163	0364560163	PO	16"(40CM)	3/8"LP	1.3mm	56	RIVET-4S	PC4100
0364630207	0364630207	POH	18"(45CM)	3/8"LP	1.3mm	72	RIVET-4S	PC4610
0364700206	0364700206	POH	20	.325"	1.5mm	78	RIVET-4S	PC5610
0364870034	0364870034	M	10"	3/8"LP	1.1mm	40	RIVET-1S	PS2605/PS5105
0364870334	0364870334	M	10"	1/4"	1.1mm	58	AT CARVING	PS2605 (2023)

CHAINSAW BARS

CODE	MODEL	TYPES TAIL	LENGTH	PITCH	WIDTH CHAIN	LINKS	EDGE
049579	AT10-43	AT	10" (25Cm)	1/4"	0,43" 1.1mm	60	CARVING
031703	AT10-50	AT	10" (25Cm)	1/4"	0.50" 1.3mm	60	CARVING
038634	AT10-50SR	AT	10" (25Cm)	1/4"	0,43" 1.1mm	58	RIVET-1S
060239	M10-41SR	M10	(10") 25cm	1/4"	1.1mm	56	RIVET-1S
038702	M10-1443SR	M10	10" (25Cm)	1/4"	0.43" 1.1mm	58	RIVET-1S
038672	P08-50TE	PO	8" (25cm)	1/4"	1.3mm	48	RIVET-1S
PO10-50SR	PO10-50SR	PO	10" (25Cm)	3/8"LP	0.50" 1.3mm	40	RIVET-1S
PO12-50SR	PO12-50SR	PO	12" (30Cm)	3/8"LP	0.50" 1.3mm	44	RIVET-1S
PO14-50SR	PO14-50SR	PO	14" (35Cm)	3/8"LP	0.50" 1.3mm	52	RIVET-1S
PO16-50SR	PO16-50SR	PO	16" (40Cm)	3/8"LP	0.50" 1.3mm	56	RIVET-1S
PO16-50NR	PO16-50NR	PO	16" (40Cm)	3/8"LP	0.50" 1.3mm	57	RIVET-4N
PO16-50EH	PO16-50EH	PO	16" (40Cm)	.325"	0.50" 1.3mm	66	RIVET-6N
PO16-58EH	PO16-58EH	PO	16" (40Cm)	.325"	0.58" 1.5mm	66	RIVET-6N
POH16-50NR	POH16-50NR	POH	16" (40Cm)	3/8"LP	0.50" 1.3mm	57	RIVET-4N
POH18-58WH	POH18-58WH	POH	18" (45Cm)	.325"	0.58" 1.5mm	72	RIVET-6N
038689	POH20-58	POH	20" (50Cm)	.325" / 3/8"LP	0.58" 1.5mm	76/ 72	STELLITE-6B
031697	POH18-50NM	POH	18" (45Cm)	.325"	0.50" 1.3mm	72	RIVET-4N
SW14-43SR	SW14-43SR	SW	14" (35Cm)	3/8"LP	0.43" 1.1mm	50	RIVET-1S
038665	M10-50SRNM	M10	10" (25Cm)	3/8"LP	0.50" 1.3mm	39	RIVET-1S



BATTERY CHAINSAW BLADES

CODE	MODEL	PITCH	WIDTH CHAIN	LINKS	LENGTH	COMPATIBLE
0531010037	0531010037	1/4"	1.1mm	32	5" (13cm)	EC1500
0556550047	0556550047	1/4"		48	8" (20cm)	EC1550
075721	EC1103	1/4"	1.1mm	37	6" (15cm)	WITH GEAR EC1100 & EC1050
075738	EC1203	1/4"	1.1mm	46	8" (20cm)	ГPANAZI EC1200
083818	EC1521	1/4"	1.1mm	47	8" (20cm)	EC1520
083115	EC1616	1/4"	1.1mm	47	8" (20cm)	EC1615
077428	EC1512	1/4"	1.1mm	38	6" (15cm)	EC1510
064725	EC3008	1/4"	1.1mm	58	10" (25cm)	EC3000
078555	EC1611	1/4"	1.1mm	47	8" (20cm)	EC1600
078579	EC1613	1/4"	1.1mm	48	8" (20cm)	EC1620









BATTERY CHAINSAW CHAINS

CODE	MODEL	WIDTH	LINKS	COMPATIBLE
064718	EC3007	1/4" 1.1mm	58	EC3000
075745	EC1105	(.043") 1,1mm	37	EC1050
077565	EC1106	(.043") 1,1mm	37	EC1100
075752	EC1205	(.043") 1,1mm	46	EC1200
072850	EK11-S-058	1/4" (.043") 1,1mm	58	EC3000
078562	EC1612	(.043") 1,1mm	47	EC1600
077435	EC1513	(.043") 1,1mm	38	EC1510
078586	EC1614	(.043") 1,1mm	48	EC1620
0420990002	0420990002	3/8"LP 1.1mm	33	EC3000


CODE	MODEL	COMPATIBLE
0750350017	0750350017	EC1250
0530640004	0530640004	EC1300
0556480005	0556480005	EC1350
0530880009	0530880009	EC1400
0790260029	0790260029	EC1630
083788	EC1437	EC1435
083801	EC1442	EC1440





PUSH BOARD+GUIDE BAR 18" SET

CODE	MODEL	PITCH	WIDTH CHAIN	LINKS	LENGTH	COMPATIBLE
0343220008	EC2351	3/8" LP	1.3mm	57	18" (45cm)	EC2350



SHARPENER DISC

CODE	MODEL	DIAMETER	CENTER	WIDTH
028635	ES9100	Ø145mm	22.2mm	3.2mm
028642	ES9150	Ø100mm	22.2mm	3.2mm
049265	ES3011	Ø100mm	10mm	3.2mm




WORK FANNY PACK

CODE	MODEL
071525	EC1505



BATTERY SCISSORS BLADE

CODE	MODEL	COMPATIBLE
075769	EC1253	EC1250
083771	EC1436	EC1435
083795	EC1441	EC1440
0530640003	0530640003	EC1300
082965	EC1302	EC1300
0556480004	0556480004	EC1350
0530880007	EC1403	EC1400
079040	EC1632	EC1630



CODE	MODEL
0360740002	SSF501-S

UPPER BLADE ONLY FOR SSF501

CODE	MODEL
0360740001	SSF501-B





GARDEN HOSE ATLAS 3 COATINGS 15M

CODE	MODEL	DESCRIPTION
024002	GH4100	15M 1/2"
024019	GH4200	25M 1/2"
024026	GH4300	50M 1/2"
024033	GH4400	15M 5/8"
024040	GH4500	25M 5/8"
024057	GH4600	50M 5/8"
032427	GH4700	25M 3/4"
072164	GH4710	25M 1"

10
YEARS
WARRANTY



TITAN HOSE 3 LAYERS

CODE	MODEL	DESCRIPTION
019299	GH6100	15M 1/2"
019305	GH6200	25M 1/2"
019312	GH6300	50M 1/2"
019329	GH6400	15M 5/8"
019336	GH6500	25M 5/8"
019343	GH6600	50M 5/8"
072171	GH6610	50M 3/4"

15
YEARS
WARRANTY



POSEIDON HOSE 5 LAYERS

CODE	MODEL	DESCRIPTION
012528	GH1215	15m 1/2"
012535	GH1225	25M 1/2"
012542	GH1250	50M 1/2"
012559	GH5815	15M 5/8"
012566	GH5825	25M 5/8"
012573	GH5850	50M 5/8"
012580	GH3425	25m 3/4"

25
YEARS
WARRANTY



HERCULES HOSE 6 LAYERS

CODE	MODEL	DESCRIPTION
032434	GH5900	15M 1/2"
032441	GH5905	25M 1/2"
032458	GH5910	50M 1/2"

30
YEARS
WARRANTY



PLASTIC HOSE HANGER

CODE	MODEL
062837	GH9242



HOSE COIL SET 15M

CODE	MODEL	TUBE LENGTH
062844	GH9244	3/4"

• With hose connector, hose connector with stop and tap adaptor

GARDENING SET, 4 PC

CODE	MODEL	TUBE LENGTH
062707	GH9216	3/4"

• 7 patterns with hose connector, hose connector with stop and tap adaptor

GARDENING SET, 4 PC

CODE	MODEL	TUBE LENGTH
062691	GH9214	3/4"



WATER TIMER

CODE	MODEL	SETTING	TAP ADAPTORS
062608	GH9190	0-120 min	3/4" & 1"



WATER REEL WITH PISTOL & RUBBER

CODE	MODEL	DIMENSIONS
024736	GH1000	1/2"x10m



• 7 patterns with hose connector, hose connector with stop and tap adaptor

GARDENING SET, 4 PC

CODE	MODEL	TAP ADAPTORS
062714	GH9218	3/4"



TWO-WAY HOSE COUPLING

CODE	MODEL
062752	GH9226



**ADJUSTABLE SPRAY GUN**

CODE	MODEL
062639	GH9202

**3 PATTERN SPRAY GUN**

CODE	MODEL
062646	GH9204

**7 PATTERN SPRAY GUN**

CODE	MODEL
062660	GH9208

**7 PATTERN SPRAY GUN**

CODE	MODEL
062684	GH9212

**6 PATTERN SPRAY GUN**

CODE	MODEL
062653	GH9206

**ADJUSTABLE METAL SPRAY GUN**

CODE	MODEL
062622	GH9200

**7 PATTERN METAL SPRAY GUN**

CODE	MODEL
062677	GH9210

**METAL HANDSPRAYER**

CODE	MODEL
044642	GH9085

**HANDSPRAYER - SPRINKLER**

CODE	MODEL
044659	GH9090

**FOUR WAY TAP CONNECTOR**

CODE	MODEL	SIZE
062721	GH9220	3/4"

**4 TAP CONNECTOR**

CODE	MODEL
044581	GH9055

2 WAY TAP CONNECTOR

CODE	MODEL
062738	GH9222

**HOSE MENDOR**

CODE	MODEL
044529	GH9025

**HOSE CONNECTOR 1/2"**

CODE	MODEL	SIZE
062783	GH9232	1/2"
062677	GH9230	3/4"

**HOSE CONNECTOR 1/2" WITH STOP**

CODE	MODEL	SIZE
062806	GH9236	1/2"
062790	GH9234	3/4"

**HOSE MENDER 1/2"**

CODE	MODEL	SIZE
062820	GH9240	1/2"
062813	GH9238	3/4"



THREE-WAY HOSE COUPLING

CODE	MODEL
062745	GH9224



TAP ADAPTOR 1/2" & 3/4"

CODE	MODEL
062769	GH9228



TAP ADAPTOR

CODE	MODEL
044543	GH9035



- Easily Transform A Female Adaptor to Male
- Sold per 5 pieces

TAP ADAPTOR

CODE	MODEL	DIAMETER
044550	GH9040	Ø3/4"



SPRINKLER ON SPIKE

CODE	MODEL	MAX COVERAGE
044680	GH9105	452m ²



REVOLVING SPRINKLER WITH SPIKE

CODE	MODEL	MAX COVERAGE
062585	GH9180	125m ²



SURFACE SPRINKLERS

CODE	MODEL	NOZZLES	MAX COVERAGE
044703	GH9115	18	168m ²



SPRINKLER ON SPIKE

CODE	MODEL	MAX COVERAGE
044673	GH9100	346m ²



OSCILLATING SPRINKLER

CODE	MODEL	NOZZLES	MAX COVERAGE
062578	GH9175	17	270m ²

WATERING CAN

CODE	MODEL	CAPACITY
054719	GH9150	5L
054726	GH9152	8L
054733	GH9154	12L



- Suitable for 1/2" hose up to 60m
- Without rubber & accessories

HOSE CART

CODE	MODEL
062561	GH9170



- Rubber 15m
- 1/2" & 4 fittings

AUTO REWIND HOSE REEL

CODE	MODEL	ROTATION
062547	GH9160	180°



- Suitable for 1/2" hose up to 60m
- Without rubber & accessories
- Telescopic arm

TELESCOPIC HOSE CART WITH WHEELS

CODE	MODEL
062554	GH9165



- Possibility of manual operation
- IP54
- Watering Frequency from 1 to 72 hours and 1 to 7 days
- 11 programs

DOUBLE KNOB BATTERY WATER TIMER WITH ONE OUTPUT

CODE	MODEL	WATERING DURATION
073826	GH9139	3min-2 h 3/4" & 3/4"



- LCD screen
- IPX4
- Watering Frequency 1 to 12 hours and 1 to 7 days

BATTERY WATER TIMER WITH ONE OUTPUT

CODE	MODEL	WATERING DURATION
073819	GH9138	1min -4 h 3/4" & 3/4"



- Operating Pressure: 8bar
- Bursting Pressure: 24bar
- Hose cover: 100% high tenacity polyester thread
- Hose Material: PVC 0,6mm

FIRE HOSE WITH STORZ COUPLING HOSE JACKET

CODE	MODEL	DIMENSIONS
074540	GH6770	1", 20m
074557	GH6771	1", 30m
074564	GH6772	1,5", 20m
074571	GH6773	1,5", 30m
074588	GH6774	2", 20m
074595	GH6775	2", 30m
074601	GH6776	2,5", 20m
074618	GH6777	2,5", 30m
074625	GH6778	3", 20m
074632	GH6779	3", 30m



- Material: Aluminum
- On/Off switch

ALUMINIUM FIRE NOZZLE

CODE	MODEL	DIMENSIONS
074670	GH6783	1,5"
074687	GH6784	2"
074694	GH6785	2,5"



ALUMINIUM FIRE ADAPTOR STORZ

CODE	MODEL	DIMENSIONS
074700	GH6786	1"
074717	GH6787	1,5"
074724	GH6788	2"
074731	GH6789	2,5"
074748	GH6790	3"



- Material: Aluminum
- Non-adjustable

ALUMINIUM FIRE NOZZLE

CODE	MODEL	DIMENSIONS
074649	GH6780	1,5"
074656	GH6781	2"
074663	GH6782	2,5"





SPRAYER

CODE	MODEL	CAPACITY
062615	GH9195	1Lt



PRESSURE SPRAYER

CODE	MODEL	CAPACITY
010210	NS8000	8Lt



PRESSURE SPRAYER

CODE	MODEL	CAPACITY
010203	NS5000	5Lt



PRESSURE SPRAYER

CODE	MODEL	CAPACITY
053576	NS1602	16Lt



BACKPACK SPRAYER

CODE	MODEL	CAPACITY
037538	NS1610	16Lt



MANUAL SPRAYER

CODE	MODEL	CAPACITY
037552	NS8010	8Lt



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
010357	NS106	60cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
010340	NS105	60cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
032915	NS130	60cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
032922	NS131	90cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
010432	NS108	60cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
010333	NS104	60cm




PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
032939	NS132	30cm



PESTICIDE METAL SPRAY GUN

CODE	MODEL	LENGTH
032946	NS133	60cm



HIGH PRESSURE SPRAY HOSE

CODE	MODEL	DIMENSION
043041	NS1050	50M X 8,5mm
043058	NS1100	100M X 8,5mm



- Ergonomic Handle
- 2 Ingredients
- Japanese blade
- In Plastic Case

PRUNING SAW

CODE	MODEL	BLADE
013402	SSF320	250mm - 8TPI 1.0mm



- Ergonomic Handle
- 2 Ingredients
- Japanese blade
- In Plastic Case

PRUNING SAW

CODE	MODEL	BLADE
013419	SSF340	250mm 12TPI 0.8mm



- Ergonomic Handle
- 2 Ingredients
- Japanese blade
- In Plastic Case

PRUNING SAW

CODE	MODEL	BLADE
013426	SSF330	300mm - 8TPI 1.0mm



- 3 angle teeth
- 2 component handle
- Foldable
- Triple teeth

FOLDING HAND SAW

CODE	MODEL	BLADE
013341	SSF300	180mm 8TPI 1.3mm



- 3 angle teeth
- 2 component handle

PRUNING SAW, STRAIGHT BLADE

CODE	MODEL	BLADE	BLADE THICKNESS
055518	SSF350	250mm-7TPI 1.0mm	12



- 3 angle teeth
- 2 component handle

PRUNING SAW, STRAIGHT BLADE

CODE	MODEL	BLADE
055549	SSF353	300mm-7TPI 1.0mm



- 3 angle teeth
- Ergonomic handle

CURVED PRUNING SAW

CODE	MODEL	BLADE	RECEIVER DIAMETER
055525	SSF351	330mm-7TPI 1.0mm	Ø18



- 3 angle teeth
- 2 component handle

FOLDING SAW WITH METAL LOCK

CODE	MODEL	BLADE	BLADE THICKNESS
055532	SSF352	210mm-7TPI 1.2mm	0.65mm

**INCLUDES POLE 1.2-2.4m
TELESCOPIC PRUNING SAW**

CODE	MODEL	BLADE
055556	SSF355	330mm-7TPI 1.0mm





- Curved Japanese Steel Folding Blade

GARDEN KNIFE

CODE	MODEL	LENGTH
013372	SSF910	180mm



- High Carbon Steel blade
- fiberglass handle

PRUNING SHEAR

CODE	MODEL	DIMENSIONS
012092	SSF410	230mm



- With metallic lock and steel handle
- High Carbon Steel blade

BYPASS PRUNER

CODE	MODEL	DIMENSIONS
012108	SSF400	220mm



- Metal Handle
- Carbon Steel Blade

ANVIL PRUNING SHEARS

CODE	MODEL	DIMENSIONS
012122	SSF500	200mm



- In Plastic Case
- Stainless Steel Blade

MULTIFUNCTIONAL KNIFE

CODE	MODEL	LENGTH
054665	SSF915	225mm



DIE-CASTING BY-PASS ALUMINUM PRUNING SHEAR

CODE	MODEL	DIMENSIONS
054627	SSF275	200mm



- Forged blade
- Ergonomic Aluminum Handle

BY-PASS PRUNING SHEAR

CODE	MODEL	DIMENSIONS
054580	SSF271	200mm



BY-PASS PRUNER

CODE	MODEL	DIMENSIONS
054573	SSF270	200mm



ANVIL PRUNING SHEAR

CODE	MODEL	DIMENSIONS
054610	SSF274	200mm



ANVIL PRUNING SHEAR

CODE	MODEL	DIMENSIONS
054634	SSF276	200mm



STRAIGHT GRAPE PRUNER

CODE	MODEL	DIMENSIONS
054597	SSF272	190mm



CURVE GRAPE PRUNER

CODE	MODEL	DIMENSIONS
054603	SSF273	165mm

- Telescopic
- Blade high carbon steel
- Aluminium handle
- With ratchet

**GEAR FUNCTION BYPASS LOPPE**

CODE	MODEL	DIMENSIONS	DIAMETER CUT
054641	SSF277	675-925mm	45mm



- Telescopic
- Blade high carbon steel
- Aluminium handle
- With ratchet

**TELESCOPIC GEAR BYPASS LOPPER**

CODE	MODEL	DIMENSIONS	DIAMETER CUT
036166	SSF519	540-755mm	45mm



- Telescopic
- Blade high carbon steel
- Aluminium handle
- With anvil

**HEDGE SHEAR W/ TELESCOPIC HANDLE**

CODE	MODEL	DIMENSIONS	DIAMETER CUT
036173	SSF521	540-755mm	45mm



- Telescopic
- Blade high carbon steel
- Aluminium handle

**HEDGE SHEAR W/ TELESCOPIC HANDLE**

CODE	MODEL	DIMENSIONS
036180	SSF523	665-885mm

**METAL RAKE WITH PLASTIC HANDLE**

CODE	MODEL
055914	SSF682

**METAL TROVEL WITH PLASTIC HANDLE**

CODE	MODEL
055891	SSF680

**METAL CULTI HOE WITH PLASTIC HANDLE**

CODE	MODEL
055907	SSF681



- Stainless steel
- Wooden handle
- Leather Strap

**HAND RAKE**


CODE	MODEL
036142	SSF515



- Stainless steel
- Wooden handle
- Leather Strap

**CULTIVATOR**


CODE	MODEL
036128	SSF511

**NARROW HOE HEAD**

CODE	MODEL	DIMENSIONS
051503	SSF630	70x260mm

**NARROW HOE HEAD**

CODE	MODEL	DIMENSIONS
051510	SSF635	100x275mm

**2 PRONG DOUBLE HEART HOE HEAD**

CODE	MODEL	DIMENSIONS
051527	SSF640	110X285mm

**HOE HEAD WITH WOODEN HANDLE 60cm**

CODE	MODEL
056034	SSF637



MINI HOE + PRONG WITH WOODEN HANDLE

CODE	MODEL	LENGTH
056584	SSF564	60cm



2 TEETH HOE PRONG WITH WOODEN HANDLE

CODE	MODEL	LENGTH
056577	SSF562	60cm



ROUND SHOVEL HEAD

CODE	MODEL	DIMENSIONS	WEIGHT
051442	SSF600	250x281x348mm (No2)	0.9Kg
051459	SSF605	267x300x365mm (No3)	1Kg



CURVED SHOVEL HEAD

CODE	MODEL	DIMENSIONS	WEIGHT
051466	SSF610	270x300x352mm (No3)	1.2Kg




DIGGING SHOVEL HEAD NO2

CODE	MODEL	DIMENSIONS	WEIGHT
051473	SSF615	270x295x380mm (No2)	0.95Kg



"THESSALONIKI" TYPE SHOVEL HEAD

CODE	MODEL	DIMENSIONS	WEIGHT
051497	SSF625	255x315 508mm(No3)	1.5Kg



"CRETA" TYPE SHOVEL HEAD

CODE	MODEL	DIMENSIONS	WEIGHT
051480	SSF620	250x270x325mm (No2)	1.1Kg



SHOVEL HEAD A GRADE HARDWOOD HANDLE

CODE	MODEL	DIMENSIONS	WEIGHT
051565	SSF660	240x290x1020mm	1.2Kg



SHOVEL HEAD A GRADE HARDWOOD HANDLE

CODE	MODEL	DIMENSIONS	WEIGHT
051572	SSF665	220x290x1020mm	1,1Kg



SHOVEL HEAD WITH WOODEN HANDLE

CODE	MODEL	LENGTH
056010	SSF662	152cm



PLASTIC SNOW SHOVEL SCOOP

CODE	MODEL	DIMENSIONS
051589	SSF670	340x450mm/32mm



WOODEN HANDLE FOR SSF670

CODE	MODEL
055921	SSF671



FOLDED SHOVEL 3 IN 1

CODE	MODEL	LENGTH
059462	SSF629	46m



METAL RAKE WITH 12 TEETH

CODE	MODEL	TEETH
055976	SSF643	12
055983	SSF644	14



TWIST METAL RAKE WITH 14 TEETH

CODE	MODEL	TEETH
055969	SSF642	12
055952	SSF641	14

**SPADING FORK WITH 4 TEETH**

CODE	MODEL	DIMENSIONS
055990	SSF647	28.5cm x 19cm

**4 PRONG FORK**

CODE	MODEL	DIMENSIONS
SSF645	SSF645	217x325x445mm

**METAL MACHETE**

CODE	MODEL	DIMENSIONS	BLADE
056058	SSF676	120x360mm	3.9mm

**MACHETE HEAVY DUTY**

CODE	MODEL	DIMENSIONS	BLADE
051596	SSF675	155x495mm	3.6mm

**CUTTER MATTOCK TOOL**

CODE	MODEL	DIMENSIONS	WEIGHT
056027	SSF651	55x390mm	2Kg

**PICK AXE**

CODE	MODEL	DIMENSIONS	WEIGHT
051541	SSF650	50x500mm	2Kg

**NARROW HOE**

CODE	MODEL	DIMENSIONS	WEIGHT
056317	SSF685	70x150mm	350gr

**ROUND HOE**

CODE	MODEL	DIMENSIONS	WEIGHT
056324	SSF686	170x190mm	1050gr
056331	SSF687	190x200mm	1170gr

**CRETA HOE**

CODE	MODEL	DIMENSIONS	WEIGHT
056348	SSF688	165x160x90mm	1050gr

**MUD HOE**

CODE	MODEL	DIMENSIONS	WEIGHT
056355	SSF689	140x160x150mm	825gr

**SQUARE HOE**

CODE	MODEL	DIMENSIONS	WEIGHT
056362	SSF690	170x200x170mm	1275gr

**SQUARE POTATO HOE**

CODE	MODEL	DIMENSIONS	WEIGHT
056379	SSF691	145x205x145mm	1180gr

**NARROW HOE**

CODE	MODEL	DIMENSIONS	WEIGHT
056386	SSF692	80x200mm	810gr

**PLASTIC LEAF RAKE WITH WOODEN HANDLE**

CODE	MODEL	DIMENSIONS
055938	SSF678	78x58x120cm

**METAL LEAF RAKE FOR TUBE Ø23**

CODE	MODEL	DIMENSIONS
056003	SSF679	39x43x6cm



- Material Abs, Metal
- Plating Nickel

TAPETOOL FOR PLANTS

CODE	MODEL
055679	SSF050



GRAFTING TOOL

CODE	MODEL
073970	SSF101




STAPLES FOR TAPETOOL

CODE	MODEL
055693	SSF052



TAPE FOR TAPETOOL PLANTS 20PCS

CODE	MODEL
055686	SSF051-20



BLADE FOR TAPETOOL

CODE	MODEL
055709	SSF053



SPRING FOR TAPETOOL

CODE	MODEL
055716	SSF054



TAPE FOR GRAFTING TOOL TRANSPARENT

CODE	MODEL	DIMENSIONS
074007	SSF102	100x3mm



BLADE FOR GRAFTING TOOL FOR SSF101

CODE	MODEL
074014	SSF103



PLASTIC FENCE 20cmX9m, GREEN

CODE	MODEL	DIMENSIONS
076858	PF900	20cm x 9m

**SPLITTING AXE**

CODE	MODEL	HANDLE	WEIGHT
028338	BSA1050	35cm	650gr
028345	BSA1100	45cm	950gr
028352	BSA1150	71cm	1.7kg

**KITCHEN AXE WITH WOODEN HANDLE**

CODE	MODEL	LENGTH	WEIGHT
056430	SSF550	33cm	600gr
056447	SSF552	36cm	800gr
056454	SSF554	70cm	1,25Kg
056461	SSF556	90cm	1,8Kg

**SPLITTING MAUL WITH WOODEN HANDLE**

CODE	MODEL	LENGTH	WEIGHT
056478	SSF558	90cm	3Kg

**SPLITTING MAUL WITH WOODEN HANDLE**

CODE	MODEL	LENGTH	WEIGHT
056485	SSF560	90cm	3Kg

**SPLITTING AXE**

CODE	MODEL	LENGTH	WEIGHT
028321	BSA1000	90cm	2.5kg



NAKAYAMA[®]

PRO

www.nakayamatools.com

info@nakayamatools.com



International Office: Steiermärker Straße 3 - 5 70469 Stuttgart, Germany
Head Office – Distribution Center: Markopoulo Industrial Zone, 19003 Athens, Greece
www.nikolaoutools.com