



Cube Luxury Series CL4G Outdoor Sauna 50D" x 81W" x 83H"





Note: Please read manual before construction


Rev: 1.0_6/2024

saunalife

Cube Luxury Series CL4G Outdoor Sauna 50D" x 81W" x 83H"



Tools needed




DET 4		1	
DET 1	x2	41.34" *4" *2"	
Article.		41.34	
K-SM100/1050			
DET 2			
DE1 2	х3	51.18" *4" *2"	
Article.		51.1	
K-SM100/1300			l'
DET 3	x1		
	XI.	33" * 1.65	
Article.		09.21" * 4.33	
 T-STL117/1250XLM0	1		
DET W	x2		
	kmpl	W2 W1	
Article.		₩3	
MU-TRAPP		₩4	
DET 3			
	x64	49.21" *4.6" *1.65"	
Article.		A9.21" *A.0	
T-STL117/1250-01			
DET 3/H	x2		
		49.21" *4.6" *1.65"	
Article.		49.21"	
T-STL117/1250-01X			1'
DET Sb	x1		
	XI		
		1 26 × 2.0°	
Article.		16.2 1.3	
IC-TE-20-PR-12/15V		'	
DET Sa	x1	16.2" *21.36" *1.01"	
		136 * 1	
Article.		16.21.**	
IC-TE-20-PR-12/15P			
DET Ta	x1		
		1/1/1/1/1	
Article.		24" *5.63" *1.1	
T-SL117/610UK1		\ \frac{1}{2}	
DET Tb	x1	**7.1	
Article.		24" *3.1	
T-TL94/610J		V 4/	
T-TL94/610J			


		1	
DET V	x4	1.58" *1.58" * 1"	
Article.		1.58" *1.500	
KI-VIN-25/40/40-ZN			
DET U1	x1	16.38" *3.7" *1.1"	
Article.		16.38" *3.	
K-TL94/1940			
DET Y1	x1		
Article.		********	
T-IC-PTS-20/28-V		16.62	
DET Y2	x1	27.*2.1	
		16.62**31.2	
Article.		16.	
T-IC-PTS-20/28-P			
DET U2	x1	12.83" *3.7" *1.1"	
Article.		12.83" * 3	
K-TL94/1850			
DET 6			
	x2	49.21" *2.32" *1.65"	
Article.		*2.32	
T-STL117/1250XL-01		49.1	
DET 6c/d/e/f	x1	· STATA	X 1"
		A9.21" *X" *1.65" X X X	□ ‡ ³/8"
Article.		103.1	
T-STL117/1250KO-01			1 3/16
DET A1	x2		~72.5"
Article.			
MU-VIT1840-KLZN			
DET A2	x2	_	~191.5"
Article.			
MU-VIT4860-KLZN			
DET G	x1		
	ΥT		
Article.			
MU-VENT-100-PU			


DET F	w2		
	х3		
Article.			
MU-VENT-100-ZN			
DET 10a	x2	20.08" *1.73" *1.73"	
Article.		20.08" *1.	
K-HP44/510XP			
DET 10c	x1	*1.13"	
Article.		6.7" *1.73" *1.73"	
K-HP44/170			
DET 10	x1	16" *21.34" *2.84"	
Article.		16"	
TL-LAMOD-1930-KA	01		
DET 10b	x1	»*1 <u>.13</u> "	
Article.		25.67" *1.73" *1.73"	
K-HP44/652			
DET 12	x1	49.21"* 8.27"*2.84"	
Article.		49.21**	
TL-LAMOD-1250-01		,	
DET 12a	x1	9.84" *1.13"	
Article.		9A" *1.13"	
K-HP44/250XP-XP		9.5	
DET 14	x1	76" *15" *2.84"	
Article.		16	
TL-STMOD-1930-KA01			
DET 21	x1		
		23.23	
Article.		66.54" *23.23"	
U-KL-6/17-PR		9	


DET 21c	x2	*1.13"	
Article.		66.54" *1.73" *1.73"	
K-HP44/1690			
DET 21d	x2	2"	
	**	26.71" *1.73" *1.73"	
Article.		26.71" *1.1	
K-HP44/680	_		
DET 21a	x2	**0.71"	
Article.		65.35" *1.73" *0.71"	
K-HL44/1660			
DET 21b	x2	25.6" *1.73" *0.71"	
Article.		c" * 2.13" * 2	
K-HL44/650	_	25.6	
DET 16	x1	24.88" *24.72" *1.1"	A B 3° 24.61" + 23.74
Article.		24.80	D 24.61" + 23.11" + 23.11" + 24.21" + 22.16" +
TL-PIMOD-632-01			F C 31° F
DET 15	x1	18.7" *3.55" *1.1"	
Article.		A 8.7" *3.53	
TL-LAV90/475			
DET 22	x2		
		49.21,*2,*2,	
Article.		49.11	
T-STL-1250-XX			
Underlay felt	26´		
Article.			
KAT-AL			
DET N	х5		
Article.			
KAT-HAR-MUST			
DET O	x42		
Article.			
KAT-SIN-MUST			

DET 25a	x8		3							
	ХО	12.56.7								
Article.		4,39								
MU-OL-IC-20-1										
DET 25b	х8	15.36"								
Article.					$\overline{}$					
MU-OL-IC-20-2										
Article.				Article.						M
KI-KERL-12-RV4				KI-USA-ICO-2	226			_	Н	\mathbb{I}
	L=~:	9.85"	Bit F	PH2	L	K	J	I	2¼"	3%"
D • E •	×4			Torx bits		%" × 1%	/8" × 1½"	3/16 " X	5/32" X Z	3/16" >
x8 x8				T10 T15 T20 T25	~250	 x20	 x40	 x35	 x230	 x55













Wooden back wall assembly








5.




















Use waterlevel for installation!








14.





Please be careful!!! Do not hit the glass with the screw.















Attention! Refer to shingle installation manual provided in package.



III

