Let's get started

GL·ÎNet


GL-MT6000 / Flint 2 AX6000 Wireless Router



SETTING UP

1 Power On

When powered up, your router will broadcast both 2.4G and 5G Wi-Fi signal with the SSID: GL-MT6000-xxx-5G



or

Connect via Wi-Fi

Connect to the Wi-Fi called *GL-MT6000-xxx* or *GL-MT6000-xxx-5G*, and then input the default Wi-Fi password which is printed on the bottom label of the router.



Connect via LAN




Plug the cable connecting to your computer into LAN port

3 Set Up Router

Visit https://192.168.8.1 in your browser to set up your router; start by choosing your preferred language.

(■ https://192.168.8.1 Č

SUPPORT



Repair / Reset

If you cannot access the web-based setup page or cannot connect to the router, you can press the **Reset** button:

- Press and hold for 3 seconds, and then release to repair your network.
- Press and hold for 10 seconds, and then release to reset the router to factory settings. All user data will be cleared.



https://docs.gl-inet.com/en/4/

Technical Supports

- For more detailed and updated instructions, please visit our website docs.gl-inet.com
- For further questions, you can get help from the following ways:
 - Email to support@gl-inet.com
 - Message us on our Facebook: facebook.com/gl.inet.wifi/
 - Post questions in our forum: forum.gl-inet.com
 - Ask professionals in other forums e.g. OpenWrt, LEDE or other professional websites

WARRANTY

- We provide one year limited warranty for routers and 3-month limited warranty for accessories. Extra warranty may apply according to the local law in which the product purchase took place
- Highly recommend using the included 12V/4A power adapter.
- Any damage to the router caused by not following the instructions will render this warranty null and void.
- Any damage to the router caused by modifying the PCBA, components or case will render this warranty null and void.
- Issues caused by the use of third-party firmware may not get official support from us.
- Any damage to the router caused by inappropriate use, e.g. inappropriate voltage input, high temperature, dropping in the water or on the ground will render this warranty null and void
- Pictures on the instructions are only for reference. We reserve the right to change or modify these materials without further notice.

FCC ID: 2AFIW-MT6000

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.
- 2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

3. Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. - Consult the dealer or an experienced radio/TV technician for help important announcement.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your hody. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions

(1) This device may not cause interference. (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

(1) L'appareil ne doit pas produire de brouillage; (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body

Cet éguipement est conforme aux limites d'exposition aux radiations IC CNR-102 établies pour un environnement non contrôlé. Cet éguipement doit être installé et utilisé avec une distance minimale de 20 cm entre le radiateur et votre corps.

The user manual for LE-LAN devices shall contain instructions related to the restrictions mentioned in the above sections, namely that:

i, the device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

i. le dispositif utilisé dans la bande 5150-5250 MHz est réservé à une utilisation en intérieur afin de réduire le risque de brouillage préjudiciable aux systèmes mobiles par satellite dans le même canal:

The functions of Wireless Access Systems including Radio Local Area Networks (WAS/RLANs) within the band 5150-5350 MHz for this device are restricted to indoor use only within all European Union countries.

AT BE BG HR CY CZ DK EE FI FR DE EL HU IS IE IT LV LI LT LU MT NO PL PT RO SK SI ES SE CH NL UK(NI)

Hereby, GL TECHNOLOGIES (HONG KONG) LIMITED declares that the radio equipment type [AX6000 Wireless Router, GL-MT6000] is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: https://www.gFinet.com/products/certificate

Frequency bands: 2.4G WIFI:2.412-2.472GHz; 5G WIFI:5.15-5.25GHz 5.25-5.35GHz 5.47-5.725GHz 5.725-5.85GHz

Hong Kong Office

GL Technologies (Hong Kong) Limited Unit 601, Building 5W, Hong Kong Science Park, Shatin, N.T.,

Shenzhen Office

Shenzhen Guanglianzhitong Tech Co., Ltd. Room 305 - 306, Skyworth Digital Building, Shiyan Street, Baoan District, Shenzhen, China, 518000 (+86-0755-86606126)









WARRANTY

- ide one year limited warranty for routers and 3-month limited warranty for accessories. Extra warranty may apply according to the local law in which the

- We provide one year limited warranty for routers and 3-mount immice warranty for accessions. Such that yellow he product purchase took place.

 Highly recommend using the included 12V/4A power adapter.

 Any damage to the router caused by not following the instructions will render this warranty null and void.

 Any damage to the router caused by modifying the PCBA, components or case will render this warranty null and void.

 Is sues caused by the use of third-party firmware may not get official support from us.

 Any damage to the router caused by inappropriate use, e.g. inappropriate voltage input, high temperature, dropping in the water or on the ground will render this warranty null and void.
- this warranty null and void.

 Pictures on the instructions are only for reference. We reserve the right to change or modify these materials without further notice.

FCC ID: 2AFIW-MT6000







Let's get started

GL·ÎNet

GL-MT6000 / Flint 2 **AX6000 Wireless Router**

SETTING UP



Power On

When powered up, your router will broadcast both 2.4G and 5G Wi-Fi signal with the SSID: GL-MT6000-xxx and GL-MT6000-xxx-5G.





Connect via Wi-Fi

Connect to the Wi-Fi called GL-MT6000-xxx or **GL-MT6000-xxx-5G**, and then input the default Wi-Fi password which is printed on the bottom label of the router.







Plug the cable connecting to your computer into LAN port




Set Up Router

Visit https://192.168.8.1 in your browser to set language.



SUPPORT



Repair / Reset

If you cannot access the web-based setup page or cannot connect to the router, you can press the *Reset* button:

- Press and hold for 3 seconds, and then release to repair your network.
- Press and hold for 10 seconds, and then release to reset the router to factory settings. All user data will be cleared.



Technical Supports

- For more detailed and updated instructions, please visit our website docs.gl-inet.com
- For further questions, you can get help from the following ways:
 - Email to support@gl-inet.com
 - Message us on our Facebook: facebook.com/gl.inet.wifi/
 - Post questions in our forum: forum.gl-inet.com
 - Ask professionals in other forums e.g. OpenWrt, LEDE or other professional websites