

## 1.ATSC3.0 TV Box Overview


**HENGLI** | HDecoder

welcome to nextgen tv

Search for More Products

[www.hengli-dig.com](http://www.hengli-dig.com)

Customer Support



## 2.Remote Control Overview



### 3.Installation

① Connect TV Box to the HD TV



Connect to a HDCP 2.2 port for optimal 4K streaming.

② Power in a wall adapter.



③ Connect to antenna and enjoy.



### 4. Tips and Troubleshooting



#### RF Antenna setting

Ensure the antenna is setting on a properly position, such as the roof or near the window. If your antenna needs amplifier to get strong signal, make sure the amplifier USB supply is power on.



#### Wi-Fi connecting

Ensure your internet connection is working properly. Restarting your router and modem will solve most Wi-Fi network issues. Connectivity performance depends on distance from router and TV dongle, do not place the TV dongle in a cabinet, as it may impact Wi-Fi signal strength.



#### Search for ATSC3.0 Signal

Check more info with the link:  
<https://www.watchnextgentv.com/markets>



### 5.Product Specifications

#### HDecoder ATSC3.0 TV BOX 4K

Model: HL-A3B01

Power input: DC 12V/1A

#### FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
  - Increase the separation between the equipment and receiver.
  - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
  - Consult the dealer or an experienced radio/TV technician for help.
- To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum 20cm distance between the radiator and your body. Use only the supplied antenna.