

Induction Range, 36", 5 Zones with SmartZone, Self-cleaning

Series 9 | Contemporary

Stainless Steel




With large oven and cooktops that can be paired to create an expansive cook zone, this is a range made for those who love to cook.

- Five induction cooking zones, which can be joined to form SmartZones
- Convection oven with 4.9 cu.ft total capacity, nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for baking bread
- Non-tip full-extension shelves for safe removal of hot dishes

- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 1/4"
Width	35 7/8"
Depth	25 1/4"



FEATURES & BENEFITS

MULTI-SHELF COOKING

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

QUALITY AND DURABILITY

Every detail has been carefully crafted. The solid, perfectly

balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

POWER & CONTROL

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

EASY TO CLEAN

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

EVEN HEAT

Accurate, electronically-controlled oven heat ensures a great result every time.

LARGE CAPACITY OVEN

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and	•
Broil pan	•
Broil rack	•
Full extension telescopic	2 sets (part 578744)

Accessories (sold separately)

Kick strip, stainless steel	KICKOR36X1
-----------------------------	------------

Capacity

Shelf positions	7
Total capacity	4.9cu ft

Usable capacity	4.3cu ft	AeroTech™ technology	•	Power requirements	
		Automatic rapid pre-heat	•	Amperage	65A
		Concealed element	•	Supply frequency	60Hz
		Electronic oven control	•		
		Full extension telescopic	•	Product dimensions	
		Internal light	4 x 25W halogen (2 side & 2	Depth	25 1/4"
		Soft open/close door	•	Height	35 3/4 - 37 1/4"
		True convection	•	Width	35 7/8"
		Turned stainless steel clock	•		
		Twin cavity fans	•	Rangetop features	
		Warming drawer	•	Auto heat reduce	•
				Dual zones	•
				Gentle heat	•
				Heat settings	9
				Induction cooking technology	•
				SmartZone	•
				Zone bridging	•
		Oven functions		Rangetop Performance	
		Aero Bake	•	Centre	5500W
		Aero Broil	•	Left front	3700W
		Aero™ Pastry with Pizza mode	•	Left rear	3700W
		Bake	•	Number of cooking zones	5
		Broil	•	PowerBoost	•
		Number of functions	9		
		Rapid proof	•	Safety	
		Roast	•	ADA compliant	•
		Self-clean function	•	Advanced cooling system	•
		True Aero	•	Anti-tilt bracket	•
		True convection	•	Balanced oven door	•
		Oven performance			
		Broil power	4300W		
		CoolTouch door	Quadruple glazed		
		Warming drawer power	220W		
Cleaning					
Acid resistant graphite enamel	•				
Drop down broil element	•				
Drop down grill element	•				
Flat easy clean glass surface	•				
Pyrolytic proof shelf runners	•				
Pyrolytic self-clean	•				
Removable oven door	•				
Removable shelf runners	•				
Controls					
Audio feedback	•				
Automatic cooking/minute	•				
Automatic pre-set	•				
Celsius/Fahrenheit	•				
Electronic capacitive touch	•				
Electronic clock	•				
High resolution display	•				
Laser etched graphics	•				
Precise electronic temperature	•				
Sabbath mode	•				
Toughened fused glass	•				
Turned stainless steel clock	•				
Turned stainless steel clock	•				
Turned stainless steel dials	•				
Oven features					

Catalytic venting system	•
Child lock	•
Full extension telescopic	2 sets (part 578744)
Full extension telescopic	•
Non-tip shelves	•
Pan detection system	•
Safety time out	•
Spill containment	3/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU	81710
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel’s Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) User Guide Freestanding Range
- [↓](#) Guide D’Utilisation
- [↓](#) Service & Warranty
- [↓](#) Energy Label Dual Fuel / Induction Range
- [↓](#) Installation Guide / Guide d’installation



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com