

Item #:	178GDC49FHCB		Project:	
Otv:		Date:		Approval

Avantco GDC-49F-HC 53" Black Customizable Swing Glass Door Merchandiser Freezer with LED Lighting

Item#178GDC49FHCB







Technical Data

Width	53 1/8 Inches	
Depth	31 7/8 Inches	
Height	83 7/8 Inches	
Power Cord Length	96 Inches	
Interior Width	47 3/8 Inches	
Left Door Opening Width	21 11/16 Inches	
Right Door Opening Width	21 11/16 Inches	
Shelf Width	23 1/4 Inches	
Interior Depth	27 Inches	
Shelf Depth	24 7/16 Inches	

Features

- 2 self-closing, anti-fog dual-pane tempered glass swing doors with magnetic
- Easy-to-use digital temperature controls, temperature range: -7 0
- Includes 4 adjustable, plastic-coated steel shelves
- Interior LED lighting; 4" casters included
- 115V; 1 1/2 hp; R-290 refrigerant

Certifications







ETL, US (15) 5-15P Customizable ETL Sanitation






Technical Data

Interior Height	50 Inches	
Caster Diameter	4 Inches	
Amps	10.6 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	1219 Watts	
Access Type	Doors	
BTU (LBP)	3750 BTU	
Capacity	35.8 cu. ft.	
Capacity (per Shelf)	88 lb.	
Casters	With Casters	
Color	Black	
Compressor Location	Bottom Mounted	
Door Style	Swing	
Door Type	Glass	
Features	Customizable LED Lighting Lighted Interior Self-Closing Doors	
Horsepower	1 1/2 hp	
Interior Color	White	
Number of Doors	2 Doors	
Number of Shelves	8 Shelves	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	4.9 oz.	
Refrigerant Type	R-290	
Sections	2 Sections	
Starting Amps	31.8 Amps	
Starting Wattage	3000 Watts	
Temperature Range	-7 - 0 Degrees F	

Plan View





Notes & Details

Increase impulse sales of frozen meals, novelty treats, fruits, and vegetables with this Avantco GDC-49F-HC 53 1/8" black merchandising freezer! Designed with sharp looks and usability in mind, this unit is the perfect display for your products with its sleek finish. And, since the housing is made from black-coated steel, you can be sure that it will provide superior durability. This unit boasts 2 anti-fogging, dual-pane tempered glass swing doors to ensure that customers always have a clear view of your products, while 8 epoxy-coated steel shelves help you stay organized. Plus, the shelves easily adjust to accommodate prepackaged foods in a variety of sizes. Interior LED lighting also works to illuminate and further merchandise your products.

Designed to maintain temperatures from -8 to -1 degree Fahrenheit, this freezer boasts a bottom-mounted 1 1/2 hp compressor that runs on R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. In addition, the bottom-mounted design makes it easy for employees to load and unload products due to the raised bottom shelf. For optimal temperature retention, the entire cabinet is foamed in place using polyurethane insulation. Other helpful features include self-closing aided by magnetic gaskets, automatic defrosting, as well as a digital temperature control and display. This item requires a 115V electrical connection for operation.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.