

FRESHWATER INSTALLATION




- » (1) Bow-mounted Humminbird unit and (1) console-mounted unit networked together, with heading sensor GPS puck and high-speed transducer with y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable (Need 2) AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4	Ethernet Cable AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4
3 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
4 Transducer Splitter Cable 9 M SDB Y #720101-1	Transducer Splitter Cable 14 M SDB Y #720103-1
5 High Speed Transducer (fiberglass hull) XP 9 HW T #710276-1 High Speed Transducer (aluminum hull) XNT 9 HW T #710274-1	High Speed Transducer (fiberglass hull) XP 14 HW T #710287-1 High Speed Transducer (aluminum hull) XNT 14 HW T #710285-1

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	📶 Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------



FRESHWATER INSTALLATION




- » Minn Kota trolling motor with i-Pilot Link and built-in MEGA Imaging, (1) bow-mounted Humminbird unit and (1) console-mounted Humminbird unit, with heading sensor GPS puck and high-speed transducer with y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable (Need 2) AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable (Need 2) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4	Ethernet Cable (Need 2) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4
3 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
4 Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*	Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*
5 5-Port Ethernet Switch AS ETH 5PXG #408450-1	5-Port Ethernet Switch AS ETH 5PXG #408450-1 Note: Networks exclusively with APEX units do not require 5-Port Ethernet Switch
6 Transducer Splitter Cable 9 M SDB Y #720101-1	Transducer Splitter Cable 14 M SDB Y #720103-1
7 High Speed Transducer (fiberglass hull) XP 9 HWT #710276-1 High Speed Transducer (aluminum hull) XNT 9 HWT #710274-1	High Speed Transducer (fiberglass hull) XP 14 HWT #710287-1 High Speed Transducer (aluminum hull) XNT 14 HWT #710285-1
8 Adapter Cable for built-in MEGA Imaging MKR-MI-1 (HELIX 8-12 G2N and newer) #1852088 MKR-MDI-2 HB HELIX 7 G2N/G3N #1852086	Adapter Cable for built-in MEGA Imaging N/A

*One (1) AS ECX 30E ethernet extension cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	■ Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------



FRESHWATER INSTALLATION




- » Minn Kota trolling motor with i-Pilot Link and (1) console-mounted Humminbird unit, with heading sensor GPS puck and high-speed transducer with y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
3 Minn Kota Trolling Motor with i-Pilot Link*	Minn Kota Trolling Motor with i-Pilot Link*
4 Transducer Splitter Cable 9 M SIDB Y #720101-1	Transducer Splitter Cable 14 M SIDB Y #720103-1
5 High Speed Transducer (fiberglass hull) XP 9 HW T #710276-1 High Speed Transducer (aluminum hull) XNT 9 HW T #710274-1	High Speed Transducer (fiberglass hull) XP 14 HW T #710287-1 High Speed Transducer (aluminum hull) XNT 14 HW T #710285-1

*One (1) AS ECX 30E ethernet extension cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	■ Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------



FRESHWATER INSTALLATION




- » Minn Kota trolling motor with i-Pilot Link and built-in MEGA Imaging, (1) bow-mounted Humminbird unit, (2) console-mounted Humminbird units, MEGA 360 Imaging – Ultrex, Minn Kota Shallow Water Anchor, with heading sensor GPS puck and high-speed transducer with y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable (Need 3) AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable (Need 3) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4	Ethernet Cable (Need 3) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4
3 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
4 Minn Kota Ultrex Trolling Motor with i-Pilot Link and built-in MEGA Imaging*	Minn Kota Ultrex Trolling Motor with i-Pilot Link and built-in MEGA Imaging*
5 5-Port Ethernet Switch AS ETH SPXG #408450-1	5-Port Ethernet Switch AS ETH SPXG #408450-1 Note: Networks exclusively with APEX units do not require 5-Port Ethernet Switch
6 Transducer Splitter Cable 9 M SIDB Y #720101-1	Transducer Splitter Cable 14 M ID SIDB Y #720111-1
7 High Speed Transducer (fiberglass hull) XP 9 HW T #710276-1 High Speed Transducer (aluminum hull) XNT 9 HW T #710274-1	High Speed Transducer (fiberglass hull) XP 14 HW T #710287-1 High Speed Transducer (aluminum hull) XNT 14 HW T #710285-1
8 Minn Kota Talon/Raptor with Bluetooth Talon SWA	Minn Kota Talon/Raptor with Bluetooth Talon SWA
9 MEGA 360 and MDI/2D Y-Cable 14 M360 2DDI Y #720108-1	MEGA 360 and MDI/2D Y-Cable 14 M360 2DDI Y #720108-1
10 Adapter Cable for MEGA 360 Y-Cable AD HELIX M360 (included with MEGA 360)	Adapter Cable for MEGA 360 Y-Cable N/A
11 MEGA 360 Imaging MEGA 360 Imaging – Ultrex #411250-1	MEGA 360 Imaging MEGA 360 Imaging – Ultrex #411250-1

*One (1) AS ECX 30E ethernet extension cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183 ■ Ethernet ■ 12V DC Power ■ Transducer Cable ■ Bluetooth® Signal



SALTWATER INSTALLATION




» Minn Kota Riptide trolling motor with i-Pilot Link and (1) console-mounted Humminbird unit, with heading sensor GPS puck and high-speed transducer with y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
3 Minn Kota Trolling Motor with i-Pilot Link*	Minn Kota Trolling Motor with i-Pilot Link*
4 Transducer Splitter Cable 9 M SIDB Y #720101-1	Transducer Splitter Cable 14 M ID SIDB Y #720111-1
5 High Speed Transducer (fiberglass hull) XP 9 HW T #710276-1 High Speed Transducer (aluminum hull) XNT 9 HW T #710274-1	High Speed Transducer (fiberglass hull) XP 14 HW T #710287-1 High Speed Transducer (aluminum hull) XNT 14 HW T #710285-1 Optional Transducer Airmar CHIRP Transducer
6 Optional Transducer (thru-hull) SSTH 14 HW MSI+ T #710302-1 MKR-MI-1 HB #1852088	Optional Transducer (thru-hull) SSTH 14 HW MSI+ T #710302-1

*One (1) AS EC 30E 30 ethernet cable included with trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	■ Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------



SALTWATER INSTALLATION




» Minn Kota Riptide trolling motor with i-Pilot Link and (2) console-mounted Humminbird units, with heading sensor GPS puck and high-speed transducer with y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable (Need 2) AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable (Need 2) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4 AS ECX 30E (30') #760025-1	Ethernet Cable (Need 2) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4 AS ECX 30E (30') #760025-1
3 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
4 Minn Kota Trolling Motor with i-Pilot Link*	Minn Kota Trolling Motor with i-Pilot Link*
5 5-Port Ethernet Switch AS ETH SPXG #408450-1	5-Port Ethernet Switch AS ETH SPXG #408450-1 Note: Networks exclusively with APEX units do not require 5-Port Ethernet Switch
6 High Speed Transducer (fiberglass hull) XP 9 HW T #710276-1 High Speed Transducer (aluminum hull) XNT 9 HW T #710274-1	High Speed Transducer (fiberglass hull) XP 14 HW T #710287-1 High Speed Transducer (aluminum hull) XNT 14 HW T #710285-1 Optional Transducer Airmar CHIRP Transducer
7 Transducer Splitter Cable 9 M SIDB Y #720101-1	Transducer Splitter Cable 14 M ID SIDB Y #720111-1
8 Minn Kota Talon/Raptor with Bluetooth Talon SWA	Minn Kota Talon/Raptor with Bluetooth Talon SWA
9 Optional Transducer (thru-hull) SSTH 14 HW MSI+ T #710302-1 MKR-MI-1 HB #1852088	Optional Transducer (thru-hull) SSTH 14 HW MSI+ T #710302-1

*One (1) AS EC 30E 30 ethernet cable included with trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

NMEA 0183	Ethernet	12V DC Power	Transducer Cable	Bluetooth® Signal
-----------	----------	--------------	------------------	-------------------



FRESHWATER INSTALLATION




» Minn Kota Ultrex trolling motor with i-Pilot Link and built-in MEGA Imaging, (2) bow-mounted Humminbird units, MEGA 360 Imaging – Ultrex, (2) console-mounted Humminbird units, Minn Kota Shallow Water Anchor, with heading sensor GPS puck and high-speed transducer with y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable (Need 4) AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable (Need 4) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4	Ethernet Cable (Need 4) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4
3 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
4 Minn Kota Ultrex Trolling Motor with i-Pilot Link and built-in MEGA Imaging*	Minn Kota Ultrex Trolling Motor with i-Pilot Link and built-in MEGA Imaging*
5 5-Port Ethernet Switch AS ETH SPXG #408450-1	5-Port Ethernet Switch AS ETH SPXG #408450-1 Note: Networks exclusively with APEX units do not require 5-Port Ethernet Switch
6 Transducer Splitter Cable 9 M SIDB Y #720101-1	Transducer Splitter Cable 14 M ID SIDB Y #720111-1
7 High Speed Transducer (fiberglass hull) XP 9 HW T #710276-1 High Speed Transducer (aluminum hull) XNT 9 HW T #710274-1	High Speed Transducer (fiberglass hull) XP 14 HW T #710287-1 High Speed Transducer (aluminum hull) XNT 14 HW T #710285-1
8 Minn Kota Talon/Raptor with Bluetooth (Need 2) Talon SWA	Minn Kota Talon/Raptor with Bluetooth (Need 2) Talon SWA
9 MEGA 360 Adapter Cable AD HELIX M360 (included with MEGA 360)	MEGA 360 Adapter Cable N/A
10 Adapter Cable for built-in MEGA Imaging MKR-MI-1 (HELIX 8-12 G2N and newer) #1852088 MKR-MDI-2 (HELIX 7 G3/G3N) #1852086	Adapter Cable for built-in MEGA Imaging N/A
11 MEGA 360 Imaging MEGA 360 Imaging – Ultrex #411250-1	MEGA 360 Imaging MEGA 360 Imaging – Ultrex #411250-1

*One (1) AS ECX 30E ethernet extension cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.



■ NMEA 0183 ■ Ethernet ■ 12V DC Power ■ Transducer Cable ■ Bluetooth® Signal

FRESHWATER INSTALLATION




» Adding a MEGA 360 Imaging – Ultrex model to a boat with (1) bow-mounted Humminbird unit and Minn Kota motor with built-in MEGA Imaging.

HELIX SERIES	APEX/SOLIX SERIES
1 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
2 Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*	Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*
3 MEGA 360 and MDI/2D Y-Cable 14 M360 2DDI Y #720108-1	MEGA 360 and MDI/2D Y-Cable 14 M360 2DDI Y #720108-1
4 MEGA 360 Adapter Cable AD HELIX M360 (included with MEGA 360)	MEGA 360 Adapter Cable N/A
5 MEGA 360 Imaging MEGA 360 Imaging – Ultrex #411250-1	MEGA 360 Imaging MEGA 360 Imaging – Ultrex #411250-1

*One (1) AS ECX 30E ethernet extension cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	■ Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------



FRESHWATER INSTALLATION




» Adding a MEGA 360 Imaging – Ultrex model to a boat with (2) bow-mounted Humminbird units and Minn Kota motor with built-in MEGA Imaging.

HELIX SERIES	APEX/SOLIX SERIES
1 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
2 Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*	Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*
3 Adapter Cable for built-in MEGA Imaging MKR-MI-1 (HELIX 8-12 G2N and newer) #1852088 MKR-MDI-2 (HELIX 7 G3/G3N and newer) #1852086	Adapter Cable for built-in MEGA Imaging N/A
4 MEGA 360 Adapter Cable AD HELIX M360 (included with MEGA 360)	MEGA 360 Adapter Cable N/A
5 MEGA 360 Imaging MEGA 360 Imaging – Ultrex #411250-1	MEGA 360 Imaging MEGA 360 Imaging – Ultrex #411250-1

*One (1) AS ECX 30E ethernet extension cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	📶 Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------



FRESHWATER INSTALLATION




» (1) Console-mounted Humminbird unit with high-speed transducer and y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Transducer Splitter Cable 9 M SIDB Y #720101-1	Transducer Splitter Cable 14 M ID SIDB Y #720111-1
2 High Speed Transducer (fiberglass hull) XP 9 HWT #710276-1 High Speed Transducer (aluminum hull) XNT 9 HWT #710274-1	High Speed Transducer (fiberglass hull) XP 14 HWT #710287-1 High Speed Transducer (aluminum hull) XNT 14 HWT #710285-1

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	■ Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------



FRESHWATER INSTALLATION




» Adding a MEGA Live Imaging transducer to a boat with (2) bow-mounted Humminbird units and a Minn Kota motor with built-in MEGA Imaging.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable (Need 2) AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable (Need 2) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4	Ethernet Cable (Need 2) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4
3 Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*	Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*
4 Adapter Cable for built-in MEGA Imaging MKR-MI-1 (HELIX 8-12 G2N and newer) #1852088 MKR-MDI-2 (HELIX 7 G3/G3N and newer) #1852086	Adapter Cable for built-in MEGA Imaging N/A
5 5-Port Ethernet Switch AS ETH 5PXG #408450-1	5-Port Ethernet Switch AS ETH 5PXG #408450-1 Note: Networks exclusively with APEX units do not require 5-Port Ethernet Switch
6 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
7 MEGA Live Imaging MEGA Live Imaging Transducer #710304-1	MEGA Live Imaging MEGA Live Imaging Transducer #710304-1

*One (1) AS ECX 30E ethernet extension cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	■ Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------



FRESHWATER INSTALLATION




» Adding a MEGA Live Imaging transducer to a boat with (1) bow-mounted Humminbird unit and a Minn Kota motor with built-in MEGA Imaging.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4	Ethernet Cable AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4
3 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor AS GPS HS #408400-1 AS GPS NMEA #720080-1
4 Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*	Minn Kota Trolling Motor with i-Pilot Link and built-in MEGA Imaging*
5 5-Port Ethernet Switch AS ETH SPXG #408450-1	5-Port Ethernet Switch AS ETH SPXG #408450-1 Note: Networks exclusively with APEX units do not require 5-Port Ethernet Switch
6 Adapter Cable for built-in MEGA Imaging MKR-MI-1 (HELIX 8-12 G2N and newer) #1852088 MKR-MDI-2 (HELIX 7 G3/G3N and newer) #1852086	Adapter Cable for built-in MEGA Imaging N/A
7 MEGA Live Imaging MEGA Live Imaging Transducer #710304-1	MEGA Live Imaging MEGA Live Imaging Transducer #710304-1

*One (1) AS ECX 30E ethernet extension cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.



■ NMEA 0183 ■ Ethernet ■ 12V DC Power ■ Transducer Cable ■ Bluetooth® Signal

SALTWATER INSTALLATION




» Minn Kota Riptide trolling motor with i-Pilot Link, (2) console-mounted Humminbird units, Humminbird CHIRP radar, Cannon Optimum Downriggers, with heading sensor GPS puck and high-speed transducer with y-cable.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable (Need 2) AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable (Need 2) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4	Ethernet Cable (Need 2) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4
3 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
4 Minn Kota Trolling Motor with i-Pilot Link*	Minn Kota Trolling Motor with i-Pilot Link*
5 5-Port Ethernet Switch AS ETH 5PXG #408450-1	5-Port Ethernet Switch AS ETH 5PXG #408450-1 Note: Networks exclusively with APEX units do not require 5-Port Ethernet Switch
6 Transducer Splitter Cable 9 M SDB Y #720101-1	Transducer Splitter Cable 14 M ID SDB Y #720111-1
6 High Speed Transducer (fiberglass hull) XP 9 HW T #710276-1 High Speed Transducer (aluminum hull) XNT 9 HW T #710274-1	High Speed Transducer (fiberglass hull) XP 14 HW T #710287-1 High Speed Transducer (aluminum hull) XNT 14 HW T #710285-1 Optional Transducer Airmar CHIRP Transducer
8 Radar HB 2124 CHIRP Radar #750013-1	Radar HB 2124 CHIRP Radar #750013-1
9 Optimum TS Downriggers (Need 2) Optimum TS #1902340	Optimum TS Downriggers (Need 2) Optimum TS #1902340
10 Optional Transducer (thru-hull) SSTH 14 HW MSI+ T #710302-1 MKR-MI-1 HB #1852088	Optional Transducer (thru-hull) SSTH 14 HW MSI+ T #710302-1

*One (1) AS EC 30E 30 ethernet cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.



■ NMEA 0183 ■ Ethernet ■ 12V DC Power ■ Transducer Cable ■ Bluetooth® Signal

SALTWATER INSTALLATION



- » Minn Kota Riptide trolling motor with i-Pilot Link, (2) console-mounted Humminbird units, (1) Humminbird unit at second station, Humminbird CHIRP radar and Talon Shallow Water Anchors.

HELIX SERIES	APEX/SOLIX SERIES
1 Ethernet Adapter Cable (Need 3) AS EC QDE #720074-1	Ethernet Adapter Cable N/A
2 Ethernet Cable (Need 3) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4	Ethernet Cable (Need 3) AS EC 5E (5') #720073-6 AS EC 10E (10') #720073-2 AS EC 15E (15') #720073-5 AS EC 20E (20') #720073-3 AS EC 30E (30') #720073-4
3 GPS + Heading Sensor AS GPS HS #408400-1	GPS + Heading Sensor APEX: AS GPS HS #408400-1 AS GPS #720113-1 SOLIX: AS GPS HS #408400-1 AS GPS NMEA #720080-1
4 Minn Kota Trolling Motor with i-Pilot Link*	Minn Kota Trolling Motor with i-Pilot Link*
5 5-Port Ethernet Switch AS ETH 5PXG #408450-1	5-Port Ethernet Switch AS ETH 5PXG #408450-1 Note: Networks exclusively with APEX units do not require 5-Port Ethernet Switch
6 Transducer Splitter Cable 9 M SDB Y #720101-1	Transducer Splitter Cable 14 M ID SDB Y #720111-1
6 High Speed Transducer (fiberglass hull) XP 9 HW T #710276-1 High Speed Transducer (aluminum hull) XNT 9 HW T #710274-1	High Speed Transducer (fiberglass hull) XP 14 HW T #710287-1 High Speed Transducer (aluminum hull) XNT 14 HW T #710285-1 Optional Transducer Airmar CHIRP Transducer
8 Radar HB 2124 CHIRP Radar #750013-1	Radar HB 2124 CHIRP Radar #750013-1
9 Minn Kota Talon/Raptor with Bluetooth (Need 2) Talon SWA	Minn Kota Talon/Raptor with Bluetooth (Need 2) Talon SWA
10 Optional Transducer (thru-hull) SSTH 14 HW MSI+ T #710302-1 MKR-MI-1 HB #1852088	Optional Transducer (thru-hull) SSTH 14 HW MSI+ T #710302-1

*One (1) AS EC 30E 30 ethernet cable included with i-Pilot Link trolling motor.

The accessories and part numbers listed above are valid as of November 2021. Installations shown are for HELIX G3N/G4N and APEX/SOLIX G2/G3 networking models and Minn Kota trolling motors with i-Pilot Link.

■ NMEA 0183	■ Ethernet	■ 12V DC Power	■ Transducer Cable	■ Bluetooth® Signal
-------------	------------	----------------	--------------------	---------------------

