



SUB-OCTAVE MK2

SKU: H10980

1399,00 €

15 inch active subwoofer 1000W /8 Ohms + 2x450W /4 Ohms



Categories: [Active subwoofers](#)

DESCRIPTION DU PRODUIT

- Total amp power :
- Bass: 1000W RMS / Class D
- Midrange : 2 x 250W RMS/80hms - 2x450W/40hms / Class D
- SMPS switch mode power supply
- Frequency response of the cabinet: 40 Hz to 200 Hz
- Sound pressure level SPL @1m : 129 dB max
- Woofer: 15", 100mm coil
- Inputs : Bluetooth and 2 balanced combo plugs
- Outings :
- Stereo line on 2 balanced XLR
- Amplified on speakon plugs
- Adjusting the volume of the subwoofer
- 3-band equalizer: 80Hz, 2.5Khz and 12KHz
- Subwoofer low cutoff frequency setting: 40 to 200 Hz
- Low cut filter (FULL RANGE-80-12Hz) for satellite outputs
- Phase correction 0-180°.
- Protections: DC, thermal and limiter
- Full grid bass reflex cube body
- 2 handles on the sides
- Power supply: AC220-240V 50/60Hz 20A max.
- Power supply input and output on POWERCON plug
- 36 mm base for top stand
- Dimensions: 405 x 580 x 550 mm
- Net weight: 36 kg

ADDITIONAL INFORMATION

Brand	Audiophony
Impedance	8 Ω

YOU MAY ALSO LIKE...



[OWB15-600](#)