

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

SURGE PROTECTIVE DEVICE

MODEL:LSSP-30E

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

**SURGE PROTECTIVE
DEVICE**

MODEL:LSSP-30E



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:



CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

INSTRUCTIONS

SPECIFICATIONS:

Model	LSSP-30E
Rated	125V
Jopule Rating	4100J
Type 3 SPD	

FEATURES INCLUDE:

- (3) color LED indicator lights
- Weather resistant
- Limited lifetime warranty
- Pull handle on plug
- It's portable, just plug it in

INSTALL STEPS:

STEP 1: Plug Surge Protective Device into AC power. DO NOT plug in your RV at this time. Verify GREEN surge indicator LED(s) is on.

STEP 2: Verify which LED's come on.

A

The Correct Wiring condition occurs when both the GREEN and BLUE LED'S are on If this does not occur you may be experiencing one of the other three (3) Wiring Conditions as noted in the diagrams:

B

Reverse Polarity

C

Open Neutral





D

Open Ground

Your Surge Protective Device will continue to work during any of the wiring conditions; however, only the Correct Wiring condition (both GREEN & BLUE LED's on) is optimal and any other wiring condition should be corrected by Campground Maintenance before use.

STEP 3: Plug in your RV power to the Smart Surge Protector. Refer to STEP 2 above for surge protection wiring conditions.

LED INDICATORS:



Note: The below Green light off indicates a surge occurrence.

CAUTIONS:

CAUTION:

TO REDUCE THE RISK OF ELECTRIC SHOCK, USE ONLY IN DRY LOCATIONS.

Do not install this device if there is not least 10 meters (30 feet) or more of wire between the electrical

outlet and the electrical service panel

This device features an internal protection that will disconnect the surge protective component but will

maintain power to the load - now unprotected. If this situation is undesirable for the application, follow the manufacturer's instructions for replacing the device

ATTENTION:

Pour réduire le d'électrocution, Pour Usage À L'Intérieur Seulement.

N'installez pas cet appareil si le fil entre la prise électrique et le panneau électrique est d'une longueur inférieure à 10 m (30 pi).

Ce dispositif est doté d'un système de protection interne qui désactivera le composant de suppression des surtensions. La barre d'alimentation continuera ensuite à laisser passer le courant, mais sans la protection contre les surtensions.

Si les appareils branchés nécessitent une protection contre les surtensions, suivez les directives du fabricant pour le remplacement du dispositif.

Manufacturer: NINGBO LINSHENG ELECTRIC CO., LTD

Address: Xiao Dong Industrial Park, Yuyao,ZheJiang,China

Made In China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support