

### iShare

Wireless projection system

designed by infobit






### What is iShare?

Infobit iShare allows you to project what's on your laptop or mobile devices, on a presentation screen, transforming your meeting room to be wireless, collaborative and complete sharing with a single click. Designed for intuitive meeting collaboration to empower people in business and education.










### Features

#### Go Wireless

Infobit iShare universal USB-A dongle avoid the unsightly jumble of cables and adaptors. It creates clean, tidy and comfortable meeting room without any additional adaptors or rummage under the table. Go wireless, you'll spend less time setting-up and more productive and effective.






# Features No Software Installation

iShare couldn't be easier. Plug the USB dongle into your laptop, wait a few seconds for it to establish connection with the receiver box connected with your display via HDMI, and press on the dongle to start present. No connecting to Wi-Fi is needed with this plug and play feature.







# Features Instant Show/ Hide

Frequently, users want to temporarily hide the screen from the mass or due to privacy. iShare allows you to hide your projection by only single click on the dongle instantly and show it with another simple click.



### Features

#### Cross-Platform

iShare works on any PC or Mac, but what if you want to project content from your mobile devices? It supports AirPlay and Miracast technologies built in to project your content.







## Features Multiview

Physical cable connection allows only one user projection from one device at a time. iShare supports single view, 1x2 split view or 2x2 quad-view. Supports up to 16x input sources connected simultaneously.

iShare frees everyone to share what's on their device, on the same display, simultaneously. Anyone can connect with one click and present straight away. Just walk into any meeting room and share what you want to, no matter which device it's on- no cable switching and no set-up procedure.

# Features Multiple Users Collaboration





#### Features

### Guest Friendly

iShare works for everyone including visitors that show up in your office for the first time. As there's no need to install any driver or ask your company's Wi-Fi password, meetings start and end on time by the so easy click-and-present way.







# Features Touch Back Control

With the interactive display or whiteboard, you can control your source PC/Mac by manipulating or annotating without any cable connected or walking back to your seat.



## Features 4K UHD 60Hz

iShare receiver supports up to 4K60Hz via HDMI connection to the display. The USB dongle support up to 1080p/60Hz and a latency of 0.1s.

Note: 60Hz under Windows 10.







## Features Dual-WiFi

What if you want to use internet when casting your mobile device which is connecting the meeting room Wi-Fi without internet? iShare is the first in this industry to support Dual-WiFi technology that allows you to visit the internet while casting or show on-line contents.





### Features

### Android Casting with Audio

iShare is the first in this industry to support casting video and audio together from Android devices (conventionally, only iOS devices with audio).




## Features Separated Audio

What if your display does NOT have built-in speaker? iShare receiver box provides 3.5mm separated audio output to connect your standalone speaker/ Sound Bar.







## Features

### Landscape or Portrait

iShare supports both landscape and portrait display installation. It supports 0, 90, 180 and 270 degrees image rotation which allows you to present your mobile device in full screen without any stretch.



### Specs

16max
Simultaneous users connected

4 Handaman Landon Simultaneous users on screen

30m Wireless range O 1 s

Mirroring latency

HIDM Video out interface

Hirroring resolution

YES
Touchback control

YES
Plug & Play





iShare 100







	iShare 100	iShare 200	iShare 400
Number of Users Simultaneous on screen	1	2	4
USB-A Dongle	1x included	2x included	4x included
Video Output	1x HDMI 1080p HD	1x HDMI 4K UHD	1x HDMI 4K UHD 1x VGA
Max. Users connected	8	8	16

Note: additional USB dongle is available to be purchased separately.





	iShare 100	iShare 200	iShare 400
Input ports	2x USB	3x USB	4x USB
Antennas	Built-in	External antennas	External antennas
Wireless	2.4G/5G	2.4G/ 5G	2.4G/5G
Moderation	Yes	Yes	Yes



	iShare 100	iShare 200	iShare 400
Receiver OS	Android 7.1	Android 7.1	Android 7.1
Integrated operation	Standalone or network integrated operation	Standalone or network integrated operation	Standalone or network integrated operation
Central management	Yes	Yes	Yes
Interactivity	blackboarding, annotation	blackboarding, annotation & touch back support	blackboarding, annotation



	iShare 100	iShare 200	iShare 400
Touch Back Control	Yes, control PC/ Mac from touchscreen wirelessly (Windows: 10 points Mac: Single point)	Yes, control PC/ Mac from touchscreen wirelessly (Windows: 10 points Mac: Single point)	Yes, control PC/ Mac from touchscreen wirelessly (Windows: 10 points Mac: Single point)
RS232	No	No	Yes
TF drive	No	Built-in 64G	Built-in 64G
WiFi	2.4G STA + 5.8G Hotspot	2.4G STA + 5.8G Hotspot	2.4G STA + 5.8G Hotspot



	iShare 100	iShare 200	iShare 400
LAN	RJ45	RJ45	RJ45
Wireless transmission protocol	IEEE 802.11 a/g/n/ac	IEEE 802.11 b/g/n	IEEE 802.11 b/g/n
USB dongle/ button resolution	1080p/30	1080p/30	1080p/30
Wired and Wireless Bridge	Yes	Yes	Yes



	iShare 100	iShare 200	iShare 400
Cross Platform	Windows, Mac OS, iOS, Android	Windows, Mac OS, iOS, Android	Windows, Mac OS, iOS, Android
Range	Up to 30m	Up to 30m	Up to 30m
AirPlay	Yes	Yes	Yes
Miracast	Yes	Yes	Yes



	iShare 100	iShare 200	iShare 400
Android APP mirror	Yes, with audio	Yes, with audio	Yes, with audio
Windows wireless	Yes	Yes	Yes
Dynamic password	Yes	Yes	Yes
Image Rotation	90/180/270 degrees	90/180/270 degrees	90/180/270 degrees



	iShare 100	iShare 200	iShare 400
Power	DC 12V 1A	DC 12V 1A	DC 12V 1A
Dimensions Without package	Hexagons: 96mm 2 sides 85mm 4 sides	160 x 130 x 24 mm	179 x 115 x 33mm
Dimensions With package	211 x 179 x 69mm	348 x 241 x 48mm	318 x 241 x 94mm
Net Weight	210g	450g	550g



	iShare 100	iShare 200	iShare 400
Gross Weight	700g	1.3kg	1.6kg
Operating Temperature	0-40°C	0-40°C	0-40°C
Humidity	10%-90%	10%-90%	10%-90%
Warranty	2 years	2 years	2 years



United Kingdom (London)

INFOBIT AV LTD. +44 (0)7430 051848 info@infobitav.com infobitav.com Singapore

INFOBIT AV PTE. LTD. +65 9711 9648 info@infobitav.com infobitav.com

China (Beijing)

INFOBIT AV LTD. +86 135 5217 1787 info@infobitav.com Infobitav.com