
## **LandCruiser Prado**



Please Note: information is accurate as at September 2025.

Specification and imagery are indicative and should only be used as a guide. Vehicle and accessory specification, features, colour and trim may differ at the time of vehicle delivery.



ı	I	<u> </u>					
MECHANICAL SPECIFICATIONS			LandCruiser Prado				
ENGINE	Engine description  Engine System		2.8L turbo diesel (1GD-FTV)				
			48V System (V-Active)				
	Displacement (cm³)		2755				
	Max power (kW@rpm) / Max torque (Nm@rpm)		150@3000-3400 / 500@1600-2800				
	Valve train		16-valve DOHC, Chain Drive				
	Fuel system  Bore x stroke (mm)		Common-rail				
			92.0 x 103.6				
	Compression ratio		15.6:1				
TRANSMISSION	Transmission		8-speed automatic with manual mode				
	Gear ratios – automatic transmission (:1)  Differential gear ratio  Driveline		1st 4.413 / 2nd 2.808 / 3rd 1.95 / 4th 1.511 / 5th 1.274 / 6th 1.000 / 7th 0.793 / 8th 0.651 / Reverse 3.645				
			3.583:1				
			4WD				
FUEL	Fuel type		Diesel				
	Fuel economy <sup>2</sup> (L/100km) – in laboratory conditions	Combined <sup>2</sup>	7.6				
		Urban²	8.5				
		Extra <sup>2</sup>	7				
	Fuel capacity – dual fuel tank (L)		110				
	AdBlue <sup>3</sup> tank capacity (L)		17.4				
STEERING	Steering operation		Electric Power Steering				
	Turning circle – kerb to kerb	(m)	12.0				
BRAKES	Front		Ventilated disc with 4 piston fixed calipers				
	Rear		Ventilated disc with single piston floating calipers				
SUSPENSION	Front		Double-wishbone type				
	Rear		4-link rigid (With lateral control arm)				
			Adaptive Variable Suspension (VX and Kakadu only)				
•							

LANDCRUIS	ER PRADO GRADE	GX	GXL	VX	Altitude	Kakadu
DIMENSIONS (APPROXIMATE)	Length <sup>1</sup> (mm)	4990	4990	4990	4990	4990
	Width <sup>1</sup> (mm)	1980	1980	1980	1980	1980
	Height <sup>1</sup> (mm)	1925	1925	1935	1935	1935
WEIGHTS (APPROXIMATE)	Kerb weight <sup>1</sup> (kg)	2495	2535	2570	2520	2595
<b>2</b> ,	Gross Vehicle Mass <sup>1</sup> (GVM) (kg)	3100	3150	3180	3100	3200
CAPACITIES	Seating capacity	5	5 or 7	7	5	7
	Towing capacity <sup>4</sup> – with trailer brakes (kg)	3500	3500	3500	3500	3500
	Towing capacity <sup>4</sup> – without trailer brakes (kg)	750	750	750	750	750
WHEELS	18" alloy wheels	•	•			
	20" premium alloy wheels			•		•
	18" alloy wheels with Toyo Open Country All-Terrain tyres				•	
	Full size spare wheel	•	•	•	•	•
EXTERIOR	LED headlamps with Static Auto Leveling	•	•			
	Bi-LED headlamps with Dynamic Auto Leveling			•	•	•
	LED Daytime Running Lamps	•	•	•	•	•
	LED fog lamps	•	•	•	•	•
	Heated and electrically retractable side mirrors	•	•	•	•	•
	Rear privacy glass		•	•	•	•
	Roof rails		•	•	•	•
	Side steps	•	•	•	•	•
	Illuminated side steps					•
	Front and rear mudguards	•	•	•	•	•
	Rain sensing wipers	•	•	•	•	•
	Tilt and slide moonroof				•	
	Panoramic moonroof					•
INTERIOR	60:40 split fold 2nd row seats	•	•	•	•	•
	50:50 split fold 3rd row seats		7 seat variant only	•		•
	Urethane steering wheel with audio, Toyota Safety Sense, telephone and Multi Information Display controls	•				
	Premium steering wheel with audio, Toyota Safety Sense, telephone and Multi Information Display controls		•	•	•	•
	Heated steering wheel				•	•
	Heated and ventilated 1st row seats		•	•	•	•
	Heated and ventilated 2nd row seats					•
	Leather accented seats with power adjustable driver seat			•	•	•
	Driver's seat memory – 2 positions			•	•	•
	Floor mats – front and rear	All-weather	All-weather	Carpet mats	Carpet mats	Carpet mats
	Auto-dimming rear view mirror	rubber mats	rubber mats	•	•	
	Digital rear view mirror				•	•
INSTRUMENTS AND CONTROLS	Smart entry and start system	•		•	•	•
	Auto 2-zone air conditioning	•		•	•	
	7" Multi Information Display	•		•	•	•
		•	•	•	_	_
	12.3" Multi Information Display				•	•
	Multi Terrain Select			•	•	•
	3 mode drive select	•	•		•	
	5 mode drive select			•		•

LANDCRUIS	LANDCRUISER PRADO GRADE		GXL	vx	Altitude	Kakadu
SAFETY	Toyota Safety Sense – including Pre-Collision Safety System, All-Speed Adaptive Cruiser Control, Driver Monitor Camera, Lane Trace Assist, Emergency Driving Stop System, Road Sign Assist and Safety Exit Assist				•	
	Vehicle Stability Control	•	•	•	•	•
	Trailer Sway Control	•	•	•	•	•
	9x SRS airbags	•	•	•	•	•
	Reversing camera with guidelines	•	•	•	•	•
	Front and rear parking sensors	•	•	•	•	•
	Blind Spot Monitor	•	•	•	•	•
	Rear Cross Traffic Alert	•	•	•	•	•
	Tyre Inflation Pressure Warning			•		•
	Multi Terrain Monitor			•	•	•
OFF-ROAD CAPABILITIES	Active Traction Control	•		•	•	•
	Downhill Assist Control	•	•	•	•	•
	Central differential	•	•	•	•	•
	Crawl Control	•		•	•	•
	Adaptive Variable Suspension system			•		•
SECURITY	Theft deterrent system – alarm	•		•	•	•
TORAGE	Rear console box	•	•			
	Refrigerated rear console box			•	•	•
	12x cup holders – 4x front and 8x rear	•	•	•	•	•
MULTIMEDIA	12.3" colour touchscreen with wireless Apple CarPlay®⁵and wireless Android Auto™,6	•	•	•	•	•
	Inbuilt Navigation	•		•	•	•
	AM/FM and Digital Radio	•	•	•	•	•
	4x USB-C charging ports	•				
	6x USB-C charging ports			•	•	•
	1x HDMI port	•	•	•	•	•
	Bluetooth®8 connectivity	•	•	•	•	•
	14-speaker JBL®³ premium audio system			•	•	•
TOYOTA CONNECTED SERVICES	Toyota Connected Services <sup>7</sup> – including Safety and Security features, Multimedia Connect, Driving Insights and Remote Connect – accessible via myToyota Connect app	1 year complimentary access				

IMPORTANT NOTICE - PLEASE READ: Toyota Australia uses its best endeavours to ensure material is accurate at the time of publishing. All information must be confirmed with your Toyota Dealer at the time of IMPORTANT NOTICE - PLEASE READ: loyota Australia uses its best endeavours to ensure material is accurate at the time of publishing. All information must be confirmed with your loyota Dealer at the time of ordering, as specifications, applicability and availability may change over time. Colours depicted are a guide only and may vary from actual colours due to the printing/display process. Toyota Australia reserves the right to change and/or discontinue, without notice, models, prices, colours, materials, equipment, specifications. To the extent permitted by law, Toyota Australia will not be liable for any damage or loss incurred from relying on the information and images contained in this material. Distributed nationally (other than in Western Australia) by Toyota Motor Corporation Australia Limited ABN 64 009 686 097.

Material distributed in Western Australia by or on behalf of Prestige Motors Pty Ltd (for vehicles) and by Eastpoint Pty Ltd (for parts/accessories). Toyota Australia makes no warranties regarding (and will not be liable for) accuracy of materials distributed in Western Australia. PROOF HQ: T2025-022233. GTO-009429. VERSION: SEPTEMBER 2025.

Weights/mass/volumes/dimensions are approximate and subject to individual vehicle variances,

weignts/mass/volumes/aimensions are approximate and subject to individual venicle variances, and should be confirmed before fitting any accessories, towing or otherwise relying on this value. Results achieved in ADR81/02 fuel consumption testing. Results produced in laboratory test conditions, using sample vehicles without fitment of accessories/customisation, and do not reflect real world driving. Figures should only be used for comparative purposes. Product and company names are trademarks of their respective owners. Maximum vehicle braked towing capacity is subject to state and federal regulatory requirements. Before towing, customers should consider the vehicles limitations, including towing capacity.

specifications, gross vehicle mass (GVM), gross combined mass (GCM), kerb weight specified by the manufacturer, and ensure that individual front and rear axle load limits are not exceeded as also specified by the manufacturer. Vehicle payload calculation is GVM less kerb weight or as otherwise specified in the vehicle owner's manual. Actual payload is affected by any added load to the vehicle, including the number of occupants, luggage, accessories, and tow ball download weight. It is important to consider the actual payload, to ensure the fully loaded vehicle remains within the specified GVM limits. For more details, please refer to the vehicle's Owner's Manual/**Toyota Basic Towing Guide** or consult your authorised dealer. Toyota recommends use of a Load Distribution

Hitch (LDH) when towing loads greater than 2.2T as specified in the Owner's Manual. Based on road conditions, an LDH may not be suitable. Toyota Genuine LDH sold separately at additional cost. Warranty conditions apply. Refer to **Toyota Warranty Advantage Guide**. CarPlay® is a trademark of Apple, Inc. registered in the U.S. and other countries. Android Auto™ is a trademark of Google LLC.

Connected Services complimentary period ends 1 year from delivery date. Fees may apply thereafter. See toyota.com.au/connected/plans-packages. Not available outside Australia, if services disabled or terminated, or after 2033/Telstra 4G sunset (whichever comes first). Dependent on 3G/4G enabled DCM, GPS signal strength, mobile network coverage and other factors outside Toyota's control which can limit ability or functionality of system. Requires compatible device and app installation, third party info and mobile data. Mobile usage at user's cost. Check toyota.com.au/connected or your Owner's Manual for explanation of limitations.
Features subject to change. Please drive safely.

8 Bluetooth® is a registered trademark of Bluetooth SIG, Inc. Compatibility and functionality varies

depending on device.