

POLARIS RZR® PRO SERIES
ELITE SERIES
 STAGE 7 STEREO KIT
 UTVS-PRO-S7-E



INCLUDED IN THE KIT

COMPATIBLE VEHICLE:
 RZR® PRO SERIES

- UTV Stereo RZR Pro Series Stage 7 Elite Kit
- Wet Sounds Compact 2-Zone Media Receiver Source Unit with SiriusXM-Ready® And NMEA 2000 Connectivity
- UTV Stereo RZR Pro Series Head Unit Mount with Rocker Switch Cutout (Works with PRO R, XP PRO, & Turbo R models)
- UTV Stereo Polaris RZR Pro Series Billet Shift Knob
- UTV Stereo Low Current Harness Only
- UTV Stereo Polaris RZR Pro Series Pulse Bar Plug
- UTV Stereo Blue Rocker Switch
- UTV Stereo Rocker Switch Cover - Stereo
- UTV Stereo USB/AUX Flush Mount Adapter
- 3.5mm to RCA Adapter Cable
- UTV Stereo AM/FM Under Dash Antenna
- UTV Stereo 6 Channel RCA Harness - Front, Rear, Sub + Remote Wire
- UTV Stereo Subwoofer Level Controller with Rocker Switch Housing (Can Be Used for Universal Application or Plug Directly into OEM Ride Command Sub Harness for RZR Pro Vehicles)
- UTV Stereo Pro Series Tweeter with Built-in Smoked LED Rings (Pair)
- UTV Stereo Pro Series 6.5" Speakers (Pair)
- UTV Stereo Elite Series 8" Cage Mount Pods (Pair)
- UTV Stereo 8" Cage Pod Base (Pair)
- Axia Alloys 2.0" Modular Roll Cage Strap Clamp - Single Black
- UTV Stereo Elite Series Compression Horn 8" Speakers (Pair)
- UTV Stereo 8" RGB Speaker Rings (Pair)
- UTV Stereo Flex 10" Elite Series Subwoofer 2 OHM, Dual Voice Coil
- UTV Stereo Polaris RZR Pro Series 10" Vented Sub Enclosure (Compatible with PRO R, XP PRO, & Turbo R Models)
- UTV Stereo Elite Series 4 Channel Amplifier
- UTV Stereo Polaris RZR Pro Series Center Amplifier Mount
- UTV Stereo BAWG Amp Power Harness for Installation 86" Length - 80 Amp Fused
- UTV Stereo Elite Series Mono Amplifier
- UTV Stereo Polaris RZR Pro Series Firewall Amplifier Mount
- UTV Stereo Bluetooth RGB Controller Kit Includes RGB Controller & Rocker Switch Harness
- UTV Stereo Amplifier to Speaker Wire & RGB Harness
- UTV Stereo Amplifier to Single Subwoofer Wire Harness
- UTV Stereo Y-Adapter Harness for 6-Pin Speaker Wire & RGB
- UTV Stereo RGB Speaker Wire Tweeter Harness
- UTV Stereo Wire Harness Kit

We want to make sure that your system is installed and tuned correctly. We are here to help!
 Reach out to us at info@utvstereo.com or call us at 480.616.2299

INSTRUCTIONS

FOLLOW INSTRUCTIONS TO INSTALL
YOUR UTV STEREO STAGE KIT



Each individual part has its own specific install instructions and/or install video that can be found on that particular items page at utvstereo.com. Use this resource to install each part individually.

Step 1: Run 86" power harness(es) from the battery through the center console. Remove the shift knob plastic housing to route the wire towards the front of the vehicle and through the rubber grommet. Leave the battery disconnected. ***Pre Install optional LED Power Harness for RGB Activation.**

Step 2: Remove Upper Dash Panels

Step 3: Install the Pro head unit mount. Connect the 6-channel + remote RCA harness, bass knob rocker, AM/FM antenna (if equipped), and USB/AUX (if equipped) to the head unit. **Follow the wiring diagram.**

Step 4: Install the amp mount(s) and amplifier(s). Then run the RCA cables and remote wire from the head unit to the amplifier(s). (Reference **Guage Amplifier Mount & Center Amplifier Mount Instructions**)

Step 5-11:

Option 1: If your vehicle is equipped with OEM speaker enclosures in the front and rear, simply utilize those enclosures for the install.

Option 2: Purchase aftermarket enclosures from the nearest UTV Stereo dealer.

Step 5: Remove OEM or unpack all speaker enclosures: rear, dash, and tweeters. Unload OEM speakers if equipped.

Step 6: Install the 10" vented dash subwoofer enclosure. Once the enclosure is secure, mount the subwoofer into the enclosure. (Reference **Pro Series 10" Vented Dash Enclosure Instructions**)

Step 7: Install Pro 6.5" speakers into front dash pods (2) and install them into OEM locations. (Reference **Pro Series 6.5" Manual**)

Step 8: Install Tweeters into OEM Location. ***Connect optional LED Power Harness for RGB Activation.** (Reference **Tweeter Manual**)

Step 9: Attach rear 8" cage pods (unloaded) to the vehicle. Wire the optional LED power harness for RGB activation. (Reference **Cage Pods Instructions**)


Step 10: Make connections and install rear compression horns.

Step 11: Connect Power Harness to Amplifier(s) and tune your system. (Reference **Page 4 & 5**).

ELITE SERIES

STAGE 7 WIRING DIAGRAM


UTVS-PRO-S7-E



TUNING YOUR SYSTEM


THIS WILL SHOW YOU EXACTLY WHERE TO SET THE
ADJUSTMENTS OF YOUR AMPLIFIER(S) USE THESE
SETTINGS FOR OPTIMAL PERFORMANCE!

ELITE SERIES UTVS-E1000.4D



TUNING BLUEPRINT 'STARTING POINT' ►


1. Cut out the image along the red outline.
2. Align the cutout image with the amplifier tuning panel
3. Make your adjustments



TUNING YOUR SYSTEM

THIS WILL SHOW YOU EXACTLY WHERE TO SET THE
ADJUSTMENTS OF YOUR AMPLIFIER(S) USE THESE
SETTINGS FOR OPTIMAL PERFORMANCE!

ELITE SERIES UTVS-E1200.1D



TUNING BLUEPRINT 'STARTING POINT' ►

1. Cut out the image along the red outline.
2. Align the cutout image with the amplifier tuning panel
3. Make your adjustments

