

料名称(Name)	W313 说明书
质(Material)	80g书纸
寸(Dimension)	82x82mm, 共40P, 骑马钉装
刷(Printing)	80%K
面工艺(Finish)	/
注(remarks)	按语种顺序装订:英、法

封面

目录



Botstab
Be Secure, Be Botstab

Contents



English.....P01-P10

Français.....P20-P30

Packing list



Upon opening the package, please check for any damage to the main unit and ensure all accessories are present.

Camera Packing List

 Botstab camera x 1
 Type-C charging cable x 1
 dome camera bracket x 1

 QSS
 warning sticker x 1
 screw pack x 1
 positioning sticker x 1

Solar Panel Packing List

 solar panel x 1
 ramp nut x 1
 base nut x 1
 positioning sticker x 1

 battery x 1
 bracket arm x 1
 screw pack x 1

Product appearance



Antenna
 Indicator light
 Camera lens
 Micro SD card slot
 IR lightening light
 IR server



Power button
 Micro SD card
 RESET button
 Speaker
 Output hole
 Type-C charging port

● The product and accessory illustrations in the Quick Start Guide are schematic diagrams for reference only.

● Memory card: Maximum 256 GB

Guideline for Connecting to the Network

Download and installation of the App

Method 1: Scan the QR code below on your mobile phone to download and install the **Botstab APP**.

Method 2: Download the **Botstab APP** from App Store or Google Play, and then install it.

After logging in, click the "+" button in the upper right corner of the homepage, select "Scan", and then use your phone to scan the QR code on the camera to access the network configuration page. Follow the prompts to add the camera.

Connection Guide

Before using the app to add the camera, please press and hold the POWER button for 3 seconds to turn on.

● If the indicator light slowly flashes red, this indicates that the camera camera is ready and can be set up.

Add the Device

Open the Botstab app, click the register button to register a Botstab account. If you already have an account, click the "login" button, and enter your account and password to log in.

After logging in, click the "+" button in the upper right corner of the homepage, select "Scan", and then use your phone to scan the QR code on the camera to access the network configuration page. Follow the prompts to add the camera.

Method 2:

After logging in, click the "+" button in the upper right corner of the app's homepage to add the camera by the model.

Installation Guide

Camera Installation:

1. Attach the positioning sticker to the wall and drill a hole according to the position shown in the diagram.
2. Insert the expansion rubber plug into the hole, as the positioning sticker's hole position.
3. Fix the bracket base with screws.
4. Align the camera with the slot, push it upwards into the fastened bracket, and rotate the camera until it aligns with the positioning mark on the wall bracket.

Expansion:

1. Attach the positioning sticker to the wall and drill a hole according to the position shown in the diagram.
2. Insert the expansion rubber plug into the hole, as the positioning sticker's hole position.
3. Fix the bracket base with screws.
4. Align the camera with the slot, push it upwards into the fastened bracket, and rotate the camera until it aligns with the positioning mark on the wall bracket.

● Please make sure the environment is quiet when using the sound waves for pairing.

● Make sure that the camera is connected to WiFi in the 2.4GHz frequency band.

Installation of Solar Panels:

1. Use the included screws to fasten the base to the installation position. If the installation surface is soft or unstable, first drill a hole on the wall with a drill bit, then insert the expansion rubber plug into the hole, and secure the base with screws.
2. First, insert base nuts into the bracket arm, then fasten the circular clamp nut into the bracket arm.
3. Securely attach the bracket arm to the back of the solar panel using the provided screws.

英语

[illegible]

封底

[illegible]

法语

[illegible]

变更记录 (Describe)	签名 (Name)	日期 (Date)
FCC 字样 二维码线框图更新-宗情	陈凤莲	2023-9-5