

METAL SHED USE & CARE MANUAL

1. SAFETY PRECAUTIONS

WARNING:

- Always wear gloves and safety glasses during assembly.
 - Ensure the shed is installed on a level, stable surface (wood, concrete or compacted gravel recommended).
 - Keep flammable materials away from the shed.
 - Avoid climbing on the roof or overloading shelves/racks.
-

2. ASSEMBLY INSTRUCTIONS

Tools Required:

- Phillips screwdriver or drill
- Rubber mallet
- Ladder (for larger sheds)
- Level

Steps:

1. Prepare the Base:
 - Clear debris and level the ground. A concrete pad (≥ 4 " thick) is ideal.
2. Frame Assembly:
 - Follow the numbered parts in the included diagram. Connect wall panels first, then attach the roof.
3. Secure the Structure:
 - Anchor the shed to the ground using provided stakes or concrete anchors.

3. MAINTENANCE & CARE

Cleaning:

- Use mild soap + water and a soft cloth to clean surfaces. Avoid abrasive cleaners.
- Rinse thoroughly to prevent soap residue.

Rust Prevention:

- Inspect annually for scratches or rust.
- Touch up damaged areas with matching paint.

Winter Care:

- Remove heavy snow from the roof to prevent deformation.

Doors:

- Keep door tracks clean and lubricate annually with silicone spray.
- Close and lock doors to prevent wind damage.

Fasteners:

- Use all provided washers to prevent weather damage and scratches.
 - Regularly check and tighten screws/bolts.
-

4. TROUBLESHOOTING

Issue	Solution
Loose panels	Tighten bolts/nuts with a wrench.
Water leakage	Check roof seams; apply silicone sealant if needed.
Door misalignment	Adjust hinge screws or level the base.

5. WARRANTY INFORMATION

- Limited [1]-year warranty against manufacturing defects.

6. CONTACT INFORMATION

- Manufacturer Support: wldepot@outlook.com