



INSPIRON 660s

Specifications

© 2012–2013 Dell Inc.

Dell™, the DELL logo, and Inspiron™ are trademarks of Dell Inc. Microsoft® and Windows® are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Intel®, Celeron and Pentium® are registered trademarks and Core™ is a trademark of Intel Corporation in the U.S. and/or other countries. Bluetooth® is a registered trademark owned by Bluetooth SIG, Inc. and is used by Dell under license. Blu-ray Disc™ is a trademark owned by the Blu-ray Disc Association (BDA) and licensed for use on discs and players.

2013 - 10

Regulatory Model: D06S | Type: D06S001

Computer Model: Inspiron 660s

Dimensions

Height	271 mm (10.7 inches)
Width	100 mm (3.9 inches)
Depth	376 mm (14.8 inches)
Average weight	6.0 kg (13.22 lb) NOTE: The weight of your computer will vary depending on the configuration ordered and the manufacturing variability.

System information

Model	Inspiron 660s
Processor	• Intel Core i3 (2nd and 3rd Generation) • Intel Core i5 (2nd and 3rd Generation) • Intel Pentium • Intel Celeron
L2 cache	256 KB
L3 cache	up to 6 MB
System chipset	Intel B75 Express Chipset
DMI speed	up to 20 Gb/s each direction, full duplex
Processor data width	64 bits

Memory

Connectors	two internally-accessible DDR3 DIMM sockets
Type	Unbuffered, Non-ECC, dual-channel DDR3
Speed	up to 1600 MHz
Capacities	2 GB and 4 GB
Configurations supported	2 GB, 4 GB, 6 GB, and 8 GB
Minimum	2 GB
Maximum	8 GB

Communications

Network adapter	10/100/1000 Mbps integrated network card
Wireless	Wi-Fi 802.11b/g/n (optional) and Bluetooth (optional)

Ports and connectors

Back panel ports

Network adapter	one RJ45 port
USB	• four 4-pin USB 2.0 ports • two 9-pin USB 3.0 ports
Audio	• 3-stack audio jacks supporting 5.1 channel surround sound • one microphone port • one front L/R line-out port • one line-in port
Video	• one 15-hole VGA port • one 19-pin HDMI port

Front panel ports

USB	two 4-pin USB 2.0 ports
Audio	• one stereo headphone port • one microphone port
Media Card Reader	one 8-in-1 card slot

Audio

Type	integrated 5.1 channel, Intel High Definition Audio
Controller	Realtek Audio Codec ALC662VD

Video

Video controller

Integrated	• Intel HD Graphics • Intel HD Graphics 2000/2500
Discrete	• NVIDIA GeForce GT 620 • AMD Radeon HD 7570

Video Memory

Integrated	64-256 MB
Discrete	1024 MB

Power ratings

Input voltage	100-127 VAC/200-240 VAC
Input frequency	50/60 Hz
Rated input current	6.0A/3.0A

Drives

Externally accessible	one 5.25-inch drive bay for a Blu-ray Disc combo (optional), Blu-ray Disc writer (optional), or DVD+/-RW
Internally accessible	one 3.5-inch drive bay for SATA hard drives

Expansion bus

PCI-Express x1:	
Connectors	one
Connector size	36 pin
PCI-Express x16:	
Connectors	one
Connector size	164 pin
PCI-E mini-card:	
Connectors	one
Connector size	52 pin

Media Card Reader

Card supported	- Secure Digital (SD) - Hi Speed SD (HSSD) - Hi Capacity SD (SDHC) - Memory Stick (MS) - Memory Stick PRO (MS PRO) - Multimedia Card (MMC) - Multimedia Card Plus (MMC+) - xD-Picture Card (XD)
----------------	---

Computer environment

Temperature range

Operating	10 °C to 35 °C (50 °C to 95 °F)
Storage	–10 °C to 45 °C (–14 °C to 113 °F)

Relative humidity (maximum)	20% to 80% (noncondensing)
-----------------------------	----------------------------

NOTE: Maximum vibration (using a random vibration spectrum that simulates user environment)

Operating	0.25 GRMS
Storage	2.20 GRMS

NOTE: Maximum shock (Measured with hard drive in operating status and a 2-ms half-sine pulse for operating. Also measured with hard drive in head-parked position and a 2-ms half-sine pluse for storage)

Operating	40 G for 2 ms with a change in velocity of 20 in/s (51 cm/s)
Storage	50 G for 26 ms with a change in velocity of 320 in/s (813 cm/s)

Altitude (maximum)

Operating	–15.20 m to 3048 m (–50 ft to 10,000 ft)
Storage	–15.20 m to 10,668 m (–50 ft to 35,000 ft)

Airborne contaminant level	G2 or lower as defined by ISA-S71.04-1985
----------------------------	---