SAMSUNG

FULL MANUAL

HW-M360

Imagine the possibilities

Thank you for purchasing this Samsung product.

To receive more complete service, please register your product at www.samsung.com/register



SAFETY INFORMATION


 The following also applies to the Wireless Subwoofer (PS-WM20).

SAFETY WARNINGS

TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE THE COVER (OR BACK).

NO USER-SERVICEABLE PARTS ARE INSIDE.

REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



WARNING

- To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.
- To prevent injury, this apparatus must be securely attached to the floor/wall in accordance with the installation instructions.
- This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

CAUTION

- Do not expose this apparatus to dripping or splashing. Do not put objects filled with liquids, such as vases, on the apparatus.
- To turn this apparatus off completely, you must pull the power plug out of the wall socket. Consequently, the power plug must be easily and readily accessible at all times.

FCC NOTE (for U.S.A):

Class B FCC Statement

The included module(s) has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorienting or relocating the receiving antenna.
- Increasing the separation between the equipment and receiver.
- Connecting the equipment to an outlet that is on a different circuit than the radio or TV.
- Consulting the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated so there is at least 8 inches (20 cm) between the radiator and your body. This device and its antenna(s) must not be co-located or operated in conjunction with any other antenna or transmitter.

FCC Caution:

- Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1)
 This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- This product satisfies FCC regulations when shielded cables and connectors are used to connect the unit to other equipment. To prevent electromagnetic interference with electric appliances, such as radios and televisions, use shielded cables and connectors for connections.

Important Safety Instructions

Read these operating instructions carefully before using the unit. Follow all the safety instructions listed below. Keep these operating instructions handy for future reference.

- 1. Read these instructions.
- 2. Keep these Instructions.
- 3. Heed all warnings.
- 4. Follow all instructions.
- **5.** Do not use this apparatus near water.
- 6. Clean only with a dry cloth.
- 7. Do not block any ventilation openings. Install in accordance with the manufacturer's instructions
- **8.** Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- 9. Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.
- **10.** Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
- **11.** Only use attachments/accessories specified by the manufacturer.

- tripod, bracket, or table specified by the manufacturer, or sold with the apparatus.

 When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.
- 13. Unplug this apparatus during lightning storms or when unused for long periods of time.
- 14. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as when the power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

PRECAUTIONS

- 1. Ensure that the AC power supply in your house complies with the power requirements listed on the identification sticker located on the back of your product. Install your product horizontally, on a suitable base (furniture), with enough space around it for ventilation (3~4 inches). Make sure the ventilation slots are not covered. Do not place the unit on amplifiers or other equipment which may become hot. This unit is designed for continuous use. To fully turn off the unit, disconnect the AC plug from the wall outlet. Unplug the unit if you intend to leave it unused for a long period of time.
- **2.** During thunderstorms, disconnect the AC plug from the wall outlet. Voltage peaks due to lightning could damage the unit.

- Do not expose the unit to direct sunlight or other heat sources. This could lead to overheating and cause the unit to malfunction.
- 4. Protect the product from moisture (i.e. vases), and excess heat (e.g. a fireplace) or equipment creating strong magnetic or electric fields. Unplug the power cable from the AC wall socket if the unit malfunctions. Your product is not intended for industrial use. It is for personal use only. Condensation may occur if your product has been stored in cold temperatures. If transporting the unit during the winter, wait approximately 2 hours until the unit has reached room temperature before using.
- 5. The battery used with this product contains chemicals that are harmful to the environment. Do not dispose of the battery in the general household trash. Do not expose the battery to excess heat, direct sunlight, or fire. Do not short circuit, disassemble, or overheat the battery. Danger of explosion if the battery is replaced incorrectly. Replace only with the same or equivalent type.

ABOUT THIS MANUAL

The user manual has two parts: this simple paper USER MANUAL and a detailed FULL MANUAL you can download.



USER MANUAL

See this manual for safety instructions, product installation, components, connections, and product specifications.





FULL MANUAL

You can access the Full Manual on Samsung's on-line customer support center by scanning the QR code. To see the manual on your PC or mobile device, download the manual in document format from the website. (http://www.samsung.com/support)


Design and specifications are subject to change without prior notice.

CONTENTS

| 01 | Checking the Components | | | |
|----|--|----------|--|--|
| | Inserting Batteries before using the Remote Control (AA batteries X 2) | | | |
| 02 | Product Overview | 3 | | |
| | Front Panel / Right Side Panel of the Soundbar — Bottom Panel of the Soundbar — | | | |
| 03 | Connecting the Soundbar | 5 | | |
| | Connecting Electrical Power | 5 | | |
| | Connecting the Soundbar to the Subwoofer - Automatic connection between the subwoofer and the Soundbar - Manually connecting the subwoofer if automatic connection fails | | | |
| 04 | Connecting to your TV | 9 | | |
| | Method 1. Connecting with a Cable — Connecting using an Optical Cable — | 9 | | |
| | Method 2. Connecting Wirelessly - Connecting a TV via Bluetooth | 10 10 | | |
| 05 | Connecting an External Device | 12 | | |
| | Connecting using an Optical or Analog Audio (AUX) Cable | 12 | | |
| 06 | Connecting a USB | 13 | | |
| 07 | Connecting a Mobile Device | 15 | | |
| | Connecting via Bluetooth | 15 | | |
| | Using the Samsung Audio Remote App Installing the Samsung Audio Remote App Launching the Samsung Audio Remote App | 18 18 | | |

| 80 | Using the Remote Control | 19 |
|----|--|----|
| | How to Use the Remote Control | 19 |
| | Adjusting the Soundbar volume with a TV remote control | 22 |
| | Using the Hidden Buttons | 23 |
| | Output specifications for the different sound effect modes | 23 |
| 09 | Installing the Wall Mount | 24 |
| | Installation Precautions | 24 |
| | Wallmount Components | 24 |
| | Detaching the Soundbar from the Wall | 27 |
| 10 | Software Update | 27 |
| | Updating Procedure | 28 |
| | If UPDATE is not displayed | 28 |
| 11 | Troubleshooting | 29 |
| 12 | License | 30 |
| 13 | Open Source License Notice | 30 |
| 14 | Important Notes About Service | 30 |
| 15 | Specifications and Guide | 31 |
| | Specifications | 31 |


01 CHECKING THE COMPONENTS



- The power connection steps are labelled (1), 2). For more information about power connections, see page 5.
- For Soundbar wall mounting components, see page 24.
- Micro USB to USB adapter Cable is sold separately. To purchase, contact a Samsung Service Center or Samsung Customer Care.
- The appearance of the accessories may differ slightly from the illustrations above.


Inserting Batteries before using the Remote Control (AA batteries X 2)

Slide the battery cover in the direction of the arrow until it is completely removed. Insert 2 AA batteries (1.5V) oriented so that their polarity is correct. Slide the battery cover back into position.



02 PRODUCT OVERVIEW

Front Panel / Right Side Panel of the Soundbar



Display

Displays the product's status and current mode.

+/- (Volume) Button

2 Adjusts the volume.

• When adjusted, the volume level appears on the Soundbar's front display.

(Power) Button

Turns the power on and off.

(Source) Button


Selects the source input mode.

4

| Input mode | Display |
|-----------------------|---------|
| Optical Digital input | D.IN |
| AUX input | AUX |
| BLUETOOTH mode | ВТ |
| USB mode | USB |

- To turn on "BT PAIRING" mode, change the source to "BT" mode, and then press and hold the Source) button for more than 5 seconds.
- When you plug in the AC cord, the power button will begin working in 4 to 6 seconds.
- When you turn on this unit, there will be a 4 to 5 second delay before it produces sound.
- If you want to enjoy sound only from the Soundbar, you must turn off the TV's speakers in the Audio Setup menu of your TV. Refer to the owner's manual supplied with your TV.

Bottom Panel of the Soundbar



| 1 | DIGITAL AUDIO IN (OPTICAL) Connect to the digital (optical) output of an external device. |
|---|---|
| 2 | USB (5V 0.5A) Connect a USB device here to play music files on the USB device through the Soundbar. |
| 3 | AUX IN |
| 3 | Connect to the Analog output of an external device. |


- When disconnecting the power cable of the AC/DC power adaptor from a wall outlet, pull the plug. Do not pull the cable.
- Do not connect this unit or other components to an AC outlet until all connections between components are complete.

03 CONNECTING THE SOUNDBAR

Connecting Electrical Power

Use the power components (1), 2) to connect the units to electrical outlets in the following order:

- **1.) Subwoofer** → **2.) Soundbar Main Unit.** See the illustrations below.
 - For more information about the required electrical power and power consumption, refer to the label attached to the product. (Label: Bottom of the Soundbar Main Unit)



Connecting the Soundbar to the Subwoofer

When the subwoofer is connected, you can enjoy rich bass sound.

Automatic connection between the subwoofer and the Soundbar

When you turn the power on after connecting the power cables to the Soundbar and subwoofer, the subwoofer is automatically connected to the Soundbar.

• When auto pairing is complete, the blue indicators at the top of the subwoofer turn on.

LED Indicator Lights on the Top of Subwoofer


| LED | Status | Description | Resolution |
|-----------------------------------|----------|--|--|
| | On | Successfully connected (normal operation) | - |
| Blue | Blinking | Recovering the connection | Check if the power cable to the main Soundbar unit is connected properly or wait for a while. (If blinking persists, try manually connecting the subwoofer. See page 7.) |
| Red | ed On | Standby (with the Soundbar main unit turned off) | Check if the power cable to the main Soundbar unit is connected properly. |
| | | Connection failed | Connect again. See the instructions for manual connection on page 7. |
| Red and blue Blinking Malfunction | | Malfunction | See the contact information for the Samsung Service Center in the manual. |

Manually connecting the subwoofer if automatic connection fails


Check before performing the manual connection

- Check whether the power cables for the Soundbar and subwoofer are connected properly.
- Make sure that the Soundbar is turned on.
- 1. Press and hold **ID SET** on the rear of the subwoofer for at least 5 seconds.

 The red indicator on the top of the subwoofer turns off and the blue indicator blinks.



- **2**. Turn off the Soundbar
- **3.** Press and hold the **VOL** button on the remote control for at least 5 seconds with the Soundbar turned off (OFF).
- 4. The ID SET message appears on the display of the Soundbar for 1.3 seconds, and then disappear.



- **5.** When the blue indicator on the subwoofer blinks, turn on the Soundbar's power by pressing **(Power)** button on the right side of the main unit or on the remote control.
- **6.** When the connection is successfully established, the blue indicator on the top of the subwoofer stops blinking and glows continuously.
 - If the connection process fails, the blue indicator will flash continuously. Go to Step 1 and start again.

NOTES

- Do not connect the power cord of this product or your TV to a wall outlet until all connections between components are complete.
- Before moving or installing this product, be sure to turn off the power and disconnect the power cord.

- If the main unit is powered off, the wireless subwoofer will go into stand-by mode and the STANDBY LED on the rear will be Red after blinking Blue several times.
- If you use a device that uses the same frequency (5.8GHz) as the Soundbar near the Soundbar, interference may cause some sound interruption.
- The maximum transmission distance of the wireless signal of the main unit is about 32.8 ft, but may vary depending on your operating environment. If a steel-concrete or metallic wall is between the main unit and the wireless subwoofer the system may not operate at all, because the wireless signal cannot penetrate metal.

PRECAUTIONS

- Wireless receiving antennas are built into the wireless subwoofer. Keep the units away from water and moisture.
- For optimal listening performance, make sure that the area around the wireless subwoofer and surround speakers location is clear of any obstructions.

Expand to true wireless surround sound by connecting the Samsung Wireless Rear Speaker Kit (SWA-8500S) to your Soundbar (Sold separately). For more information, see the Samsung Wireless Rear Speaker Kit manual.


04 CONNECTING TO YOUR TV

Hear TV sound from your Soundbar through wired or wireless connections.

- When the Soundbar is connected to a Samsung smart TV released in 2017 or later, the Soundbar can be controlled using the TV's remote control.
 - This function also allows you to use the TV menu to adjust the sound field and various settings as well as the volume and mute

Method 1. Connecting with a Cable

Connecting using an Optical Cable



- 1. Connect the **DIGITAL AUDIO IN (OPTICAL)** jack on the Soundbar to the OPTICAL OUT jack of the TV with a digital optical cable.
- 2. Press the (Source) button on the right side panel or remote control, and then select the "D.IN" mode.
 - When the Soundbar is connected to a Samsung smart TV released in 2017 or later, the
 Bluetooth POWER function automatically turns on to enable the Soundbar to be controlled with
 the TV remote control. (See page 21 for details on Bluetooth POWER.)

Auto Power Link

Auto Power Link automatically turns on the Soundbar when the TV is turned on.

- 1. Connect the Soundbar and a TV with a digital optical cable.
- 2. Press the (Source) button on the right side panel or on the remote control, and then select "D.IN"
- Press the Left button on the remote control for 5 seconds to turn Auto Power Link on or off.
 - Auto Power Link is set to ON by default.
 (To turn off this function, turn off Auto Power using the Soundbar.)
 - Depending on the connected device, Auto Power Link may not function.
 - This function is only available in the "**D.IN**" mode.



Method 2. Connecting Wirelessly

Connecting a TV via Bluetooth

When a TV is connected using Bluetooth, you can hear stereo sound without the hassle of cabling.

• Only one TV can be connected at a time.



The initial connection

- 1. Press the (Source) button on the right side panel or on the remote control, and then select "BT".
- 2. Change "BT" to "BT PAIRING".
 - If "BT READY" appears, press and hold the (Source) button on the right side panel of the Soundbar or on the remote control for more than 5 seconds to display "BT PAIRING".
- 3. Select Bluetooth mode on the TV. (For more information, see the TV's manual.)
- **4.** Select "[AV] Samsung Soundbar Mxxx M-Series" from the list on TV's screen.

 An available Soundbar is indicated with "Need Pairing" or "Paired" on the TV Bluetooth device list.

 To connect to the Soundbar, select the message and establish a connection.
 - When the TV is connected, [TV Name] → "BT" appears on the Soundbar's front display.
- **5.** You can now hear TV sound from the Soundbar.

If the device fails to connect

- If the previously connected Soundbar listing (e.g. "[AV] Samsung Soundbar Mxxx M-Series") appears in the list, delete it.
- In "BT" mode, press and hold the (Source) button for more than 5 seconds on the top panel of the Soundbar or on the remote control to switch to "BT PAIRING" mode.
 - Then, select "[AV] Samsung Soundbar Mxxx M-Series" from the TV's search list.

What are the BT READY and BT PAIRING statuses?

- **BT READY**: In this mode, you can search for previously connected TVs or connect to the Soundbar from a previously connected mobile device.
- BT PAIRING: In this mode, you can connect to a new device. (While in "BT" mode, press and hold the (Source) button for more than 5 seconds on the right side of the Soundbar or on the remote control.)

NOTES

- If asked for a PIN code when connecting a Bluetooth device, enter <0000>.
- In Bluetooth connection mode, the Bluetooth connection will be lost if the distance between the Soundbar and the Bluetooth device exceeds 32.8 ft.
- The Soundbar automatically turns off after 5 minutes in the Ready state.
- The Soundbar may not perform Bluetooth search or connection correctly under the following circumstances:
 - If there is a strong electrical field around the Soundbar.
 - If several Bluetooth devices are simultaneously paired with the Soundbar.
 - If the Bluetooth device is turned off, not in place, or malfunctions.
- Electronic devices may cause radio interference. Devices that generate electromagnetic waves must be kept away from the Soundbar main unit e.g., microwaves, wireless LAN devices, etc.

Disconnecting the Soundbar from the TV


Press the (Source) button on the right side panel or on the remote control and switch to any mode but "BT"

• Disconnecting takes time because the TV must receive a response from the Soundbar. (The time required may differ, depending on the TV model.)

05 CONNECTING AN EXTERNAL DEVICE

Connect to an external device via a wired or wireless network to play the external device's sound through the Soundbar.

Connecting using an Optical or Analog Audio (AUX) Cable



1 Optical Cable


- Connect DIGITAL AUDIO IN (OPTICAL) on the main unit to the OPTICAL OUT jack of the Source Device using a digital optical cable.
- ② Select "D.IN" mode by pressing the ♠ (Source) button on the right side panel or on the remote control.

2 Audio (AUX) Cable

- Connect AUX IN (Audio) on the main unit to the AUDIO OUT jack of the Source Device using an audio cable.
- 2 Select "AUX" mode by pressing (Source) button on the right side panel or on the remote control.

06 CONNECTING A USB

You can play music files located on USB storage devices through the Soundbar.



- Connect a Micro USB to USB adapter cable with a male USB 2.0 Micro USB plug (Type B) on one end and a standard female 2.0 USB jack (Type A) on the other end to the micro USB jack on your Soundbar.
 - Micro USB to USB adapter Cable is sold separately. To purchase, contact a Samsung Service Center or Samsung Customer Care.
- 2. Connect your USB device to the female end of the adapter cable.
- 3. Press the (Source) button on the right side panel or on the remote control, and then select "USB".
- **4.** "USB" appears in the display screen.
- 5. Play music files from the USB storage device through the Soundbar.
 - The Soundbar automatically turns off (Auto Power Off) if no USB device has been connected for more than 5 minutes.

File Format Type Compatibility list

| Extension | Codec | Sampling Rate | Bitrate | |
|-------------------------------|--------------------------|----------------|----------------------------------|--|
| *.mp3 | MPEG 1 Layer2 | 16KHz ~ 48KHz | 80kbps~320kbps | |
| | MPEG 1 Layer3 | 16KHz ~ 48KHz | 80kbps~320kbps | |
| | MPEG 2 Layer3 | 16KHz ~ 48KHz | 80kbps~320kbps | |
| | MPEG 2.5 Layer3 | 16KHz ~ 48KHz | 80kbps~320kbps | |
| *.wma | Wave_Format_MSAudio1 | 16KHz ~ 48KHz | 56kbps~128kbps | |
| | Wave_Format_ MSAudio2 | 16KHz ~ 48KHz | 56kbps~128kbps | |
| *.aac AAC 16KHz ~ 96KHz 48kbp | | 48kbps~320kbps | | |
| | AAC-LC | 16KHz ~ 96KHz | 128kbps~192kbps 5.1ch 320kbps | |
| | HE-AAC | 24KHz ~ 96KHz | 48kbps~64kbps 5.1ch 160kbps | |
| *.wav | - | 16KHz ~ 48KHz | up to 3000kbps | |
| *.ogg | OGG 1.1.0 | 16KHz ~ 48KHz | 50kbps~500kbps | |
| *.flac | FLAC 1.1.0, FLAC 1.2.1 | 16KHz ~ 96KHz | up to 3000kbps | |

07 CONNECTING A MOBILE DEVICE

Connecting via Bluetooth

When a mobile device is connected using Bluetooth, you can hear stereo sound without the hassle of cabling.

• You cannot connect more than one Bluetooth device at a time.



The initial connection

- 1. Press the (Source) button on the right side panel or on the remote control, and then select "BT".
- 2. Change "BT" to "BT PAIRING".
 - If "BT READY" appears, press and hold the (Source) button on the right side panel of the Soundbar or on the remote control for more than 5 seconds to display "BT PAIRING".
- 3. Select "[AV] Samsung Soundbar Mxxx M-Series" from the list.
 - When a Soundbar is connected to the Bluetooth device, [Bluetooth Device Name] → "BT" appears in the front display.
- **4.** Play music files from the device, connected via Bluetooth, through the Soundbar.

If the device fails to connect

- If the previously connected Soundbar listing (e.g. "[AV] Samsung Soundbar Mxxx M-Series") appears in the list, delete it.
- In "BT" mode, press and hold the (Source) button for more than 5 seconds on the right side panel of the Soundbar or on the remote control to switch to "BT PAIRING" mode.
 - Then, select "[AV] Samsung Soundbar Mxxx M-Series" from the Bluetooth device search list.

What are the BT READY and BT PAIRING statuses?

- **BT READY**: In this mode, you can search for previously connected TVs or connect to the Soundbar from a previously connected mobile device.
- BT PAIRING: In this mode, you can connect to a new device. (While in "BT" mode, press and hold the (Source) button for more than 5 seconds on the right side of the Soundbar or on the remote control.)

NOTES

- If asked for a PIN code when connecting a Bluetooth device, enter <0000>.
- In Bluetooth connection mode, the Bluetooth connection will be lost if the distance between the Soundbar and the Bluetooth device exceeds 32.8 ft.
- The Soundbar automatically turns off after 5 minutes in the Ready state.
- The Soundbar may not perform Bluetooth search or connection correctly under the following circumstances:
 - If there is a strong electrical field around the Soundbar.
 - If several Bluetooth devices are simultaneously paired with the Soundbar.
 - If the Bluetooth device is turned off, not in place, or malfunctions.
- Electronic devices may cause radio interference. Devices that generate electromagnetic waves must be kept away from the Soundbar main unit e.g., microwaves, wireless LAN devices, etc.
- The Soundbar supports SBC data (44.1kHz, 48kHz).
- Connect only to a Bluetooth device that supports the A2DP (AV) function.
- You cannot connect the Soundbar to a Bluetooth device that supports only the HF (Hands Free) function
- Once you have paired the Soundbar to a Bluetooth device, selecting "[AV] Samsung Soundbar
 Mxxx M-Series" from the device's scanned devices list will automatically change the Soundbar to
 "BT" mode.
 - Available only if the Soundbar is listed among the Bluetooth device's paired devices.
 (The Bluetooth device and the Soundbar must have been previously paired at least once.)
- The Soundbar will appear in the Bluetooth device's searched devices list only when the Soundbar is displaying "BT READY".
- Soundbar cannot be paired to another Bluetooth device, while using the Bluetooth function.

Bluetooth POWER On (Bluetooth POWER)

If a previously paired Bluetooth device tries to pair with the Soundbar when the Bluetooth POWER On function is on and the Soundbar is turned off, the Soundbar turns on automatically.

- 1. Press the **Bluetooth POWER** button on the remote while the Soundbar is turned on.
- 2. "ON BLUETOOTH POWER" appears on the Soundbar's display.

Disconnecting the Bluetooth device from a Soundbar

You can disconnect a Bluetooth device from the Soundbar. For instructions, see the Bluetooth device's user manual

- The Soundbar will be disconnected.
- When the Soundbar is disconnected from the Bluetooth device, the Soundbar will display "BT DISCONNECTED" on the front display.

Disconnecting the Soundbar from the Bluetooth device

Press the (Source) button on the right side panel or on the remote control, and then change to any mode except "BT".

• Disconnecting takes time because the Bluetooth device must receive a response from the Soundbar. (Disconnection time may differ, depending on the Bluetooth device)

NOTES

- In Bluetooth connection mode, the Bluetooth connection will be lost if the distance between the Soundbar and the Bluetooth device exceeds 32.8 ft.
- The Soundbar automatically turns off after 5 minutes in the Ready state.

More About Bluetooth

Bluetooth is a technology that enables Bluetooth-compliant devices to interconnect easily with each other using a short wireless connection.

- A Bluetooth device may cause noise or malfunction, depending on usage, if:
 - A part of your body is in contact with the receiving/transmitting system of the Bluetooth device or the Soundbar.
 - It is subject to electrical variation from obstructions caused by a wall, corner, or office partition.
 - It is exposed to electrical interference from same frequency-band devices including medical equipment, microwave ovens, and wireless LANs.
- Pair the Soundbar with the Bluetooth device while they are close together.
- The further the distance between the Soundbar and Bluetooth device, the worse the quality is. If the distance exceeds the Bluetooth operational range, the connection is lost.
- In poor reception areas, the Bluetooth connection may not work properly.
- The Bluetooth connection only works when it is close to the unit. The connection will be
 automatically cut off if the Bluetooth device is out of range. Even within range, the sound quality
 may be degraded by obstacles such as walls or doors.
- This wireless device may cause electric interference during its operation.

Using the Samsung Audio Remote App

Installing the Samsung Audio Remote App

To control the Soundbar with your smart device and the Samsung Audio Remote app, download the Samsung Audio Remote app from the Google Play store.

Market search: Samsung Audio Remote



Launching the Samsung Audio Remote App


To launch and use the Samsung Audio Remote app, touch the Audio Remote icon on your smart device, and then follow the directions on the screen.



• The Samsung Audio Remote app is only compatible with Android mobile phones and mobile devices running Android OS 3.0 or later.

08 USING THE REMOTE CONTROL

How to Use the Remote Control



3



The Surround Sound function adds depth and a sense of space to sound. Each time you press this button, ON and OFF alternate.

- ON: Play sound over all the speakers.
- OFF: You can hear the sound of the original source channel from several speakers.

| 4 | SOUND MODE | You can select the desired sound effect by choosing STANDARD, MUSIC, CLEAR VOICE, SPORTS, or MOVIE. Select the "STANDARD" mode if you want to enjoy the original sound. • DRC (Dynamic Range Control) Lets you apply dynamic range control to Dolby Digital tracks. If you press and hold the SOUND MODE button while in standby mode, DRC (Dynamic Range Control) turns on or off. With the DRC turned on, loud sound is reduced. (The sound may be distorted.) | | |
|---|--------------|---|--|--|
| 5 | Source | Press to select a source connected to the Soundbar. • BT PAIRING mode To turn on "BT PAIRING" mode in "BT" mode, press and hold the ♠ (Source) button for more than 5 seconds. See page 15 for details. • Auto Power Down Function The unit turns off automatically in the following situations. - D.IN / BT / USB Mode: If there is no audio signal for 5 minutes. - AUX Mode: - If the Audio (AUX) Cable is disconnected for 5 minutes. - If there is no KEY input for 8 hours when the Audio (AUX) Cable is connected. (Auto Power Down function can be turned off only in that case.) - To turn off Auto Power Down function, while in "AUX" mode, press and hold the ▶II button for 5 seconds. "ON - AUTO POWER DOWN" / "OFF - AUTO POWER DOWN" appears on the display. | | |
| 6 | Play / Pause | Press the ►II button to pause a music file temporarily. If you press the button again, the music file plays. | | |





Up/Down/ Left/Right



Press the indicated areas to select Up/Down/Left/Right.

Press Up/Down/Left/Right on the button to select or set functions.

Repeat

To use the Repeat function in "**USB**" mode, press the **Up** button.

Music Skip

Press the **Right** button to select the next music file. Press the **Left** button to select the previous music file.

· Auto Power Link

You can turn Auto Power Link on or off.

Auto Power Link are controlled by the **Right** and **Left** buttons respectively.

- Auto Power Link: If the Soundbar is connected to your TV through a digital
 optical cable, the Soundbar can automatically turn on when you turn on your TV.
 Press and hold the **Left** button for 5 seconds to toggle Auto Power Link ON and
 OFF.
- Auto Power Link are set to ON by default.






Bluetooth POWER

Press to turn the Bluetooth POWER function on and off.

When the Bluetooth POWER function is on, "ON - BLUETOOTH POWER" appears in the Soundbar's display.

- Bluetooth POWER function: If the Soundbar is in standby mode and the Bluetooth POWER function is On, when you turn on a previously connected Bluetooth device, the Soundbar automatically turns on and connects via Bluetooth to the device.
- If you press the Bluetooth POWER button again to turn off the BT function, "OFF-BLUETOOTH POWER" appears in the Soundbar's display.
- If the "D.IN" mode is on and the Soundbar is connected to a Samsung smart TV
 released in 2017 or later, the Soundbar can be controlled with the TV remote control.
 In this mode, you cannot turn off Bluetooth POWER.



Adjusting the Soundbar volume with a TV remote control

Use the TV menu to set the TV speaker on a Samsung TV to external speakers. (For more information, see the TV's user manual.)

- After installing the Soundbar, you can adjust the Soundbar's volume using the IR remote control
 that came with a Samsung TV. (If you do not want to use this function, when the Soundbar is on,
 press and hold the **Surround** button for 5 seconds. "OFF-TV REMOTE" appears in the Soundbar's
 display and the function turns off.)
 - To adjust the volume using only the Samsung TV remote control, press and hold the **Surround** button for more than 5 seconds until "**SAMSUNG-TV REMOTE**" appears in the Soundbar display.
 - Each time the Surround button is held for 5 seconds, the mode switches in the following order:
 "SAMSUNG-TV REMOTE" (Default mode) → "OFF-TV REMOTE" → "ALL-TV REMOTE".
- To adjust the Soundbar volume with the remote control that came with a TV made by a third party
 manufacturer, turn the Soundbar on, press and hold the Surround button for 5 seconds
 ("OFF-TV REMOTE" appears on the Soundbar's display), release the Surround button, and then
 press and hold the Surround button again for more than 5 seconds. ("ALL-TV REMOTE" appears on
 the Soundbar's display.)
 - This function may not be available, depending on the remote control.
 - Manufacturers supporting this function:
 VIZIO, LG, Sony, Sharp, PHILIPS, PANASONIC, TOSHIBA, GRUNDIG, Hisense, RCA

Using the Hidden Buttons

| Hid | Reference page | |
|--------------------------------|-----------------------------------|---------|
| Remote Control Button Function | | |
| Surround | TV remote control On/Off | page 22 |
| (Source) | BT Paring | page 15 |
| ►II (Play / Pause) | Auto Power Down On/Off (AUX mode) | page 20 |
| | Initialize (Standby) | page 28 |
| VOL | ID SET (Standby) | page 7 |
| Left | Auto Power Link ON/OFF | page 10 |
| (Sound Control) | 7 Band EQ | page 23 |
| SOUND MODE | DRC ON/OFF (Standby) | page 23 |

Output specifications for the different sound effect modes

| Effect | | l | Output | |
|---------------|-------------|--------|--------------------------|--------------------------|
| | | Input | Except Surround speakers | Includ Surround speakers |
| Surround | ON | 2.0 ch | 2.1 ch | 4.1 ch |
| Surround | | 5.1 ch | 2.1 ch | 4.1 ch |
| | STANDARD | 2.0 ch | 2.1 ch | 4.1 ch |
| | | 5.1 ch | 2.1 ch | 4.1 ch |
| | MUSIC | 2.0 ch | 2.1 ch | 4.1 ch |
| | MUSIC | 5.1 ch | 2.1 ch | 4.1 ch |
| SOUND MODE | CLEAR VOICE | 2.0 ch | 2.1 ch | 4.1 ch |
| SOUND MODE | | 5.1 ch | 2.1 ch | 4.1 ch |
| 3001101-1002 | | 2.0 ch | 2.1 ch | 4.1 ch |
| | | 5.1 ch | 2.1 ch | 4.1 ch |
| | MOVIE | 2.0 ch | 2.1 ch | 4.1 ch |
| | MUVIE | 5.1 ch | 2.1 ch | 4.1 ch |


[•] Surround speakers are not supplied.

09 INSTALLING THE WALL MOUNT


Installation Precautions

- Install on a vertical wall only.
- Do not install in a place with high temperature or humidity.
- Verify whether the wall is strong enough to support the product's weight. If not, reinforce the wall or choose another installation point.
- Purchase and use the fixing screws or anchors appropriate for the kind of wall you have (plaster board, iron board, wood, etc.). If possible, fix the support screws into wall studs.
- Purchase wall mounting screws according to the type and thickness of the wall you want to mount
 the Soundbar on.
 - Diameter: M5
 - Length: 13/8 inches or longer recommended.
- Connect cables from the unit to external devices before you install the Soundbar on the wall.
- Make sure the unit is turned off and unplugged before you install it. Otherwise, it may cause an
 electric shock.


Wallmount Components




- Place the Wall Mount Guide against the wall surface.
 - The Wall Mount Guide must be level.
 - If your TV is mounted on the wall, install the Soundbar at least 2 inches (5 cm) below the TV.




- 2. Align the Paper Template's **Center Line** with the center of your TV (if you are mounting the Soundbar below your TV), and then fix the **Wall Mount Guide** to the wall using tape.
 - If you are not mounting below a TV, place the Center Line in the center of the installation area.



 Push a pen tip or sharpened pencil tip through the center of the B-TYPE images on each end of the Guide to mark the holes for the supporting screws, and then remove the Wall Mount Guide.



- **4.** Using an appropriately sized drill bit, drill a hole in the wall at each marking.
 - If the markings do not correspond to the positions of studs, make sure you insert appropriate anchors or mollies into the holes before you insert the support screws. If you use anchors or mollies, make sure the holes you drill are large enough for the anchors or mollies you use.
- Push a screw (not supplied) through each Holder-Screw, and then screw each screw firmly into a support screw hole.



6. Use the two Screws (M4 x L12) to attach both Bracket-Wall Mount L and R to the Soundbar's bottom. For a proper fit, make sure to align the bumps on the Soundbar to the holes on the



 When assembling, make sure the hanger part of the Bracket-Wall Mounts are located behind the rear of the Soundbar.

Rear of Soundbar



Right end of Soundbar


 The left and right mounts are different shapes. Make sure to position them correctly.




Wall Mount R

Wall Mount L

 Install the Soundbar with the attached Bracket-Wall Mounts by hanging the Bracket-Wall Mounts on the Holder-Screws on the wall.




Slightly tilt the Soundbar to insert both
 Holder-Screw heads into Bracket-Wall
 Mount holes. Push the Soundbar in the
 direction of the arrow to make sure both sides
 are firmly fixed.



Detaching the Soundbar from the Wall


 To separate the Soundbar from the wall mount, push it in the direction of arrow, tilt it up slightly, and then pull it away from the wall as shown.



- Do not hang onto the installed unit and avoid striking or dropping the unit.
- Secure the unit firmly to the wall so that it does not fall off. If the unit falls off, it may cause an injury or damage the product.
- When the unit is installed on a wall, please make sure that children do not pull any of the connecting cables, as this may cause it to fall.
- For the optimal performance of a wall mount installation, install the speaker system at least 2 inches (5 cm) below the TV, if the TV is mounted on the wall.
- For your safety, if you do not mount the unit on the wall, install it on a secure, flat surface where it is unlikely to fall.

10 SOFTWARE UPDATE

Samsung may offer updates for the Soundbar's system firmware in the future.



If an update is offered, you can update the firmware by connecting a USB device with the firmware update stored on it to the USB port on your Soundbar.

For more information about how to download update files, go to the Samsung Electronics website at (www.samsung.com → Support). Then, enter or select the model of your Soundbar, select Software & Apps, and then Downloads. The option name can vary.

Updating Procedure

- 1. Connect a Micro USB to USB adapter cable with a male USB 2.0 Micro USB plug (Type B) on one end and a standard female 2.0 USB jack (Type A) on the other end to the micro USB jack on your Soundbar.
 - The Micro USB to USB adapter cable is sold separately. To purchase, contact a Samsung Service Center or Samsung Customer Care.
- Follow the steps below to download the product software:
 Go to the Samsung website at (samsung.com) → search for the model name select the customer support option (the option name is subject to change)
- Save the downloaded software to a USB stick and select "Extract Here" to unzip the folder.
- 4. Turn off the Soundbar and connect the USB stick containing the software update to the female port on a Micro USB adapter cable. Connect the cable to the USB port on the Soundbar.
- **5.** Turn on the Soundbar. Within 3 minutes, "**UPDATE**" is displayed and updating begins.
- 6. When the update finishes, the Soundbar turns off. Press the ►II button on the remote control for 5 seconds. "INIT" appears on the display and then the Soundbar turns off. The update is complete.
 - This product has a DUAL BOOT function.
 If the firmware fails to update, you can update the firmware again.

If UPDATE is not displayed

- Turn off the Soundbar, disconnect and then reconnect the USB storage device that contains the update files to the Soundbar's USB port.
- **2.** Disconnect the Soundbar's power cord, reconnect it, and then turn on the Soundbar.
 - Updating firmware may not work properly if audio files supported by the Soundbar are stored in the USB storage device
 - Do not disconnect the power or remove the USB device while updates are being applied. The main unit will turn off automatically after completing the firmware update.
 - After update is completed, the user setup in Soundbar is initialized. We recommend you write down your settings so that you can easily reset them after the update. Note that updating firmware resets the subwoofer connection too. If the connection to the subwoofer is not re-established automatically after the update, refer to page 6.
 If the software update fails, check if the
 - Mac OS users should use MS-DOS (FAT) as the USB format.

USB stick is defective.

 Updating via USB may not be available, depending on the USB storage device manufacturer.

11 TROUBLESHOOTING

Refer to the table below if this product does not function properly. If the problem you are experiencing is not listed below or if the instructions below do not help, turn off the product, disconnect the power cord, and contact Samsung Electronics at 1-800-SAMSUNG (1-800-726-7864).

The unit will not turn on.

Is the power cord plugged into the outlet?

→ Connect the power plug to the outlet.

A function does not work when the button is pressed.

Is there static electricity in the air?

→ Disconnect the power plug and connect it again.

Sound dropouts occur in BT mode.

→ See the Bluetooth connection sections on pages 10 and 15.

Sound is not produced.

Is the Mute function on?

→ Press the **VOL** button to cancel the function.

Is the volume set to minimum?

→ Adjust the Volume.

The remote control does not work.

Are the batteries drained?

→ Replace with new batteries.

Is the distance between the remote control and Soundbar main unit too far?

→ Move the remote control closer to the Soundbar main unit

The red LED on the subwoofer blinks and the subwoofer is not producing sound.

This issue can occur if the subwoofer is not connected to the Soundbar main unit.

→ Try to connect your subwoofer again. (See page 6.)

The subwoofer drones and vibrates noticeably.

Try to adjust the vibration of your subwoofer.

→ Push the WOOFER button on your remote control up or down to adjust the subwoofer volume. (between -12, -6 ~ +6).

12 LICENSE



Manufactured under license from Dolby Laboratories. Dolby, Dolby Audio and the double-D symbol are trademarks of Dolby Laboratories.



For DTS patents, see http://patents.dts.com. Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks, and DTS 2.0 Channel is a trademark of DTS, Inc. © DTS, Inc. All Rights Reserved.

13 OPEN SOURCE LICENSE NOTICE

To send inquiries and requests regarding open sources, contact Samsung via Email (oss.request@samsung.com).

14 IMPORTANT NOTES ABOUT SERVICE

- Figures and illustrations in this User Manual are provided for reference only and may differ from actual product appearance.
- An administration fee may be charged if either:
 - a. An engineer is called out to your home at your request and there is no defect in the product.
 - b. You bring the unit to a repair center and there is no defect in the product.
- You will be advised of the amount of the administration fee before any work is done or a home visit is made.
- If you have a problem with this product, we strongly recommend you read the appropriate section of this manual, visit the Support page for your product at www.samsung.com, or call Samsung Product Support (1-800-726-7864) to find an answer before you contact a service center for a repair.

15 SPECIFICATIONS AND GUIDE

Specifications

| | USB | | 5V/0.5A |
|---|---------------------------------|---------------------|--|
| | Mainle | Soundbar Main Unit | 3.3 lbs (1.5kg) |
| | Weight | Subwoofer (PS-WM20) | 10.1 lbs (4.6kg) |
| GENERAL | Dimensions (W x H x D) | Soundbar Main Unit | 35.7 x 2.1 x 2.8 inches (907.5 x 53.5 x 70.5 mm) |
| | | Subwoofer (PS-WM20) | 7.0 x 13.9 x 11.8 inches (179.0 x 353.0 x 299.5 mm) |
| | Operating Temperature Range | | +41°F to +95°F (+5°C to +35°C) |
| | Operating Humidity Range | | 10 % ~ 75 % |
| AMPLIFIER | Rated Output Soundbar Main Unit | | 35W x 2, 6 ohm, THD≦10% |
| AMPLIFIER | power | Subwoofer (PS-WM20) | 130W, 3 ohm, THD≦10% |
| Supported play formats (DTS 2.0 sound is played in DTS format.) | | | LPCM 2ch, Dolby Audio™ (supporting Dolby® Digital), DTS |

NOTES

- Samsung Electronics Co., Ltd reserves the right to change the specifications without notice.
- Weight and dimensions are approximate.
- For more information about the power supply and power consumption, refer to the label attached to the product. (Label: Bottom of the Soundbar Main Unit)
- Dispose unwanted electronics through an approved recycler.
 To find the nearest recycling location, go to our website: www.samsung.com/recyclingdirect or call (877) 278 0799

LIMITED WARRANTY TO ORIGINAL PURCHASER

This SAMSUNG brand product, as supplied and distributed by SAMSUNG and delivered new, in the original carton to the original consumer purchaser, is warranted by SAMSUNG against manufacturing defects in materials and workmanship for a limited warranty period of:

One (1) Year Parts and Labor* (*90 Days Parts and Labor for Commercial Use)

This limited warranty begins on the original date of purchase, and is valid only on products purchased and used in the United States. To receive warranty service, the purchaser must contact SAMSUNG for problem determination and service procedures. Warranty service can only be performed by a SAMSUNG authorized service center. The original dated bill of sale must be presented upon request as proof of purchase to SAMSUNG or SAMSUNG's authorized service center. Transportation of the product to and from the service center is the responsibility of the purchaser. SAMSUNG will repair or replace this product, at our option and at no charge as stipulated herein, with new or reconditioned parts or products if found to be defective during the limited warranty period specified above. All replaced parts and products become the property of SAMSUNG and must be returned to SAMSUNG. Replacement parts and products assume the remaining original warranty, or ninety (90) days, whichever is longer. SAMSUNG's obligations with respect to software products distributed by SAMSUNG under the SAMSUNG brand name are set forth in the applicable end user license agreement. Non-SAMSUNG hardware and software products, if provided, are on an "AS IS" basis.

Non-SAMSUNG manufacturers, suppliers, publishers, and service providers may provide their own warranties. This limited warranty covers manufacturing defects in materials and workmanship encountered in normal, and except to the extent otherwise expressly provided for in this statement, noncommercial use of this product, and shall not apply to the following, including, but not limited to: damage which occurs in shipment; delivery and installation; applications and uses for which this product was not intended; altered product or serial numbers; cosmetic damage or exterior finish; accidents, abuse, neglect, fire, water, lightning or other acts of nature; use of products, equipment, systems, utilities, services, parts, supplies, accessories, applications, installations, repairs, external wiring or connectors not supplied and authorized by SAMSUNG, or which damage this product or result in service problems; incorrect electrical line voltage, fluctuations and surges; customer adjustments and failure to follow operating instructions, cleaning, maintenance and environmental instructions that are covered and prescribed in the instruction book; product removal or reinstallation; reception problems and distortion related to noise, echo, interference or other signal transmission and delivery problems. SAMSUNG does not warrant uninterrupted or error-free operation of the product.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE LISTED AND DESCRIBED ABOVE, AND NO WARRANTIES WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, SHALL APPLY AFTER THE EXPRESS WARRANTY PERIODS STATED ABOVE, AND NO OTHER EXPRESS WARRANTY OR GUARANTY GIVEN BY ANY PERSON, FIRM OR CORPORATION WITH RESPECT TO THIS PRODUCT SHALL BE BINDING ON SAMSUNG. SAMSUNG SHALL NOT BE LIABLE FOR LOSS OF REVENUE OR PROFITS. FAILURE TO REALIZE SAVINGS OR OTHER BENEFITS. OR ANY OTHER SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES CAUSED BY THE USE, MISUSE OR INABILITY TO USE THIS PRODUCT, REGARDLESS OF THE LEGAL THEORY ON WHICH THE CLAIM IS BASED, AND EVEN IF SAMSUNG HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. NOR SHALL RECOVERY OF ANY KIND AGAINST SAMSUNG BE GREATER IN AMOUNT THAN THE PURCHASE PRICE OF THE PRODUCT SOLD BY SAMSUNG AND CAUSING THE ALLEGED DAMAGE. WITHOUT LIMITING THE FOREGOING, PURCHASER ASSUMES ALL RISK AND LIABILITY FOR LOSS. DAMAGE OR INJURY TO PURCHASER AND PURCHASER'S PROPERTY AND TO OTHERS AND THEIR PROPERTY ARISING OUT OF THE USE. MISUSE OR INABILITY TO USE THIS PRODUCT SOLD BY SAMSUNG NOT CAUSED DIRECTLY BY THE NEGLIGENCE OF SAMSUNG. THIS LIMITED WARRANTY SHALL NOT EXTEND TO ANYONE OTHER THAN THE ORIGINAL PURCHASER OF THIS PRODUCT, IS NONTRANSFERABLE AND STATES YOUR EXCLUSIVE REMEDY.

Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

To obtain warranty service, please contact SAMSUNG customer care center.

The benefits of this Limited Warranty extend only to the original purchaser of Samsung products from an authorized Samsung reseller. THIS LIMITED WARRANTY SHALL NOT APPLY TO ANY SAMSUNG PRODUCTS PURCHASED FROM UNAUTHORIZED RESELLERS OR RETAILERS, EXCEPT IN STATES WHERE SUCH RESTRICTION MAY BE PROHIBITED. For a list of Samsung authorized retailers, please go to:

http://www.samsung.com/us/peaceofmind/authorized_resellers.html.

SAMSUNG



The party responsible for product compliance: Samsung Electronics Co., LTD. America QA lab of Samsung 19 Chapin Rd. Building D, Pine Brook, New Jersey 07058

QUESTIONS OR COMMENTS?

| COUNTRY | CALL | OR VISIT US ONLINE AT | WRITE |
|-----------|-----------------------------|----------------------------|--|
| IN THE US | 1-800-SAMSUNG (726-7864) | www.samsung.com/us/support | Samsung Electronics America, Inc. 85 Challenger Road Ridgefield Park, NJ 07660 |

© 2017 Samsung Electronics Co., Ltd. All rights reserved.