



lifegoods

USER MANUAL

Power bank 10000mAh




Please read these instructions before use, to prevent any damage with your new LifeGoods product.




1 About

Thank you for choosing our LifeGoods product! To ensure proper and safe functioning of the product, please read the manual carefully before use. Please always follow these instructions for safe usage. If you have any questions about the product or experience any problems, please contact us by email:
service@lifegoods.nl.




2 Package contents

- 1x Mobile power bank
- 1x Charging cable
- 1x User manual



3 Specifications

Product name	Power bank
Input interface	Type-C/Micro USB interface
Output interface	Dual USB 2.0
Input voltage	5V/2.4
Output voltage	5V/2.4
Charge time	8hrs (use 2A power adapter)
Use environment	Indoor/ outdoor/ in car
Use temperature	Charge 0°C ~45°C, discharge -10°C ~60°C
Storage environment	-20°C ~60°C



4 How to use the powerbank

How to charge the mobile power bank with a power adaptor/USB port?


1. Use the original USB cable with the micro USB connector. Connect the micro USB-end with the input port on the mobile power bank.
2. Connect the USB cable connector to the DC5V USB charger or an USB port of the computer. The blue LED lights to indicate the current power and blinks. The four lamps represent 25% 50% 75% and 100% respectively. When the lights stops flashing, it indicates a fully charged power bank.

How to charge your electrical device with the mobile power bank?

1. Check whether the charging voltage of the electrical device matches the DC5V output voltage of the mobile power supply;
2. Connect the electrical device with the original charging cable, one end connected with the electrical device, the other end connected with the mobile power output, on the power bank. The state of charge will automatically show; the blue LED lights indicate the current power, the four lights represent 25%, 50% 100%.


Low power alarm

When only one light is turned on and flashing, it indicates that the unit has been exhausted. The device should be charged in time to avoid damage to the equipment due to prolonged zero time.






5 Precautions

1. Before using this product, make sure to read the product instructions in detail and follow the instructions.
2. Do not disassemble the unit, this product does not allow any self-removable or self-maintenance of spare parts.
3. Do not place or use this product in a hot or humid environment. Do not expose to sunlight, (charging temperature range when using: 0C - 45C, when discharging -10C - 60C, and storage temperature range: -20C - 60C).
4. Do not vigorously shake or hit the product. The product is strictly prohibited into the fire or water, all in order to avoid the risk of fire and explosion.
5. Keep this product out of the reach of children. Do not place this product in an unattended car.
6. Do not continue to use the product if there is a problem with the product, such as leakage, dents and other abnormalities. Please contact the customer service center.
7. In order to avoid the abnormal use of this product, please use the original charging cable.
8. Do not shred or use metal to pierce the mobile power bank. By doing so, it prevents short-circuit mobile power bank.
9. Do not store multiple mobile power banks in the same drawer, preventing short circuits with other lethal objects.
10. When the charge is completed, pull out the charging cable.
11. If the mobile power is not used for a long time, the power bank will be discharged. In order to not affect the performance of the mobile power bank, at least fully charge and discharge the power bank at least every three months.



6 Appearance



7 Contact us

If you have any questions about the product or experience any problem, please contact us by email: service@lifegoods.nl.

Help us and help other customers by leaving us a review. Thanks a million!