



Out of this world savings.

User Manual

Model: **3518, 3519, 3553**



Knapsack Sprayer

CE

**UK
CA**

Contents

Safety Information	2
What's In The Box?.....	3
Assembly Instructions.....	4

Safety Information

Please ensure you read and fully understand instructions before use

While every attempt is made to ensure the highest degree of protection in all equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All merchandise is sold on this condition, which no representative of the company can waive or change.

- The sprayer is designed for the application of agricultural chemicals, disinfectants, cleaning agents etc. Do not spray caustic or corrosive solutions as these will damage the sprayer.
- Wash the inside of the spray tank with clean water after usage.
- Always wear the correct personal protective equipment whilst using, cleaning and servicing the sprayer.
- Do not spray towards people, animals or food.
- Lubricate the felt sealing washer at the top of the air chamber with light oil at regular intervals. This ensures smooth operation of the air pump and prevents leakage of spray liquid.
- Do not expose the sprayer to strong sunlight when storing as to prevent deterioration of the tank.
- Store the 16 Litre Knapsack Sprayer in a well ventilated area, out of the reach of children and animals.
- Always direct the spray downwind of the operator. Spraying into the wind will result in operator contamination.
- Do not use on windy days.
- Do not eat, drink or smoke whilst using the sprayer.
- Wash hands and face after use.
- If the product is damaged or has any defects, please contact cservice@oypla.com.
- **Warning! Always wear appropriate PPE whilst operating the sprayer.**



What's In The Box?

Please note that you will be referring to the below parts list during assembly

If any of the below parts are missing or damaged, please contact our dedicated team at cservice@oypla.com.

	Tank – Including straps and pump	X1		Lever Handle	X1
	Hose and Spraying Lever	X1		Pump Lever Holder	X1
	Pump Connecting Rod	X1		Pump Fastener	X1
	Spraying Lance	X1		Filling Filter	X1
	Pump Lever Pole	X1		Split Pin	X2
	Spraying Nozzles	X3		Washer	X1

Assembly Instructions

Please refer to the below information to help assemble your Oypla product

If you require assistance with the assembly of your Oypla product, please contact our dedicated team at cservice@oypla.com.

1. To start, attach the hose and spraying lever to the top of the pump at the top of the tank. Simply screw the two parts together until secure. Please see image to the right for guidance. Sit the pump fastener under the pump, in the groove located in the base. Screw back into place.



2. Next, simply screw the spraying lance onto the other end of the hose and spraying lever. Ensure it is tightly secured. Use the photo below for guidance. Choose which nozzle you would like and screw to the other end of the spraying lance.



3. Now, it's time to assemble the pump lever. Start by pushing it through the holes at the base of the tank. Secure in place using the attachment clip provided. Once done, slide the lever handle onto the other end of the pump lever pole. There is also a rubber ring to help secure the lever into place.



4. The next step is to connect the connecting rod to the pump lever by sliding through the little hole as seen in the photo. Secure in place using a split pin and washer. Ensure that this is with the smaller end of the connecting rod. Make sure to fray the end



5. The next step is to secure the other end of the connecting rod to the top of the pump. Firstly, insert the pump's lever holder into its position at the top of the pump. Whilst doing this slide through the connecting rod so that it passes through the lever holder as well as the holes on top of the pump. These are secured using the second split pin. Use the photos to help.



6. Lastly, just place the filter into the filling point. This prevents anything other than liquid entering the tank.



Make sure to follow the instructions on the packaging of the agricultural chemicals, disinfectants, cleaning agents etc. when pouring them into the Knapsack Sprayer as to avoid damaging the product and/or causing harm to yourself or those around you.

If you find one of the nozzles becomes blocked during use or doesn't spray in the nozzle's pattern, unscrew the nozzle tip and clean it under running water. Do not try to unblock the nozzle using an object as this may damage the nozzle, rendering it ineffective.

To operate sprayer, unscrew the tank lid and fill it through the filter before screwing the lid back on. Attach the sprayer to your back using the straps and pump the pump lever to build the pressure in the air chamber before spraying. Once you've finished using the sprayer, remove both the Lid and the filter and wash the tank with warm water.

Have a Question About Your Purchase?

Our dedicated customer services team are happy to help. Contact them via:

Telephone: 020 3600 22 55
Email: cservice@oypla.com
Live Chat: www.oypla.com

Consider the Environment!

By recycling the cardboard box in which this product was packed, you contribute towards helping the environment. If you see a recycling logo such as the below on the packaging, it can be recycled. If a recycling logo is not present, please check with your local authority before recycling.



PLEASE RETAIN A COPY OF THESE INSTRUCTIONS FOR FUTURE CONSULTATION

An Official Oypla Branded Product

Imported by Oypla.com LLP, Uxbridge, UB8 2FX

User Manual

Model Code: 3518, 3519, 3553

Oypla.com LLP / cservice@oypla.com