QUICK REFERENCE GUIDE > DD24STI9 N

Integrated Single DishDrawer™ Dishwasher, Tall, Sanitize

Series 9 | Integrated

Panel Ready




Designed to fit your full-sized dinner plates, this DishDrawer $^{\text{\tiny{TM}}}$ can be placed anywhere in your kitchen, integrating seamlessly.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- American Disabilities Act (ADA) compliant, this can be installed at an accessible height for loading and unloading

DIMENSIONS

Height	17 ⁷ / ₈ "
Width	23 ⁹ / ₁₆ "
Depth	22 1/2 "



FEATURES & BENEFITS

Seamless integration

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™
Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rate, these DishDrawer™
Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories

Contemporary round handle Part number 81671
Cutlery basket •
Optional handle 513545 D3 front mount fitting
Optional stainless steel door kit 81263 Door DD24ST

Capacity and Loading

Accommodates round plates

Adjustable height, foldable

Fold down tines

Pitch adjustable tines

Place settings

7

Consumption

Energy star rating •

QUICK REFERENCE GUIDE > DD24STI9 N Date: 04.07.2021 > 2

Energy usage	144kWh/year	Depth	22 1/2 "
Water usage	1.64 gal/cycle	Height	17 ⁷ / ₈ "
Traces adage		Width	23 ⁹ / ₁₆ "
Controls		Managas	
Child lock	•	Warranty	
Electronic fault/Diagnostic	•	Parts and labor	Limited 2 Year Parts & Labor
End of cycle beeps	•		
Energy saving delay start	•	Wash Programs	
nternal wash selector	•	Delicate	•
Knock to pause	•	Eco	•
Rinse aid indicator light	•	Extra Dry	•
		Fast	•
eatures		Heavy	•
Fan assisted drying		Medium	
		Number of wash programs	15
Flow through detergent	•	Quick	•
Quiet operation SmartDrive™ technology	•	Rinse	•
	•	Sanitize	
Performance		Wash modifiers	3
Noise on gentle cycle top	44	Water connection	
		Inlet water temperature	Max 140°F
ower requirements		Supplied hose to suit 3/8"	
mperage	5A	Water pressure	0.03 Mpa - 1 Mpa (4.3-145 psi)
Electric circuit	3	water pressure	0.03 mpa - 1 mpa (4.3-145 psi)
Rated current	15A		
Supply frequency	60Hz	SKU	81220
Supply voltage	120V		81220
Product dimensions		TEST The product dimensions and spec	ifications in this page apply to the specific

and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020



product and model. Under our policy of continuous improvement, these dimensions

QUICK REFERENCE GUIDE > DD24STI9 N Date: 04.07.2021 > 3

Other product downloads available at fisherpaykel.com



Quick Start Guide



User Guide



Service & Warranty Booklet



Installation Guide



Resources (zip)



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com