5" Aluminum Leaf Filter Gutter Cover Use Guide

The 5" Aluminum Leaf Filter Gutter Cover is designed to simplify your gutter maintenance by keeping leaves, twigs, and debris at bay. With its durable construction and easy installation, you can enjoy hassle - free gutter protection. Follow this guide to make the most of your Raptor Gutter Guards.

Tools You'll Need

Safety Ladder: Ensure it's stable and rated for your weight.

Measuring Tape: To accurately assess the length of your gutters and plan the installation.

Work Gloves: Protect your hands during handling and installation.

Screwdriver or Drill: For securing the gutter guards in place (if required).

Installation Steps

1. Preparation

First, clean your gutters thoroughly to remove any existing debris. Check the gutters for any signs of damage or loose sections and repair them before installation. Measure the length of your gutters to confirm that the 13 - piece, 52 - foot set of Raptor Gutter Guards is sufficient. If you have longer gutters, you may need additional sets.

2. Installation

Starting from one end of the gutter, position the first piece of the gutter guard. Align it so that the edge of the guard extends slightly over the front lip of the gutter, ensuring that water can flow into the gutter while debris is kept out. Secure the gutter guard in place according to the provided instructions. This may involve using screws or clips that come with the product. Continue this process for each piece, overlapping the ends slightly to create a seamless barrier. Make sure each piece is firmly attached to prevent it from shifting or coming loose.

3. Finishing Touches

After all the pieces are installed, do a final inspection. Check that all the guards are properly aligned and securely fastened. Trim any excess material if necessary to ensure a neat appearance.

Maintenance

Regularly inspect the gutter guards to ensure they are free from large debris that might have accumulated on top. While the guards are

designed to prevent debris from entering the gutters, occasional light cleaning may be required. Use a soft - bristle brush or a leaf blower on a low setting to remove any debris from the surface of the guards. During heavy rain or after severe storms, check for any signs of damage or displacement.

Troubleshooting

- **Gutter Guards Shifting**: If you notice the gutter guards have shifted, it may be due to improper installation or insufficient securing. Recheck the attachment points and add more screws or clips if needed.
- Water Overflowing: This could indicate that the guards are blocked by a large amount of debris on top. Clean the surface of the guards thoroughly. If the problem persists, there may be an issue with the alignment of the guards or a blockage in the downspouts. Check and clear the downspouts as well.