OFFICE-QUALITY PRODUCTIVITY AT HOME

This compact 4-in-1 printer offers office-quality productivity for home and hybrid workers.



















to access instantly. Fits in with your life

Place the printer in compact spaces or against walls thanks to its full front operation design for easy access. Simple to use with its tilting 2.7" LCD screen, status light and intuitive UI.

Print business documents at high speeds of 15 ipm (mono) and 10 ipm (colour)¹, or scan directly to network folders and email for co-workers

Print, scan and copy without pause

Office-quality productivity at home

Auto 2-sided printing without irritating paper reloads thanks to the 250-sheet front cassette. A 35-sheet ADF makes multi-page documents quick and easy and a user replaceable maintenance cartridge.

Affordable ink bottles

Cost-effective refillable bottles that make high volume printing affordable. Print up to 3,000 sheets with a single black ink bottle, or up to 3,000 colour pages using a full set of colour ink bottles.²

Durable business-quality prints

Enjoy business-quality prints with excellent readability and resistance to fade, water, markers and transfer, delivered quickly and in large volumes.

Simple and secure

Keep your most important data safe with simple, easy-to-navigate security settings that can be effortlessly tailored to your environment.

PRODUCT RANGE



MAXIFY GX1050

MAXIFY GX1050
MAXIFY GX2050
MAXIFY GX3050
MAXIFY GX4050



MAXIFY GX2050



MAXIFY GX3050

Canon

Live for the story_

¹ A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

TECHNICAL SPECIFICATIONS

MAXIFY GX2050

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS

Print Resolution Print Margins (min.) Print Technology

Mono Print Speed Colour Print Speed First Page Out Time (approx.)

Two Sided Printing

CONSUMABLES AND

Standard Ink Bottles

Maintenance cartridge Bottle Yield (Plain paper)

PAPER SUPPORT Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS Scanner Type Scanner Resolution (Optical) Line Scanning Speed

Scanning Depth (Input / Output) Maximum Document Size

COPIER SPECIFICATIONS Copy Speed

Copy quality Intensity adjustment Multiple Copy

Wi-Fi, Ethernet, Print, Copy, Scan, Fax & Cloud

Up to $600 \times 1200 \, \mathrm{dpi}^{\, [1]}$

Top: 5 mm, Bottom: 5 mm, Right: 5 mm, Left: 5 mm

2 Print Heads Refillable ink tank printer

approx.15.0 ipm approx.10.0 ipm [2]

Mono: 9 sec (ready/simplex) [2] Colour: 11 sec (ready/simplex) [2] A4, Letter - Plain Paper (Cassette only)

GI-55 BK x 3 bottles

GI-55 C GI-55 Y

MC-G05 (User Replaceable)

A4 colour documents printing [3]

Black: 9.000 pages (Economy mode 13.500 pages) [4] Colour: 3,000 pages (Economy mode 4,500 pages) [4]

Plain Paper (64 g/m² - 105 g/m²), Canon Red Label Superior (WOP111) Canon Oce Office Colour Paper (SAT213) Photo Paper Plus Glossy II (PP-201) Photo Paper Pro Luster (LU-101) Photo Paper Plus Semi-gloss (SG-201)

Glossy Photo Paper "Everyday Use" (GP-501) Matte Photo Paper (MP-101), Light Fabric Iron on Transfers (LF-101) Cassette: Max. 250 sheets (plain paper) ADF: A4, LTR = 35, LGL = 5, others =

A4, A5, A6, B5, LTR, LGL, B-Oficio, M-Oficio, Foolscap, Executive, #10 Envelope, DL Envelope, C5 Envelope, Monarch Envelope, $4" \times 6"$, $5" \times 7"$, $7" \times 10"$, $8" \times 10"$,

Custom size

(width:89 mm - 216 mm, length: 127 mm - 355.6 mm)

ADF: A5, A4, LTR, LGL

Plain Paper: 64 g/m^2 - 105 g/m^2 , or supported

genuine Canon papers Canon paper: Max. paper weight Approx. 265 g/m²

(Photo Paper Plus Glossy II (PP-201)

Flatbed (ADF / Platen) CIS colour scanner

1,200 x 2,400 dpi [5

Colour: 3.5 ms/line (300 dpi) [6] Greyscale: 1.5 ms/line (300 dpi) [6] Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit

Platen: A4/Letter (216 x 297 mm) ADF: A4/Letter/Legal (216 x 356 mm)

sFCOT (colour): Approx. 17 sec [7]

SESAT (Colour): Approx. 17 SeC ** SESAT (Colour): Approx. 9.1 ipm ^[7] ESAT/Simplex ADF (colour): Approx. 8.1 ipm ^[7] ESAT/Simplex ADF (black): Approx. 14.1 ipm ^[7]

3 levels (Economy, Standard, High) 9 positions, Auto intensity (AE copy)

99 copies (max.)

Copy Functions

Copy Zoom

FAX SPECIFICATIONS

Fax Type

Fay Resolution

Transmission Speed

Modem Speed Print Size Fax Memory Automatic Dialina

GENERAL Display

Display Languages

Standard Interface

Mobile Apps (iOS[®]/ ANDROID[™])

Printer Features

Smart Assistant & **Automation Supports** OS Compatibility

Document Copying, Two-Sided Copy, 2-on-1 and 4-on-1 copy, Collated Copy (ADF only), Frame erase copy (Flatbed only), ID copy

25 - 400% Fit to page

A5 to A4 B5 to A4 A4 to A5 and A4 to B5

Desktop Transceiver

(Super G3/Color Communication) Mono: 8pels/mm x 3.85 lines/mm(Standard) 8pels/mm x 7.7 lines/mm(Fine)

300 dpi x 300 dpi (Extra Fine)

Colour: 200 x 200 dpi Mono: approx. 3 sec. [20] Colour: approx. 1 min. [20]

maximum 33.6 kbps (Automatic fall back)

A4. LTR. LGI

Approx. 250 pages [21]

Coded Speed Dialing: Max. 100 locations Group Dialina: Max. 99 locations

2.7" / 6.7cm LCD (Touch Screen, Color)

33 Languages Selectable: Japanese, English (mm & inch), French, German, Italian, Spanish, Portuguese, Dutch, Danish, Norwegian, Swedish, Finnish, Greek, Polish, Czech, Russian, Hungarian, Slovene, Turkish, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Thai, Vietnamese

Hi-Speed USB (B Port) Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n/a/ac

Wi-Fi Security: WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES), WPA-EAP (AES)* WPA2-EAP (AES)* WPA3-EAP (AES)*
* IEEE802.1X (EAP-TLS/EAP-TTLS/PEAP)

Wireless LAN Frequency Band: 2.4GHz, 5GHz SMB Version support: SMB3.0.0, SMB3.0.2 and SMB3.1.1 TLS version support: 1.0, 1.1, 1.2, 1.3

Canon PRINT app ^[9] Easy-PhotoPrint Editor app ^[10]

Creative Park app

Easy-PhotoPrint Editor Software [10] Cloud Link [10]

Canon Print Service Plugin (Android) [11]

Apple AirPrint Wireless Direct [13] Mopria (Android) [14] PosterArtist Web Easy Layout Editor Amazon Alexa^{™ [15}

Google Assistant[™] [15] Windows 11, Windows 10, Windows 8.1,

Windows 7 SP1

Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.

Driver and IJ Printer Assistant Tool only: Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022

Display environment: XGA 1024 x 768 or more

Mac: macOS 10.15.7 ~ macOS 11, macOS 12,

Chrome OS

Mobile Operating Systems: iOS®, iPadOS, Android $^{\text{TM}}$ [16]



TECHNICAL SPECIFICATIONS

AL

Windows: 1.5GB or more

Printer Driver (download)

Note: for bundled software installation. The necessary amount of hard disk space required.

IJ Printer Assistant Tool (download)
Easy-PhotoPrint Editor (download)

Minimum System Requirements

Software Included

PHYSICAL FEATURES
Weight
Dimensions (W x D x H)
With the trays retracted:
Dimensions (W x D x H)
With the trays extended:

Acoustic Noise Levels
Operating Temperature

Operating Humidity
Power Source
Duty Cycle

Power Consumption

approx. 8.1 kg Approx. 374 x 380 x 225 Approx. 374 x 510 x 260

approx. 46.5 dB(A) [17]

5-35°C

10-90%RH (no dew condensation)

AC 100-240V, 50/60Hz

up to 27,000 pages

Off: Approx. 0.1W

Standby (USB connection to PC): Approx. 0.8W Standby (all ports connected): Approx. 1.4W Time to enter Standby mode: 5minutes 1 sec Copying: Approx. 22W ^[18]

*The wait time for standby cannot be changed (Lot26) 0.14 kWh $^{[19]}$

Typical Electricity
Consumption

Footnotes:

- Ink droplets can be placed with a pitch of 1/600 inch at minimum.
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- [4] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed
- standard mode can be printed

 19 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473
- standard.

 14 The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- [7] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC24735.
 - Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- Wireless printing requires a working network with wireless 802.11 b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- Pi Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with IPad, iPhone 3GS or later, and IPad touch 3rd generation or later devices running 1057.0 or later, and Android mobile devices running Android 23.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- ITO The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS HighSierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0. available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later). DLP save data, Poster Artist export data, Easy-PhotoPrint Editor export data.
- EasyPhoto+ export data, Easy-PhotoPrint Editor export data.

 I'll Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.

MAXIFY GX2050

- [12] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [13] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
 [14] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service
- 1.4 Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play
- Service from Google Play.

 113 Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- [14] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- website for details.

 117] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- [18] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- IPJ Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- regulated in International ENERGY STAR Program.

 Regulated in International ENERGY STA
- [21] Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.
- Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with IoS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkiet printer to use this app.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type
 of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2023

OFFICE-QUALITY PRODUCTIVITY AT HOME

MAXIFY GX2050

This compact 4-in-1 printer offers office-quality productivity for home and hybrid workers.

Sales Start Date: February 2024



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
MAXIFY GX2050 EB2	6171C024AA	8714574689609	<please fill="" in="" rrp=""></please>		

PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
GI-55BK	6292C001AA	4549292222401	<please fill="" in="" rrp=""></please>
GI-55C	6289C001AA	4549292222371	<please fill="" in="" rrp=""></please>
GI-55M	6290C001AA	4549292222388	<please fill="" in="" rrp=""></please>
GI-55Y	6291C001AA	4549292222395	<please fill="" in="" rrp=""></please>
Maintenance Cartridge			
MC-G05	6176C001AA	4549292220339	<please fill="" in="" rrp=""></please>

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
MAXIFY GX2050 EB2	6171C024AA	Individual	1	543.5	469.0	317.0	12.4	8.1
		Pallet (Upper)	12	1095	946	954	150.7	97.2
		Pallet (Bottom)	16	1095	946	1271	200.4	129.6

What's in the box?

- MAXIFY GX2050
- 6 high-yield ink bottles (3 x Black and 1 x C/M/Y)
- · Power cord
- Manuals and other documents

