K MINI

Kärcher's smallest pressure washer removes dirt in no time at all and, thanks to it being lightweight and a practical size, it can be transported and stored easily.










Order No.

1.600-058.0

- Compact and lightweight pressure washer for flexible cleaning
 Convenient storage options for cable and accessories for maximum tidiness
- Extra-thin and flexible PremiumFlex high-pressure hose combats annoying knots and ensures maximum freedom of movement when cleaning

| EAN code | | 4066529062055 |
|----------------------------|------------------------------|-------------------------|
| Supply voltage | Phases / Volt / Hertz | 1 / 220 - 240 / 50 - 60 |
| Pressure | Pounds per square inch | Maximum 1600 |
| Flow rate | Litres per minute | Maximum 6.3 |
| Area performance | Square metres per hour | 20 |
| Inlet temperature | Celsius | Maximum 40 |
| Connected load | Kilowatt | 1.4 |
| Power cable | Metre | 5 |
| Colour | | yellow |
| Weight without accessories | Kilogram | 3.93 |
| Weight incl. packaging | Kilogram | 5.838 |
| Dimensions (L × W × H) | Millimetre | 278 × 233 × 296 |

| Equipment | | |
|---|-------|-----------------|
| Spray lance extension | | |
| High-pressure gun | | G 110 Q Short |
| Vario Power Jet | | |
| High-pressure hose | Metre | 5 / PremiumFlex |
| Device-side Quick Connect | | |
| Integrated water filter | | |
| Adapter for A3/4" garden hose connector | | • |
| Cable storage | | • |
| Included in delivery. | | |





Compact and lightweight device

- Can easily be stored in inside as well as outside
- Easy to transport for flexible cleaning.



Detachable accessory holder

■ Convenient and space-saving accessory storage.



Extra-thin PremiumFlex high-pressure hose

- Wind and unwind the high-pressure hose easily without any knots forming.
- Maximum flexibility when cleaning.





























| | | | | _ |
|---------------------------------------|----|-------------|---|---|
| | | Order No. | Description | |
| HARD SURFACE CLEANERS | | 0.00.110. | | |
| PS 30 Power Scrubber Surface Cleaner | 1 | 2.644-123.0 | The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water. | |
| PS 30 Plus | 2 | 2.644-212.0 | The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned. | |
| BRUSHES | | | | |
| WB 7 Plus 3-in-1 wash brush | 3 | 2.644-374.0 | Particularly versatile thanks to its clever combination: The WB 7 Plus 3-in-1 wash brush combines a foam jet, high-pressure flat spray nozzle and a soft brush in a single product. | |
| WB 150 power brush | 4 | 2.643-237.0 | WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time. | |
| WB 120 | 5 | 2.644-060.0 | | |
| WB 130 rotating wash brush | 6 | 2.644-286.0 | | |
| WB 120 | 7 | 2.644-061.0 | Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment. | |
| Rotating wash brush | 8 | 2.644-288.0 | Effective cleaning of smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment. | |
| WB 120 Car & Bike | 9 | 2.644-129.0 | | |
| WB 130 rotating wash brush car & bike | 10 | 2.644-287.0 | | |
| WB 60 Soft Surface Wash Brush | 11 | 2.643-233.0 | Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage. | |
| Wheel Washing Brush | 12 | 2.643-234.0 | Wheel wash brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result. | |
| Washing brush rigid | 13 | 6.903-276.0 | Slim brush for cleaning stubborn dirt | |
| Wash brush | 14 | 2.642-783.0 | Universal brush with ergonomic handle and soft bristles for thorough and gentle cleaning of all surfaces. | |

[■] Included in delivery.

Available accessories.

O Cleaning agents.































| | _ | | | _ |
|-------------------------------------|----|-------------|--|---|
| | | | | |
| | | Order No. | Description | |
| SPRAY LANCES | | | | T |
| Splash guard | 15 | 2.642-706.0 | Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges. | |
| Single Lance Extension | 16 | 2.643-240.0 | Extends spray lance by 0.5 m. For effective cleaning of difficult to reach areas. Suitable for all Kårcher accessories. | |
| Eco!Booster 120 | 17 | 2.644-551.0 | | |
| Vario Power Jet Short 360° VP 160 S | 18 | 2.643-254.0 | The Kärcher short Vario Power nozzle comes with infinate pressure regulation and is adjustable 360°, making it ideal for cleaning difficult to reach areas and cleaning of confined spaces. For use with Kärcher K5 – K6 pressure washers. | |
| VP 120 Full Control | 19 | 2.642-724.0 | Vario Power spray lance for pressure washers in classes K 2–K 3. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance. | |
| DB 120 Full Control Dirt blaster | 20 | 2.642-727.0 | Dirt blaster with powerful Entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces. | |
| TRIGGER GUNS | | | | |
| G 160 Q | 21 | 2.642-889.0 | | |
| PIPE CLEANING | • | ' | | |
| PC 7.5 | 22 | 2.644-491.0 | | |
| PC 15 | 23 | 2.644-492.0 | | |
| Pipe cleaning set, 15 m | 24 | 2.637-767.0 | Pipe cleaning set with 15 m hose for clearing blockages in pipes, drains, downpipes and toilets. | |
| Pipe cleaning set, 7.5 m | 25 | 2.637-729.0 | Pipe cleaning set with 7.5 m hose for clearing blockages in pipes, drains, downpipes and toilets. | |
| FOAM JET | | | | |
| Snow Cannon | 26 | 9.739-252.3 | Professional Snow Cannon, with 3 × adaptors which can be used across the Professional and Home & Garden range of pressure washers. | |
| FJ 6 foam nozzle | 27 | 2.643-147.0 | FJ 6 foam nozzle for cleaning with powerful foam (e.g. Ultra Foam Cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades. | |
| Foam nozzle FJ 3 | 28 | 2.643-150.0 | FJ 3 foam nozzle for cleaning with powerful foam (e.g. Ultra Foam Cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades. | |

 $[\]blacksquare$ Included in delivery. \qed Available accessories.





























| | | Order No. | Description | |
|--|---------|----------------|--|------|
| FOAM JET | | | | |
| FJ 3 | 29 | 2.645-383.0 | | |
| FJ 10 C Connect 'n' Clean Foam Nozzle + Ultra Foam Cleaner | 30 | 2.643-143.0 | Ultra Foam Cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy Change between different detergents with just a simple click. | |
| MISCELLANEOUS | | , | | |
| Vario joint | 31 | 2.640-733.0 | Vario joint, rotates 180° for cleaning difficult to reach areas. Connection: For connection between gun and accessory or extension lance and accessory. | |
| Water filter | 32 | 4.730-059.0 | Water filter protects pressure washer pumps against dirt particles from dirty water. | |
| | 33 | 2.642-794.0 | Water filter protects the high-pressure pump against dirt particles from contaminated water. | |
| Replacement O-ring set | 34 | 2.640-729.0 | Replacement O-ring set for easy replacement of O-rings and safety plugs for pressure washer accessories. | |
| HIGH-PRESSURE HOSES | | | | |
| High Pressure Replacement Hose with Anti-Tw | ist sys | stem and Quick | Connect system | |
| H 10 Q PremiumFlex Anti-Twist | 35 | 2.643-585.0 | | |
| High-pressure hose extension - System from 2 | 009 | | | |
| High-pressure replacement hose, 9 m, K3 - K7 | 36 | 2.641-721.0 | 9 m high-pressure replacement hose for K3 - K7 series domestic pressure washers from 2009, where the hose is connected to the gun and pressure washer per Quick Connect connector, 160 bar 60° C. | r, 🗆 |
| High-pressure extension hose: System for devi | ices w | ith Quick Conn | ect system | |
| High-pressure extension hose, 6 m, K3 - K7 (for gun model "Best"). | 37 | 2.641-709.0 | High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K2 – K7 series from 2008 with Quick Connect connector. | |
| HOSE STORAGE AND HOSE TROLLEY | | | | |
| Hose trolley HT 2 | 38 | 2.645-361.0 | | |
| Hose trolley HT 2.20 Set | 39 | 2.645-362.0 | | |
| Hose trolley HT 3 | 40 | 2.645-363.0 | | |
| Hose trolley HT 3.20 Set | 41 | 2.645-364.0 | | |
| | 42 | 2.645-365.0 | | |

 $[\]hfill \square$ Available accessories. $\hfill \bigcirc$ Cleaning agents.























| | | Order No. |
|------------------------------------|------|-------------|
| HOSE STORAGE AND HOSE TROLLEY | | oraci no. |
| | 1 40 | 0.545.055.0 |
| Hose trolley HT 4.20 Set | 43 | 2.645-366.0 |
| Hose trolley HT 5 M | 44 | 2.645-367.0 |
| Hose trolley HT 5.20 M Set | 45 | 2.645-368.0 |
| Hose trolley HT 6 M | 46 | 2.645-369.0 |
| Hose reel HR 2.10 Set | 47 | 2.645-370.0 |
| Hose reel HR 3 | 48 | 2.645-371.0 |
| Wall-mounted hose reel HR 3.20 Set | 49 | 2.645-372.0 |
| Hose reel HR 4 | 50 | 2.645-373.0 |
| Hose reel HR 4.20 Set | 51 | 2.645-374.0 |
| Hose Box HBX 4.15 Automatic | 52 | 2.645-377.0 |
| Hose Box HBX 4.20 Automatic | 53 | 2.645-378.0 |
| Hose Box HBX 5.25 Automatic | 54 | 2.645-379.0 |
| Hose Box HBX 5.30 Automatic | 55 | 2.645-380.0 |
| Hose Box HBX 5.35 Automatic | 56 | 2.645-381.0 |
| | | |

 $[\]blacksquare$ Included in delivery. \qed Available accessories. \qed Cleaning agents.













| | _ | |
|----------------------------------|----------|-------------|
| | | |
| | | Order No. |
| HOSES | <u>'</u> | |
| PrimoFlex 1/2" 30m | 57 | 2.645-248.0 |
| К | 58 | 2.645-296.0 |
| PrimoFlex* 1/2" - 25 m | 59 | 2.645-297.0 |
| К | 60 | 2.645-298.0 |
| Hose PrimoFlex Plus 1/2" -20m | 61 | 2.645-318.0 |
| Hose PrimoFlex Plus 1/2" -50m | 62 | 2.645-319.0 |
| Hose PrimoFlex 5/8" -25m | 63 | 2.645-320.0 |
| Hose PrimFlex Plus 5/8" -50m | 64 | 2.645-321.0 |
| Hose PrimoFlex Plus 3/4" -25m | 65 | 2.645-322.0 |
| Hose PrimoFlex Plus 3/4" -50m | 66 | 2.645-323.0 |
| Hose PrimoFlex Premium 1/2" -20m | 67 | 2.645-324.0 |
| Hose PrimoFlex Premium 1/2"-50m | 68 | 2.645-325.0 |
| Hose PrimoFlex Premium 5/8"-25m | 69 | 2.645-326.0 |
| Hose PrimoFlex Premium 5/8" -50m | 70 | 2.645-327.0 |

 $[\]hfill \square$ Available accessories.



















| | | Order No. | Description | |
|---|----|-------------|---|---|
| HOSES | | | | |
| Connection Set for high-pressure cleaners | 71 | 2.645-156.0 | Hose set for high pressure cleaning or for watering the garden. With 10 m PrimoFlex $^{\circ}$ -hose (3/4"), G3/4-tap adapter, 1 × Universal hose connector as well as Universal hose connector with Aqua Stop. | |
| PrimoFlex* hose 1/2" 20 m | 72 | 2.645-138.0 | Durable, non-kinking PrimoFlex® quality garden hose (1/2"), 20 m. Pressure-resistant, reinforced braided. Unharmful to health. Bursting pressure: 24 bar. Wide operating temperature range from -20 to 65 °C. | |
| PrimoFlex* hose 1/2" - 50 m | 73 | 2.645-139.0 | PrimoFlex® quality garden hose (1/2") 50 m. Pressure-resistant, reinforced braided. Unharmful to health. Bursting pressure: 24 bar. Temperature range from -20 to 65 °C. | |
| Primo Flex® hose 5/8" - 25 m | 74 | 2.645-140.0 | PrimoFlex* quality garden hose (5/8") 25 m. Pressure-resistant, reinforced braided. Unharmful to health. Bursting pressure: 24 bar. Wide operating temperature range from -20 to 65 °C. | |
| PrimoFlex* hose 5/8" - 50 m | 75 | 2.645-141.0 | PrimoFlex* quality garden hose (5/8") 50 m. Pressure-resistant, reinforced braided. Unharmful to health. Bursting pressure: 24 bar. Wide operating temperature range from -20 to 65 °C. | |
| PrimoFlex* hose 3/4" - 25 m | 76 | 2.645-142.0 | PrimoFlex* quality garden hose (3/4") 25 m. Pressure-resistant, reinforced braided. Unharmful to health. Bursting pressure: 24 bar. Wide operating temperature range from -20 to 65 °C. | |
| PrimoFlex* hose 3/4" - 50 m | 77 | 2.645-143.0 | PrimoFlex* quality garden hose (3/4") 50 m. Pressure-resistant, reinforced braided. Unharmful to health. Bursting pressure: 24 bar. Wide operating temperature range from -20 to 65 °C. | |
| CONNECTORS/TAP ADAPTORS | | | | |
| Universal hose coupling Plus | 78 | 2.645-193.0 | Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems. | |
| Universal hose coupling Plus with Aqua Stop | 79 | 2.645-194.0 | Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems. | |
| UNIVERSAL CLEANERS | | | | |
| Universal Cleaner 1L | 80 | 6.295-753.0 | Powerful universal cleaner for use with Kärcherpressure washers. With new active dirt dissolver, which effortlessly removes oil, grease and stubborndirt with just cold water. For use all around thehouse, garden and on vehicles. | 0 |
| Universal Cleaner RM 555 | 81 | 6.295-357.0 | Powerful, all-purpose cleaner which effortlessly removes oil, grease and dirt. For garden furniture, vehicles, façades and all water-resistant surfaces. | 0 |
| VEHICLE MAINTENANCE | | | | |
| 5L UltraFoam Detergent | 82 | 6.296-055.0 | 5L UltraFoam Detergent is a dirt dissolver, perfect for use while pressure washing the car or other areas outside the home. | 0 |
| Ultra Foam Cleaner RM 527 | 83 | 6.296-173.0 | With extra foam booster for perfect cleaning results. The new Active Dirt Remover removes oil, greasy dirt and vehicle/street dirt with ease. Phosphate-free and gentle on materials. | 0 |
| Insect remover cleaning agents 618, 3in1 | 84 | 6.295-761.0 | | 0 |

 $[\]square$ Available accessories. O Cleaning agents.

1

KÄRCHER

EQUIPMENT FOR K MINI 1.600-058.0

























90



| | | | | \top |
|---|----|-------------|---|--------|
| | | | | |
| | | Order No. | Description | |
| VEHICLE MAINTENANCE | | | | Ļ |
| RM 652** cockpit care semi-matt 0,5L | 85 | 6.296-107.0 | | (|
| RM 667** 0,5l rim cleaners | 86 | 6.296-048.0 | | (|
| Car Shampoo 3-in-1 | 87 | 6.295-750.0 | Powerful car shampoo with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a quick-drying and ultra-shine formula. For outstanding cleaning efficiency, care and protection in one step. To gently clean all vehicle types. | (|
| Car Shampoo 3-in1 5L | 88 | 6.295-360.0 | Slightly alkaline, foaming cleaning agent for thorough vehicle cleaning. Environmentally-friendly and particularly gentle on all paint and plastic surfaces. | (|
| Ultra foam cleaner 3-in-1 | 89 | 6.295-743.0 | With extra foam booster for an even deeper clean. Thanks to the new active dirt remover, it effortlessly and quickly removes even oil and greasy dirt, as well as typical vehicle dirt and road dirt. Phosphate-free and gentle on materials. | (|
| Motorcycle cleaner | 90 | 6.295-763.0 | For manually cleaning motorcycles. Gently and effectively removes typical dirt such as brake dust, tyre particles, insects, mud and oil. A dream to use thanks to the sticky gel formula. | (|
| ALL AROUND THE HOUSE | | | | |
| Glas Finisher | | | | |
| Glass finisher 3-in-1 | 91 | 6.295-474.0 | Saves time and effort: the 3-in-1 glass finisher ensures lasting cleanliness without spots or streaks and is particularly suitable for large, hard-to-reach windows (such as winter gardens and glass facades). With protective formula to keep surfaces cleaner for longer. Not effective on coated glass surfaces. | |
| Stone cleaning & care | | | | |
| Stone and Façade Care | 92 | 6.295-594.0 | Highly efficient impregnating spray using nanotechnology formula (lotus blossom effect). Protects against soiling and environmental effects for months while simplifying cleaning considerably. 1 litre bottle. | |
| Patio & deck cleaner concentrate RM 564 | 93 | 6.295-842.0 | Patio & deck cleaner concentrate for a material friendly cleaning of balcony and patio (wood/stone). Removes oil, grease, pollution and soot. Makes 5L of diluted detergent. |). (|
| Stone and façade cleaner 3-in-1 | 94 | 6.295-765.0 | Powerful Stone and Paving Cleaner with unique 3-in-1 formula for outstanding cleaning performance. With active dirt remover, protection formula against resoiling, and wind and weather protection. For outstanding cleaning efficiency, care and protection in one step. Can be used on stone terraces, walls and façades all around the house and garden. | - |
| Stone and Façade Cleaners | 95 | 6.295-359.0 | This powerful cleaner effortlessly removes oil, grease, soot, dust, algae and dirt caused by emissions. For use on stone and aluminium façades, stone walls, terraces and other stone surfaces. | (|
| Wood cleaning & care | | | | |
| 3-in-1 Wood Cleaner Detergent | 96 | 6.295-757.0 | Powerful wood cleaner with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a UV protection formula and intensive care. For outstanding cleaning efficiency, care and protection in one step. Can be used on all treated and untreated wooden outdoor surfaces. | (|
| Wood Cleaner | 97 | 6.295-361.0 | For the thorough cleaning of all treated and untreated water-resistant wooden surfaces such as garden furniture, wooden floors and terraces. Particularly gentle on materials. | (|
| Plastic cleaning & care | | | | |
| Plastic cleaner 3-in-1 | 98 | 6.295-758.0 | Powerful plastic cleaner with unique 3-in-1 formula which offers exceptional cleaning performance thanks to the active dirt remover, as well as a colour and material protection formula. For outstanding cleaning efficiency, care and protection in one step. Can be used on garden furniture, PVC window frames and other plastic surfaces. | 2 (|



EQUIPMENT FOR K MINI 1.600-058.0



| | | | | \top |
|---------------------------|----|-------------|--|--------|
| | | | | |
| | | Order No. | Description | |
| ALL AROUND THE HOUSE | | | | |
| Plastic cleaning & care | | | | |
| Plastics cleaner, 5 litre | 99 | 6.295-358.0 | For the thorough cleaning of all treated and untreated water-resistant wooden surfaces such as garden furniture, wooden floors and terraces. Particularly gentle on materials.aFor the thorough cleaning of garden furniture, window frames, children's slides and other plastic surfaces. Particularly gentle on materials. | 0 |

O Cleaning agents.