

WTD160 WCS 8/5 kg

WT1 washer-dryer:

8/5 kg | 1500 rpm | PerfectCare | Miele@home | CapDosing



- Tested for 20 years of perfect laundry care
- 2 in 1: wash 8 kg and dry 5 kg in a single appliance
- Gentle laundry care with the four PerfectCare functions
- Complete app control of your washer-dryer with Miele@home*
- Exclusive CapDosing range for different fabrics and stains**

* Miele@home is a separate digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.

** Patent EP 2 365 120

EAN: 4002516389699 / Material number: 11607390 / Old Material Number: 11TD1601AE

Construction type

Suitable for stacking	•
Door hinging	right
Side-by-side	•
Slot-in	•
Can be built-under	•

Model

Front-loader	•
--------------	---

Washing machine with TD fct.

Continuous washing and drying cycle	•
Electronic residual moisture sensing	•
Condenser dryers with water cooling	•
Thermospin	•

Spinning

Max. spin speed	1500
Rinse hold	•
Without spin function	•

Design

Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Graphite grey PearlFinish
Rotary selector colour	Lotus White
Control panel version	Straight
Control type	Rotary control
Display	DirectSensor white, 7 segment

Gentle laundry care

Honeycomb drum	•
Load in kg for washing	8,0
Load in kg when drying	5,0
PerfectCare technology	•

User convenience

Networking with Miele@home	•
Delay start up to 24 hours	•
Time left display	•
Programme sequence indicator	No
Automatic rinse out fluff	•
AutoClean detergent drawer	•
AddLoad	•

Efficiency and sustainability

Energy efficiency class (A–G)	A
Energy efficiency class for washing and drying (A–G)	D
Weighted energy consumption per 100 operating cycles for the complete operating cycle in kWh	266
Weighted energy consumption per 100 operating cycles for the wash cycle in kWh	47
Weighted water consumption per operating cycle for the wash cycle in l	47

WTD160 WCS 8/5 kg

WT1 washer-dryer:

8/5 kg | 1500 rpm | PerfectCare | Miele@home | CapDosing



EAN: 4002516389699 / Material number: 11607390 / Old Material Number: 11TD1601AE

Weighted water consumption per operating cycle for the complete operating cycle in l	68
Spin efficiency class (A–G)	B
Programme running time at nominal capacity for the wash cycle	219
Programme running time at nominal capacity for the complete operating cycle	389
Low temperature wash "Cold" and "20 °C"	•
Automatic load control	•
Flow meter	•
Foam sensing	•
ProfiEco motor	•
Wash programmes	
Cottons (coloureds)	•
Minimum iron	•
Shirts	•
Woollens (hand-washable)	•
Express	•
Dark garments / Denim	•
Cottons arrow	•
ECO 40-60	•
Drying programmes	
Cottons (coloureds)	•
Cottons arrow	•
Minimum iron	•
Delicates	•
Shirts	•
Woollens	•
Express	•
Dark garments / Denim	•
Warm air	•
Washing extras	
Short	•
Drying extras	
Anti-crease	•
Low temperature	•
Safety	
Water protection system	Watercontrol-System
Safety lock	•
PIN-Code	•
Technical data	
Dimensions in mm (width)	596
Dimensions in mm (height)	850
Dimensions in mm (depth)	637
Appliance depth in mm with opened door	1055
Weight in kg	94
Voltage in V	220-240
Fuse rating in A	13
Frequency in Hz	50

WTD160 WCS 8/5 kg
WT1 washer-dryer:
8/5 kg | 1500 rpm | PerfectCare | Miele@home | CapDosing




EAN: 4002516389699 / Material number: 11607390 / Old Material Number: 11TD1601AE

Total rated load in kW	2,10-2,40
Length of supply lead in m	2


WTD160 WCS 8/5 kg

WT1 washer-dryer:


8/5 kg | 1500 rpm | PerfectCare | Miele@home | CapDosing




WT1 8/5 kg, installation drawing, slanted fascia or straight fascia, measures in mm



WT1 8/5 kg, drawing, straight fascia, measures in mm



WT1 8/5 kg, drawing, straight fascia, measures in mm



WT1 8/5 kg, drawing, straight fascia, measures in mm