

S09(MOES) Wi-Fi Smart IR Remote Control With Temperature And Humidity Sensor Instruction Manual

Home » MOES » S09(MOES) Wi-Fi Smart IR Remote Control With Temperature And Humidity Sensor Instruction
Manual ™

Contents

- 1 S09(MOES) Wi-Fi Smart IR Remote Control With Temperature And Humidity Sensor
- **2 Product Information**
- **3 Product Usage Instructions**
- 4 Preparation for use
- **5 Product Presentation**
- **6 Product Specification**
- 7 Documents / Resources
 - 7.1 References



S09(MOES) Wi-Fi Smart IR Remote Control With Temperature And Humidity Sensor



Product Information

The Smart IR Remote Control with Temperature & Humidity The sensor is a compact device measuring 90*63 MM. It is designed to control various IR home appliances such as TVs, air-conditioners, TV boxes, lights, fans, audio, etc. The device also features a temperature and humidity sensor, allowing you to monitor the environmental conditions. It is compatible with the Smart Life App and supports a 2.4GHz Wi-Fi network.

Product Specification

Size: 65*65*17mmMicro Input: DC 5V/1A

LED Indicator: Blue

Infrared Frequency: 38KHzInfrared Range: 10 Meters

• Wi-Fi Protocol: 2.4GHz

· Wi-Fi Standard: Wi-Fi Standard

• Temperature Measure Range: Temperature Measure Range

• Temperature Accuracy: Temperature Accuracy

• Humidity Measure Range: Humidity Measure Range

· Humidity Accuracy: Humidity Accuracy

Product Usage Instructions

- 1. Download the Smart Life App from the App store or scan the QR code provided in the manual.
- 2. If you are a new user, register by entering your phone number to receive a verification code and set a password. If you already have a Smart Life account, simply log in.
- 3. Ensure that the device is connected to electricity and your phone is connected to a 2.4GHz Wi-Fi network that can access the internet.
- 4. Open the Smart Life App and click on the "+" icon to add a new device.
- 5. Follow the on-screen instructions to connect the device to the app by entering the Wi-Fi password. Wait for the

connection to be completed.

- 6. Once the device is successfully added, you can edit its name and access its control page by clicking "Next".
- 7. You can now remotely control your IR home appliances through the mobile app. Additionally, you can view temperature, humidity, time, date, and week directly on the device's screen.

Please read the user manual carefully before usage and keep it for future reference. If you have any further questions or need assistance, please contact our customer support at service@moeshouse.com or call +86-577-57186815.



Preparation for use

1. APP Download Smart Life APP



Please scan the QR code or download Smart Life on the App Store.

2. Register or Login

Download "Smart Life" Application

Enter the Register/Login interface; tap "Register" to create an account by entering your phone number to get a verification code and "Set password". Choose "Log in" if you already have a Smart Life account.

3. Configure the APP to the switch


Preparation: Ensure the switch has been connected to electricity; ensure your phone has been connected to Wi-Fi and is able to connect to the Internet.

The switch only supports a 2.4G network. If you have connected to the 5G network, please disconnect 5G network firstly and connect to the 2.4G network.

Thanks for choosing our product!

Say goodbye to using remote controls for each of the IR home appliances such as TV, Air-conditioner, TV box, light, Fan, Audio, etc. You can remotely control these devices on the mobile App, Also you can view temperature, humidity, time, date and week on screen directly. Please kindly read the user manual carefully before usage and

Product Presentation



Product Specification

Size:	65*65*17mm
Micro Input:	DC 5V/1A
LED Indicator:	Blue
Infrared Frequency:	38KHz
Infrared Range:	≤ 10 Meters
Wi-Fi Protocol:	2.4GHz
Wi-Fi Standard:	IEEE 802.11 b/g/n
Temperature Measure Range:	0°C~ 60°C
Temperature Accuracy:	±1°C
Humidity Measure Range:	0% RH~99% RH
Humidity Accuracy:	±5% RH

Checklist before using the device

- a. Your smartphone is connected to a 2.4GHz Wi-Fi network.
- b. You have input the correct Wi-Fi password.
- c. Your smartphone must be Android 4.4 + or iOS 8.0 +.
- d. Your Wi-Fi router is MAC-open.
- e. If the number of devices connected to the Wi-Fi router reaches the limit, you can try to disable a device to vacate the channel or try with another Wi-Fi router.

Steps for connecting the APP

1. Open the Smart Life/Tuya App and Click"+", then the prompt page will automatically show on the screen. Click"Add".Enter your Wi-Fi Password and click "Next", waiting for the connection completed.

Documents / Resources



Moes S09(MOES) Wi-Fi Smart IR Remote Control With Temperature And Humidity Sensor [pdf] Instruction Manual

S09 MOES Wi-Fi Smart IR Remote Control With Temperature And Humidity Sensor, S09 MOES , Wi-Fi Smart IR Remote Control With Temperature And Humidity Sensor, Smart IR Remote Control With Temperature And Humidity Sensor, Remote Control With Temperature And Humidity Sensor, With Temperature And Humidity Sensor, Temperature And Humidity Sensor, Humidity Sensor, Humidity Sensor

References

• MMOES Smart: Create Your Smart Life With Smart Home Devices

Manuals+,