

Dual Fuel Range, 48", 8 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural Gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "



FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)

- Adjustable feet covers
- Branded coin end cap

Accessories (sold separately)		Energy usage	470kWh/year	Main oven functions	
Square handle option	AH-R48			Air fry	•
				Bake	•
				Classic bake	•
				Clean	•
				Convection bake	•
				Convection broil	•
				Maxi broil	•
				Number of oven functions	15
				Pizza bake	•
				Rapid proof	•
				Roast	•
				Slow cook	•
				True convection	•
				Warm	•
Burner ratings		Controls			
Maximum burner power	23500 BTU	Dial with illuminated halo	•		
Power back centre	18500BTU	Dual control oven dials	•		
Power back centre (2)	18500BTU	Electric circuit	4 wire		
Power back left	18500BTU	High resolution display	•		
Power back right	18500BTU	Metal illuminated dials	•		
Power front centre	18500BTU	Multi-language interface	•		
Power front centre (2)	18500BTU	Precise cooking with food probe	•		
Power front left	23500BTU	Recipe and food based functions	•		
Power front right	23500BTU	Sabbath mode	•		
Total cooktop power	158000 BTU	Smart appliance	•		
		Tilting touch screen interface	•		
		Wi-Fi connectivity	•		
Capacity		Gas Requirements		Oven features	
Shelf positions (main oven)	5	Fitting and pipe	½ NPT, min. ⅝" flex line	Auto re-ignition system	•
Shelf positions (second oven)	5	Supply Pressure (natural gas)	6" to 9" W.C	Concealed element	•
Total capacity (main oven)	4.8 cu ft			Electronic oven control	•
Total capacity second oven	2.1 cu ft			Full extension telescopic sliding shelves	•
Usable capacity (main oven)	3.8 cu ft			Internal light	true
		Main oven features		Self-clean proof side racks	•
		Concealed Element	•	Titanium coated, illuminated metal dials	•
		Electronic oven control	•		
		Full extension telescopic racks	•	Oven functions	
		Internal light	•	Air fry	•
		Self-clean proof side racks	•	Bake	•
				Classic bake	•
Consumption					

Clean	•
Convection bake	•
Convection Broil	•
Dehydrate	•
Dehydrate	•
Maxi Broil	•
Number of functions	15
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Slow cook	•
True convection	•
Warm	•

Oven performance

Bake power	4600
Broil	3600 W
Main oven - True convection power	2500 W

Power requirements

Amperage	50 A
Rated current	50 A
Supply frequency	60 Hz

Product details

Self Cleaning Sf	Yes
------------------	-----

Product dimensions

Depth	29 1/8 "
Depth (excluding handles)	2918 mm
Height	35 3/4 - 36 3/4 "
Width	47 7/8 "

Rangetop features

Sealed range top	•
Vent trim included	•

Recommended Back Guards Ventilation

Combustible situation	BGRV3-3048H
Non combustible situation	BGRV2-3048 / BGRV2-1248
Recommended hood	HCB48-12_N (48" Professional Range Hood, Dual Blower)

Safety

ADA compliant	•
---------------	---

Secondary oven features

3/4 Extension racks	2
Concealed element	•
Electronic oven control	•
Food probe	•
Internal light	•

Secondary oven functions

Air fry	•
Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven functions	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•

SKU	81896
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓	2D-DWG Dual Fuel Range
↓	2D-DXF Dual Fuel Range
↓	2D-DWG Dual Fuel Cooker with Backguard BGRV2-1248
↓	2D-DWG Dual Fuel Cooker with Backguard BGRV2-3048
↓	2D-DWG Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim

- [↓](#) 2D-DXF Dual Fuel Cooker with Backguard BGRV2-1248
- [↓](#) 2D-DXF Dual Fuel Cooker with Backguard-BGRV2-3048
- [↓](#) 2D-DXF Dual Fuel Cooker with Backguard-BGRV2-3048H and Angled Trim
- [↓](#) ArchiCAD Dual Fuel Range
- [↓](#) Data Sheet Dual Fuel Cooker with Backguard BGRV2-1248
- [↓](#) Data Sheet Dual Fuel Cooker with Backguard BGRV2-3048
- [↓](#) Data Sheet Dual Fuel Cooker with Backguard BGRV2-3048H and Angled Trim
- [↓](#) Data Sheet Dual Fuel Range
- [↓](#) Energy Label
- [↓](#) Service & Warranty
- [↓](#) Installation Guide EN
- [↓](#) Guide d'installation FR
- [↓](#) Planning Guide Professional Style Dial/Handle Accessories
- [↓](#) Revit Dual Fuel Cooker
- [↓](#) Rhino Dual Fuel Cooker
- [↓](#) Sketchup Dual Fuel Cooker
- [↓](#) Specification Guide
- [↓](#) User Guide EN
- [↓](#) Guide d'utilisation FR

**A PEACE OF MIND SALE****24 Hours 7 Days a Week Customer Support**T 1.888.936.7872 W www.fisherpaykel.com**Where applicable:**

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.