



Bring Interactivity to Your Learning & Collaboration

4K

75"

Inspire Series

INTERACTIVE DISPLAY

Model: TWB-C-75

AdvancedFeatures

- High Brightness for Spectacular Visual Performance in Any Ambient Lighting.
- Sharp Contrast Ratio for Excellent Colour Reproduction and Life-Like Images.
- Inbuilt Powerful Sound System for Immersive Audio Experience.
- Multiple Sizes Available: 65", 75", 86" and 98"

Application Areas

▶ Educational Institutes

▶ Meeting Rooms

▶ Board Rooms

▶ Training Rooms

▶ Ops Rooms

▶ Defense etc.

About Globus

20⁺ YEARS



20⁺ Years of bringing innovation to technology to create holistic and all-inclusive solutions for diverse requirements of our valued customer base.



Industry LEADER

Industry Leader in providing advanced, cost-effective and comprehensive technological solutions in the field of Education Technology, Collaborative Conferencing & Professional Displays, Security & Surveillance and Healthcare & Wellness.

Extensive Sales & Service Network

Extensive Sales & Service Network across the length and breadth of the country providing impeccable service and after-sales support.



Interactive Display

Technical Specifications

Model	TWB-C-75
Technology	DLED Backlight (IPS)
Display size	75 inches, Diagonal
Aspect Ratio	16:9
Resolution	3840 X 2160
Contrast Ratio	5000:1
Brightness	400 cd/m ²
Display colour	8 bit-16 million colours
Input Ports	HDMI x 3, RGB/VGA x 1, Audio x 1, PC slot x 1, RS232x1
Output Ports	Audio(Earphone out) x 1, SPDIF x1
USB Ports	USB 2.0 Type A x 3, USB 3.0 Type A x 4, USB 2.0 Type B for Touch x 2
Smart USB Port	Support sharing Mode with Android, Internal PC or other External PC / Device
Communication port	RJ45 x 1 Gigabit LAN Port
Built In Speakers	Stereo Sound with in-built 15 Watt x 2 speakers
Viewing Angle	Horizontal 178 degrees, Vertical 178 degrees
Touch Technology	IR Recognition
Touch Resolution	32767 x 32767
Touch Points	20 Points
Writing Points	10 Points with automatically detect pen diameter (8mm & 2mm) and write simintaneously with different colours and thicknesses.
Pen Recognition	Dual Pen recognition with 2mm tipped pens at real-time lag free response rate.
Touch Response Time	15 ms
OS Support/Embedded Player	Windows 10/ Windows 8/ Windows 7/Linux/Mac/Android Embedded Player CPU Inbuilt.
Stylus/Pen Holder	Frame/Structure of IFPD inbuilt magnetic mechanism to hold upto two numbers of Stylus/Pen
Networking	DHCP (Auto identification) and Static IP supported
Hardness, Anti Scratch, Anti Glare	9 H hardness, scratch resistant, anti glare, anti-crack resistant
Software Features	Marker, Paint Brush, Highlighter, Laser Pen, Artificial intelligent Pen, Shape Pen, Magic Line Pen, Different sizes available with Region eraser, Shapes,,Text, Generic consist of (shapes,3DShapes, Arrows & Tables), Integrated image serach from internet, Search Light, Screen Curtain, inbuilt browser, screenshot, magnifier, calculator, soft keyboard, Clock, Stop Watch, Geometry Tools, Screen recording, integrated webcam, Desktop Annotation, White board with different backgrounds and colors.
Save Option	Save directly to Google Drive and One Drive
Quiz	Inbuilt tool to allow participants to submit answers from their Smart Phones (Answering/Voting/Messaging)
QR Code Scan	File download feature in smart phone just by scanning the QR code
Video Conferencing Interface	Support USB based PTZ cameras allowing Software based Video Conferencing
Certifications	BIS,CE & RoHS, FCC
Accessories	AC Power cord, User Manual, Remote control, USB interface cable, Two Stylus, Wall mount bracket
Power supply	230V AC +/- 10%, 50 Hz
Power consumption	140 Watts
Android Version	8
CPU	Quad Core 1.2 GHz
Memory	3 GB
Storage	32 GB eMMC

*Due to continuous product development, the specifications may change without prior notice.

**Product image(s) are for illustrative purposes only and may differ from the actual product.



Corporate Office:

A-66, Sector-4, Noida, District Gautam Buddha Nagar, U.P., India - 201301

☎ 0120-4051700/800 ☎ 0120-4051827 ✉ info@globusinfocom.com

☎ For Sales: 0 85888 39434 🌐 www.globusinfocom.com