



MATERIAL FACT SHEET

247574 GT15-J71GF13-T2

General Data

Product Hierarchy	IAT93002
	HMI
	Large HMI
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IJ/EUR/en/p/000000000000682678

FA-HMI: Interface Card

Series	GOT2000 SERIES
Type	CC-LINK COMMUNICATION UNIT

Product Dimensions & Weight

Width (mm)	133
Height (mm)	111
Depth (mm)	44
Weight (kg)	0,26

Logistic Dimensions & Gross Weight

Length (cm)	18,0
Width (cm)	15,0
Height (cm)	13,5
Gross Weight (kg)	0,416
Volume (cdm)	3,645

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	07.03.2012
Predecessor	No Predecessor

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	119313-12-1
REACH Substance CAS Number (2)	13840-56-7
REACH Substance CAS Number (3)	71868-10-5
REACH Substance CAS Number (4)	7439-92-1
REACH Substance CAS Number (5)	80-05-7
REACH Substance CAS Number (6)	96-13-9
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	NON-COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=GT15-J71GF13-T2&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=GT15-J71GF13-T2&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=GT15-J71GF13-T2&doc-lang=en
Network configuration file URL	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blte8cf990c7c524b4e&q=GT15-J71GF13-T2&doc-lang=en

Product Packaging

Cardboard (g)	75
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	33
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
270504	GT2712-STBA GOT2000;12,1"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270555	GT2712-STBD GOT2000;12,1"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270556	GT2712-STWA GOT2000;12,1"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White Class 100100301: FA-HMI: Human Machine Interface
270557	GT2712-STWD GOT2000;12,1"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White Class 100100301: FA-HMI: Human Machine Interface
270558	GT2710-STBA GOT2000;10,4"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270559	GT2710-STBD GOT2000;10,4"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270560	GT2710-VTBA GOT2000;10,4"TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270561	GT2710-VTBD GOT2000;10,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270562	GT2710-VTWA GOT2000;10,4"TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White Class 100100301: FA-HMI: Human Machine Interface
270563	GT2710-VTWD GOT2000;10,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White Class 100100301: FA-HMI: Human Machine Interface
270564	GT2708-STBA GOT2000;8,4"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270565	GT2708-STBD GOT2000;8,4"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270566	GT2708-VTBA GOT2000;8,4"TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
270567	GT2708-VTBD GOT2000;8,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface

Material	Description / Price List Text / Classification
275975	GT2715-XTBA GOT2000;15" TFT;AC;XGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
275976	GT2715-XTBD GOT2000;15" TFT;DC;XGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
276815	GT2510-VTBA GOT2000;10,4" TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
276816	GT2510-VTBD GOT2000;10,4" TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
276817	GT2510-VTWA GOT2000;10,4" TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White Class 100100301: FA-HMI: Human Machine Interface
276818	GT2510-VTWD GOT2000;10,4" TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White Class 100100301: FA-HMI: Human Machine Interface
276819	GT2508-VTBA GOT2000;8,4" TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
276820	GT2508-VTBD GOT2000;8,4" TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
276821	GT2508-VTWA GOT2000;8,4" TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White Class 100100301: FA-HMI: Human Machine Interface
276822	GT2508-VTWD GOT2000;8,4" TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White Class 100100301: FA-HMI: Human Machine Interface
277065	GT2712-STBD(C) GOT2000;12,1" TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
277066	GT2710-VTBD(C) GOT2000;10,4" TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
277067	GT2710-STBD(C) GOT2000;10,4" TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
277068	GT2708-VTBD(C) GOT2000;8,4" TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
281858	GT2512-STBA GOT2000;12,1" TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
281859	GT2512-STBD GOT2000;12,1" TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
288037	GT2705-VTBD GOT2000;5,7" TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black Class 100100301: FA-HMI: Human Machine Interface
288040	GT2715-XTBD(C) GOT2000;15" TFT;DC;XGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
290005	GT2508-VTBA(C) GOT2000;8,4" TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
290006	GT2510-VTBA(C) GOT2000;10,4" TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
290007	GT2708-VTBA(C) GOT2000;8,4" TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
290008	GT2710-VTBA(C) GOT2000;10,4" TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291777	GT2715-XTBA(C) GOT2000;15" TFT;AC;XGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface

Material	Description / Price List Text / Classification
291778	GT2712-STBA-120 GOT2000;12,1"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;2x Coat Class 100100301: FA-HMI: Human Machine Interface
291779	GT2712-STBD-120 GOT2000;12,1"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;2x Coat Class 100100301: FA-HMI: Human Machine Interface
291780	GT2712-STBA(C) GOT2000;12,1"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291781	GT2712-STWA(C) GOT2000;12,1"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White;Coated Class 100100301: FA-HMI: Human Machine Interface
291782	GT2712-STWD(C) GOT2000;12,1"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White;Coated Class 100100301: FA-HMI: Human Machine Interface
291783	GT2710-STBA(C) GOT2000;10,4"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291784	GT2710-VTWA(C) GOT2000;10,4"TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White;Coated Class 100100301: FA-HMI: Human Machine Interface
291785	GT2710-VTWD(C) GOT2000;10,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White;Coated Class 100100301: FA-HMI: Human Machine Interface
291786	GT2708-STBA(C) GOT2000;8,4"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291787	GT2708-STBD(C) GOT2000;8,4"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291788	GT2705-VTBD(C) GOT2000;5,7"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291789	GT2512-STBA(C) GOT2000;12,1"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291790	GT2512-STBD(C) GOT2000;12,1"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291791	GT2510-VTBD(C) GOT2000;10,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291792	GT2510-VTWA(C) GOT2000;10,4"TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White;Coated Class 100100301: FA-HMI: Human Machine Interface
291793	GT2510-VTWD(C) GOT2000;10,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White;Coated Class 100100301: FA-HMI: Human Machine Interface
291794	GT2508-VTBD(C) GOT2000;8,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Black;Coated Class 100100301: FA-HMI: Human Machine Interface
291795	GT2508-VTWA(C) GOT2000;8,4"TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White;Coated Class 100100301: FA-HMI: Human Machine Interface
291796	GT2508-VTWD(C) GOT2000;8,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;White;Coated Class 100100301: FA-HMI: Human Machine Interface
296109	GT2512F-STNA GOT2000;12,1"TFT;AC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Open Frame Class 100100301: FA-HMI: Human Machine Interface
296110	GT2512F-STND GOT2000;12,1"TFT;DC;SVGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Open Frame Class 100100301: FA-HMI: Human Machine Interface
296111	GT2510F-VTNA GOT2000;10,4"TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Open Frame Class 100100301: FA-HMI: Human Machine Interface
296112	GT2510F-VTND GOT2000;10,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Open Frame Class 100100301: FA-HMI: Human Machine Interface

Material	Description / Price List Text / Classification
296113	GT2508F-VTNA GOT2000;8,4"TFT;AC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Open Frame Class 100100301: FA-HMI: Human Machine Interface
296114	GT2508F-VTND GOT2000;8,4"TFT;DC;VGA;65k colors;RS-422/485;RS-232;USB;Eth;SD;Open Frame Class 100100301: FA-HMI: Human Machine Interface
608170	GT2512-STBD-040 GOT2000;12,1"TFT;DC;SVGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
608897	GT2715-XTBA-040 GOT2000;15"TFT;AC;XGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
608898	GT2708-STBA-040 GOT2000;8,4"TFT;AC;SVGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
608899	GT2705-VTBD-040 GOT2000;5,7"TFT;DC;VGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
610583	GT2508-VTBD-040 GOT2000;8,4"TFT;DC;VGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
675068	GT2710-STBD-040 GOT2000;10,4"TFT;DC;SVGA;65k;USB;Eth;SD;Black;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
677815	GT2510-VTBA-040 GOT2000;10,4"TFT;AC;VGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
677816	GT2512-STBA-040 GOT2000;12,1"TFT;AC;SVGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
677817	GT2710-STBA-040 GOT2000;10,4"TFT;AC;SVGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
677818	GT2712-STBA-040 GOT2000;12,1"TFT;AC;SVGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface
682678	GT2715-XTBD-040 GOT2000;15"TFT;DC;XGA;65k colors;USB;Eth;SD;Without extension interface Class 100100301: FA-HMI: Human Machine Interface