

Weitt Pedelec E-bike



MODEL: DC-7

FRAME	700C, ALUMINUM
MOTOR	DAPU MD250S MID-MOTOR, 36V 250W
DISPLAY	LED 5-STEP
BATTERY	SDI CELLS, 36V 10.4AH LITHIUM
NW	<25KG



MODEL: AR-7

FRAME	26", ALUMINUM
MOTOR	AIKEMA REAR-MOTOR, 36V 250W, LISHUI CONTROLLER
DISPLAY	LED 5-STEP
BATTERY	SDI CELLS, 36V 8.4AH LITHIUM
NW	<25KG

T
E
N
Y
R
I
M
▼
m
a
d
e
i
n
T
a
i
w
a
n




MODEL: CR-7

FRAME	26", HI-TEN
GEARS	SHIMANO 7SP
WHEEL SIZE	F: 20" R: 26"
DIMENSIONS	BIKE: 2200mm X 870mm X 1200mm, BOX: 1000mm X 600mm
MOTOR	TAIWAN 3MEN REAR-MOTOR, 36V 250W, TAIWAN 3MEN CONTROLLER
BATTERY	SDI CELLS, 36V 8.4AH LITHIUM
LOADING WEIGHT	150KGS
NW	60KGS

Teny Rim Enterprise Co., Ltd.
www.tenyrim.com.tw

No. 30, Lane 32, Chung Cheng 1 St., YongKang District, Tainan City, Taiwan
TEL: +886-6-2539738 FAX: +886-6-2539688 t8634081@ms38.hinet.net



JAB
JEE ANN BICYCLE., LTD.

A professional bicycle manufacturer
in Taiwan.

OEM

If you have any idea to make new bike, no matter
the bike, electric bike or special bike, let us help you
make dream come true.

✉ vincent@jeeann.com.tw

🏠 <http://www.jeeann.com.tw>

☎ 886-49-2253116

🖨 886-49-2253091



SHIMANO E8000 DRIVE UNIT

Integrated Downtube Battery, 36V, 250W, 14Ah



SHIMANO E6100 DRIVE UNIT

Integrated Downtube Battery, 36V, 250W, 14Ah



Youn Live Industry Co., Ltd OEM / ODM BICYCLE ASSEMBLY MANUFACTURER

宇輪工業股份有限公司 35852苗栗縣苑裡鎮苑港里2鄰苑港10-63號

ADD: No.10-63, Yuangang, Yuanli Township, Miaoli County 358, Taiwan

TEL: 886-37-860061/ FAX:886-37-860161 • E-mail: sales@taroka.com.tw • www.taroka.com.tw



LADY E-BIKE

Frame: Alloy 700C
Fork: Rigid fork
Motor : Rear hub motor 36V 250W
Battery: Panasonic cell 36V 8.7AH
Display: LED 3 levels, with 6km/h walking mode
Rear Derailleur: Shimano 8 speed
Brakes: Disc brake



JCE STEPS ONE SPORT

Frame: Alloy 700C
Fork: Suspension fork SUNTOUR
Motor : Shimano 36V
Battery: Shimano 36V FOR STEPS
Display: Shimano KSCE6000A
Rear Derailleur: Shimano 9 speed
Brakes: Shimano Disc brake



Apollo

ROAD BIKE SRAM FORCE Disc Brake 11-SP

Frame: ALLOY 700C
Fork: CARBON 700C
Chainwheel: FSA SL-K UD Carbon 46T
Front Derailleur: SRAM FD FORCE
Rear Derailleur: SRAM RD FORCE 11-SP
Handlebars: FSA SL-K UD Carbon
Stem: FSA SL-K AL2014
Seat Posts: FSA SL-K UD Carbon
Wheel size: ALEXRIMS BOONDOCKS 5 700C
Tire: KENDA K-1152 700*35C



Green

ROAD BIKE SRAM FORCE 22-SP

Frame: ALLOY 700C
Fork: ALLOY 700C
Chainwheel: SRAM Force 50-34T
Front Derailleur: SRAM FD FORCE
Rear Derailleur: SRAM RD FORCE 11-SP
Handlebars: FSA ALLOY AL6066
Stem: FSA ALLOY AL6066
Seat Posts: FSA ALLOY AL6066w
Wheel size: ALEXRIMS ALX473 700C
Tire: CST M203 700 X25C



Fantasy

ROAD BIKE SHIMANO ULTEGRA Disc Brake 22-SP

Frame: CARBON 700C
Fork: CARBON 700C
Chainwheel: SHIMANO ULTEGRA FC-R8000 50-34T
Front Derailleur: SHIMANO FD ULTEGRA
Rear Derailleur: SHIMANO RD ULTEGRA 11-SP
Handlebars: FSA SL-K UD Carbon
Stem: FSA SL-K UD Carbon
Seat Posts: FSA SL-K UD Carbon
Wheel size: SHIMANO WH-RS770-C30-TL-P12 700C
Tire: CST M217RU 700 X25C



Password

ROAD BIKE SHIMANO 105 Disc Brake 22-SP

Frame: ALLOY 700C
Fork: ALLOY 700C
Chainwheel: SHIMANO 105 FC-R7000 50-34T
Front Derailleur: SHIMANO FD 105
Rear Derailleur: SHIMANO RD 105 11-SP
Handlebars: FSA ALLOY AL7075
Stem: FSA ALLOY AL2014
Seat Posts: FSA ALLOY AL6066w
Wheel size: FSA Vision WH-VT-605CH/DB-CL 700C
Tire: CST M210 700 X25C



Prime

MOUNTAIN BIKE SHIMANO XT 22-SP

Frame: CARBON 29
Fork: SR XC RACE AXON34 29
Chainwheel: SHIMANO DEORE XT 36-26T
Front Derailleur: SHIMANO FD XT
Rear Derailleur: SHIMANO RD XT 11-SPEED
Handlebars: FSA SL-K UD Carbon
Stem: FSA SL-K UD Carbon
Seat Posts: FSA SL-K UD Carbon
Wheel size: SHIMANO DEORE XT WH-M8000-B-29
Tire: CST M339RU, 29X2.0



Neon

MOUNTAIN BIKE SHIMANO SLX 22-SP

Frame: ALLOY 27.5
Fork: SR XCR34-AIR 27.5
Chainwheel: SHIMANO SLX 36X26T
Rear Derailleur: SHIMANO FD SLX
Freewheels: SHIMANO RD SLX 11-SPEED
Handlebars: FSA ALLOY AL6061
Stem: FSA ALLOY AL6061
Seat Posts: FSA ALLOY AL6061
Wheel size: ALEXRIMS VXD4 27.5
Tire: KENDA K-1174 27.5X2.20

ACETRIKES BICYCLES (TAICANG) CO., LTD.

見誠自行車(太倉)有限公司-CHINA
TEL: 86-512-53452188 FAX: 86-512-53456215
E-mail: kenwu@acebike.com.cn jenny@acebike.com.cn

ACETRIKES INDUSTRIAL CO., LTD.

見誠工業股份有限公司-TAIWAN
TEL: 886-4-8858121 FAX: 886-4-8851345
E-mail: albertyang@acebike.com.tw joanwu@acebike.com.tw

ACETRIKES BICYCLES (TAICANG) CO., LTD.

見誠自行車(太倉)有限公司-CHINA
TEL: 86-512-53452188 FAX: 86-512-53456215
E-mail: kenwu@acebike.com.cn jenny@acebike.com.cn

ACETRIKES INDUSTRIAL CO., LTD.

見誠工業股份有限公司-TAIWAN
TEL: 886-4-8858121 FAX: 886-4-8851345
E-mail: albertyang@acebike.com.tw joanwu@acebike.com.tw

FOCUSED



EXODUS

FOCUSED ON SERVICE

FOCUSED ON CARBON, ALLOY & E-BIKES

A & J ENTERPRISES CO., LTD.

TAIWAN - CAMBODIA - VIETNAM (OPENING 2018)

Address : 35F., No.386, Shizheng Rd.,Xitun Dist., Taichung 40757, Taiwan

TEL : 04-22584300 FAX : 04-22596661 E-mail : sunny@anjbike.com.tw



www.anjworldwide.com
www.exodusbike.cn

MHA ^{E-BIKE} 8.2

27.5" Suspension E-BIKE
AL-6061 hydroforming Frame
Shimano STEPS E8020 System
Boost wheel with 2.8" tire
504Wh Lithium Battery
22.5kg (44cm)



MHA ^{FRAME} 8.2

Shimano STEPS serie
Seat post 34.9
Taper head tube
Integrated down tube
Dropout with speed sensor hole
12mm thru axle with switch lever



YOAN TECHNOLOGIES CO., LTD
Professional OEM/ODM frame manufacturer

speed one

A No.221, Da'angang Rd., Dajia Dist., Taichung City, Taiwan

T +886-4-26802607

F +886-4-26802608

E info@speedonebike.com

W www.speedonebike.com



GOMIER
LOVE
OUR EARTH.



SHIMANO
STEPS

TR-716E

TR-6000E

BAFANG MMG360

MEET US AT 2018 TAIPEI SHOW BOOTH K 1125.



TP 3000 SERIES



HP 1500 SERIES



TR 2000/2400 SERIES



TR-800

REHATRI



尚殷股份有限公司

GOMIER MFG. CO., LTD.

Tel: +886-4-2687-2771 Fax: +886-4-2688-1232 e-Mail: sales@gomier.com.tw
No. 132-1, Sing-An Road, Dajia Dist., Taichung City, 437, TAIWAN



FU CHENG

CYCLE INDUSTRIES CO., LTD.



Taiwan Factory

Add: No. 24 Shin-kon Rd., Yong-kang Industrial Area,
Yongkang Dist., Tainan City 710, Taiwan

Tel: 886-6-2333175-7 Fax: 886-6-2335055

<http://www.bicycletoday.com.tw/fucheng>

E-mail: fccycle@ms23.hinet.net

<http://www.lucky-bike.com.tw>



LY-2699

26" 21-SPD F/R SUSPENSION BIKE



LY-2599

26" 21-SPD F/R SUSPENSION BIKE



LY-2026

20" 24-SPD BIKE



LY-26140

26" POWER BIKE COASTER BRAKE



**BIKES, CKD.SKD,
PARTS & ACCESSORIES**



LY.2021

20" 21-SPD FOLDING BIKE

WILLING (TAIWAN) HUA CHIN (CHINA)

Bicycle Manufacturer

Assembly



Painting



e - Bike



Wheel Building



Engineering Services



威輪工業
Willing

info@willingbikes.com
P: +886-426814992
www.willingbikes.com

華慶健身科技
Hua Chin

sales@acocabikes.com
P: +86-752-3256607
www.acoca.com.cn

SWIFT

FRAME: ALLOY 6061-TB TAPERED, CABLE INSIDE
 SIZE: 15.5, 17.5, 19.5inch
 DERAILEUR: SHIMANO ACERA&ALTUS 27 SPD
 BATTERY: LG LI-ION BATTERY 36V 12.8Ah
 REAR MOTOR: 36V 250W, WATER-PROOF CONNECTOR
 DISPLAYER: 5 SPEED PAS



SPRINT

FRAME: ALLOY 6061-TB TAPERED, W/POST MOUNT DISC, CABLE INSIDE
 SIZE: 15.5, 17.5, 19.5inch
 DERAILEUR: SHIMANO DEORE 10SPD
 BATTERY: LG LI-ION BATTERY 36V 12.8Ah
 MID MOTOR: BAFANG 36V 250W, WATER-PROOF CONNECTOR
 DISPLAYER: 3 SPEED PAS



AGILE

FRAME: ALLOY 6061-TB TAPERED, W/POST MOUNT DISC, CABLE INSIDE
 SIZE: 15, 17inch
 DERAILEUR: SHIMANO DEORE 10SPD
 BATTERY: LG LI-ION BATTERY 36V 12.8Ah
 MID MOTOR: BAFANG 36V 250W, WATER-PROOF CONNECTOR
 DISPLAYER: 3 SPEED PAS



PHOENIX

FRAME: ALLOY 6061-TB TAPERED, CABLE INSIDE
 SIZE: 15, 17inch
 DERAILEUR: SHIMANO ACERA&ALTUS 9SPD
 BATTERY: LG LI-ION BATTERY 36V 12.8Ah
 FRONT MOTOR: 36V 200W, WATER-PROOF CONNECTOR
 DISPLAYER: 5 SPEED PAS



HAWK

FRAME: ALLOY 6061 TAPERED, W/POST MOUNT DISC
 SIZE: 14 inch
 DERAILEUR: SHIMANO ALTUS 8SPD
 BATTERY: LG LI-ION BATTERY 36V 12.8Ah
 FRONT MOTOR: 36V 200W, WATER-PROOF CONNECTOR
 DISPLAYER: 5 SPEED PAS



HALO

FRAME: ALLOY 6061 TAPERED, W/POST MOUNT DISC
 SIZE: 14 inch
 DERAILEUR: SHIMANO ACERA&ALTUS 9SPD
 BATTERY: LG LI-ION BATTERY 36V 12.8Ah
 FRONT MOTOR: 36V 200W, WATER-PROOF CONNECTOR
 DISPLAYER: 5 SPEED PAS



HENG FENG BICYCLE COMPANY LTD

No.280, Sec. 2, Liugiao W. Rd., Gangshan Dist., Kaohsiung City 820, Taiwan
 TEL:+886-7-6261084 ; Fax: 886-7-6265282
 mail:hasabike@gmail.com

PRODUCTION IN TAIWAN, VIETNAM & CAMBODIA

Certifications: ㊦ / ISO 9001 / SA 8000 / OHSAS 18001 / ISO 14001



ASAMA

ASAMA YUH JIUN INDUSTRIAL CO., LTD.

Tel.: +886-6-263-8226 Fax: +886-6-263-2324

Email: contact@yuhjiun.com

ASAMA YUH JIUN INT'L VIETNAM CO., LTD.

Tel.: +84-274-3730103 Fax: +84-274-3730107

Email: asamavn@asama-bike.com

SPEEDTECH INDUSTRIAL CO., LTD.

Tel.: +855-44-715644 Fax: +855-44-715107

Email: st@yuhjiun.com

OPTIMIST



RODRIGO INDUSTRIAL CORP.

乾盈企業有限公司

Address: 7FL, 221 Chung Yang Road, Nan-kang District, Taipei City Taiwan

Tel: 886-2-27883806 Fax: 886-2-27883598

E-mail: headoffice@bikeoptimist.com

<http://www.bikeoptimist.com>

TIANJIN OPTIMIST BICYCLE INDUSTRIAL CORP.

天津永盈自行車有限公司



E-BIKE CROSS



E-BIKE 27.5" KALI



29" VELENO MTB



26" BELLE



20" E-BIKE WILD-X



OVERLORD

BIKES

FOR MORE THAN 25 YEARS, OVERLORD HAS BEEN PRODUCING QUALITY OEM AND ODM BICYCLES FOR LEADING BICYCLE COMPANIES, RETAILERS AND DISTRIBUTORS AROUND THE GLOBE. FOCUSSED ON PRECISION AND QUALITY, OUR IN-HOUSE TESTING FACILITIES ENSURE THAT WE MEET THE STANDARDS DEMANDED BY OUR CUSTOMERS, INCLUDING EN AND ISO.

MOUNTAIN

ALPINE E 29" E-BIKE

FRAME
6061 SMOOTH WELDED
ALUMINUM ALLOY

FORK
ROCK SHOX JUDY GOLD

DRIVETRAIN
SHIMANO SLX 1x11
SHIMANO STEPS E8000

BRAKESET
SHIMANO SLX

WHEELSET
ALEX MD35 RIMS
SHIMANO SLX HUBS
MAXXIS MINION TIRES

COCKPIT
HANDLEBAR:
RITCHEY WCS TRAIL
STEM:
RITCHEY WCS TRAIL
SEATPOST:
KS DRIVE SI 125MM
SADDLE:
RITCHEY WCS TRAIL



ROAD

APOLLO 700c

FRAME
6061 SMOOTH WELDED
ALUMINUM ALLOY

FORK
FULL CARBON MONOCOQUE

DRIVETRAIN
SHIMANO ULTEGRA

BRAKESET
SHIMANO RS685/RS785
HYDRAULIC

WHEELSET
SHIMANO RX31
SCHWALBE DURANO TIRES

COCKPIT
HANDLEBAR:
RITCHEY WCS LOGIC
STEM:
RITCHEY WCS
SEATPOST:
RITCHEY WCS
SADDLE:
RITCHEY WCS STREEM



HYBRID

DISTRICT E 700c E-BIKE

FRAME
6061 DOUBLE-PASS WELDED
ALUMINUM ALLOY

FORK
SR SUNTOUR NVX

DRIVETRAIN
SHIMANO ACERA 9 SPEED
BAFANG M400 DRIVE SYSTEM

BRAKESET
TEKTRONIC MECHANICAL DISC

WHEELSET
ALEX AL550 RIMS
NOVATECH HUBS
KENDA KWICKER TIRES

COCKPIT
HANDLEBAR:
ZOOM ALLOY
STEM:
ZOOM ALLOY
SEATPOST:
ZOOM ALLOY SUSPENSION
SADDLE:
VELO



CONTACT US TODAY TO FIND OUT HOW OUR EXPERIENCE AND EXPERTISE CAN MOVE YOUR IDEAS FORWARD.

WE MAKE BIKES.

OVERLORD BIKES
TAIWAN

TAINAN CITY
TAIWAN

TEL: 886-6-5901711
EMAIL: OVE@OVERLORD.COM.TW

OVERLORD BIKES
CANADA

MISSISSAUGA, ONTARIO
CANADA

TEL: 905-564-2505
EMAIL: INFO@OVERLORDBIKES.COM



- 7-SPEED
- 36V 350W
- Disk Break
- Center Motor System



**ELECTRIC
FOLDING BIKE**



**ELECTRIC
DOWNHILL BIKE**



- 7-SPEED
- 36V 250W
- Disk Break
- Center Motor System



**ELECTRIC
MOUNTAIN BIKE**



- 8-SPEED
- 36V 250W
- Disk Break
- Center Motor System

Please visit our website for more information:

www.mccycle.com.tw



常昌企業股份有限公司
TAIWAN JOHNSON INDUSTRIES CO., LTD.

w: www.tjgroup.com.tw, www.mccycle.com.tw
e: charlee@tjgroup.com.tw, vivi@tjgroup.com.tw

t: 886 2 2771 5566
f: 886 2 2775 1155, 1166





Taiwan Factory

BRANC CO., LTD.
NO.7 Fu Kung Rd. (Fu Hsing Ind. Zone)
Changhua 506, Taiwan
Tel: 886-4-7688016-9
Fax: 886-4-7688020-1
E-mail:branc@mail.branc.com.tw
http://www.boryueh.com
http://www.move-cycle-racks.com.tw



Unicycles

BY-901

Size:
16", 20", 24"
Fork:
Clamp type for 16"
Round-end type for 20" and 24"
C-P or painted finish
Hub:
C-p finish (ball bearing)
Spoke:
14G x 28H, u-c-p. 36H available
Crank:
Cotterless, c-p or black
4" length for 16", 5" for 20", 6" for 24"
Pedal:
Black P.P.
Tire:
16", 20", 24" x 1.75 black
Saddle:
Black, PVC with rail protector
Seatpost:
160mm or size to order, c-p finish



BY-904C

Size:
16", 20", 24"
Fork:
Clamp type c-p or painted finish
Hub:
C-p finish (ball bearing)
Spoke:
14G x 28H, u-c-p. 36H available
Crank:
Cotterless, c-p or black
4" length for 16", 5" for 20", 6" for 24"
Pedal:
Black P.P.
Tire:
16", 20", 24" x 1.75 black
Saddle:
Two-tones, black/color grip and protector (red, yellow, blue)
Seatpost:
160mm or size to order, c-p finish
Optional quick release



BY-907B

Size:
20", 24"
Fork:
Square top clamp type fork
Rim:
Alloy Rim, Black/CNC
Hub:
C-p finish (ball bearing)
Spoke:
14G x 36H, u-c-p.
Crank:
Cotterless, c-p or black
5" length for 20", 6" for 24"
Pedal:
Black P.P.
Tire:
20", 24" x 1.75 black
Saddle:
Black w/black protector
Seatpost:
160mm or size to order, c-p finish
Optional quick release



BY-912A

Size:
20"
Fork:
Square top clamp type fork
Rim:
Alloy Rim(20" x 1.75), yellow
Hub:
C-p finish (ball bearing)
Spoke:
14G x 36H, u-c-p.
Crank:
Cotterless black 5"
Pedal:
Black P.P.
Tire:
20" x 1.75 black
Saddle:
Yellow w/black protector
Seatpost:
160mm or size to order, c-p finish
Optional quick release



BY-912B

Size:
20"
Fork:
Clamp type fork, white finish
Rim:
Alloy Rim, yellow
Hub:
Black finish (ball bearing)
Spoke:
14G x 36H, black
Crank:
Cotterless black 5"
Pedal:
Black P.P.
Tire:
20" x 1.95 black
Saddle:
White w/black protector
Seatpost:
160mm or size to order, c-p finish
Optional quick release



BY-915

Size:
20", 24"
Fork:
Square top clamp type fork, black finish
Rim:
Alloy Rim, black
Hub:
Black finish (ball bearing)
Spoke:
14G x 36H, black
Crank:
Cotterless black 5" for 20",
6" for 24"
Pedal:
Black P.P.
Tire:
20", 24" x 2.5 black
Saddle:
Black/gray w/black protector with grip
Seatpost:
160mm or size to order, black finish



BY-916

Size:
20"
Fork:
Alloy fork, silver finish
Rim:
Alloy Rim, black
Hub:
Silver finish/ ISIS
Spoke:
14G x 36H, UCP
Crank:
Alloy, silver finish
Pedal:
Alloy, silver finish
Tire:
20" x 0.95 black
Saddle:
Black w/black protector
Seatpost:
300mm, silver finish



BY-918

Size:
20"
Fork:
Square top clamp type fork, yellow finish
Rim:
Alloy Rim, black
Hub:
Black finish (ball bearing)
Spoke:
14G x 36H, black
Crank:
Cotterless black 5"
Pedal:
Black P.P.
Tire:
20" x 2.125 black
Saddle:
Black w/black protector
Seatpost:
160mm or size to order, black finish



BY-9FA1

Size:
20"
Fork:
Alloy fork, silver finish
Rim:
Alloy Rim, black
Hub:
Silver finish/ ISIS
Spoke:
14G x 36H, black
Crank:
Alloy, silver finish
Pedal:
Alloy, silver finish
Tire:
20" x 2.125 black
Saddle:
Black w/black protector
Seatpost:
300mm, silver finish



MACINA

KAPOHO 2971



1x12
27.5+ / 29"
DMMIX

BOSCH
POWERTUBE
RAHMEN / FRAME

160 mm
TRAVEL FRONT & REAR

UPHILL & DOWNHILL WITHOUT LIMITS.

KTM FAHRRAD GMBH
KTM-BIKES INTERNATIONAL (HK) CO., LTD. TAIWAN BRANCH
香港商凱特美股份有限公司台灣分公司
11F, NO. 174, SEC. 2, MIN SHENG E. RD., TAIPEI, TAIWAN
TEL: 886-2-2501-5869 FAX: 886-2-2501-5879 py_chen@ktm-bikes.com.tw

KTM-BIKES.AT

#WeBleedOrange





Model : VL-G3V

Frame : Double butted chromoly steel or Titanium frame and chromoly fork
 Brake system : Hydraulic brakes or Caliper brakes
 Folding system : Patented suspension-magnet system and folding fork
 Carbon belt drive or chain: See rewards
 Accessories: Folding fenders, front or rear rack, carry bag, smartphone mount, VELLO racing cap and much more.



Model: E3

Type: 27.5" MTB Frame
 H/T Size: 1-1/8" Upper 1-1/2"
 E-Bike Bosch System

Material: Alloy 6061

Rear Hub: 142mm*12mm E-Thru



Model: E4

Type: 28" Trekking Frame
 H/T Size: 1-1/8"
 E-Bike Bosch System

Material: Alloy 6061

Rear Hub: 135mm



Model: E5

Type: 28" Trekking Frame
 H/T Size: 1-1/8"
 E-Bike Shimano E6000 System

Material: Alloy 6061

Rear Hub: 135mm

GREENTECH

<http://www.abcbike.com.tw>



Model : VL-G3

Frame : Double butted chromoly steel or Titanium frame and chromoly fork
 Weight : 10.9 kg titanium model
 11.9 kg chromoly model

Folding system : Patented suspension-magnet system and folding fork
 Motor : 250W Max. assisted speed : 25 km/h (16mph) Battery life : 1000 cycles
 Accessories: Folding fenders, front or rear rack, carry bag, smartphone mount, VELLO racing cap and much more.



Model: E6

Type: 27.5" Plus Frame
 H/T size: 1-1/8" Upper 1-1/2"
 E-Bike Shimano E8000 System

Material: Alloy 6061

Rear Hub: 148mm*12mm E-Thru



Model: E7

Type: 27.5" Plus Frame
 H/T size: 1-1/8" Upper 1-1/2"
 E-Bike Brose System

Material: Alloy 6061

Rear Hub: 148mm*12mm E-Thru

**TOTAL SERVICE FOR
 BIKES, SKD/CKD
 PARTS & ACCESSORIES**



ASIA BICYCLE TRADING COMPANY

4F-3, No. 408, Sec. 2, Nantun Rd., Taichung Taiwan
 TEL: 886-4-24725658 FAX: 886-4-24735625
 E-mail: abc12688@ms8.hinet.net



Enabling
GREENER FUTURE

With over 46 years of experience in the bicycle industry,
DODSUN offers quality you can depend on and low barrier
of entry that enable predictable success of your dream bikes.

To find out more more-dodsun.com
© 2017 DODSUN BICYCLE & MACHINERY MANUFACTURERS · ALL RIGHTS RESERVED

2018 TAIPEI CYCLE SHOW BOOTH #J0102





BB-988SS (THREADED SPEED SENSOR)

Description :

This BB set speed sensor uses infrared sensing technique.

The photodiodes is embedded inside the BB set. It is fully protected by the shaft case.

Intelligent electric component and circuit design detects only forward movement and generate corresponding speed signal.

This design is fully compatible with the original 68MM length BB shell.

Signals: 10P, 24P, 48P

Left side sensor available (BB-988SSL)

Features :

1. Sensor embedded
2. Fully sealed
3. Moisture and dust proof
(Pass ip-x5 test)



BB-TS03 (TORQUE SENSOR)

Torque sensor

- for original frame and standard 68mm bb shell.
- torque detection from both crank.
- chain wheel adopter is available
For different specification of chain Wheel.

*“Quality
is testified
by efficiency”*

WWW.YST-CORP.COM.TW





VANTLY FITNESS INTERNATIONAL ENTERPRISE CO., LTD

Head office:

No.41, Youshi Rd., Dajia District, Taichung City 43767, Taiwan

Tel:886-4-26811511

Fax: 886-4-26819311,26815670

E-Mail:vantly.taiwan@msa.hinet.net

China factory:

FRAN WHEEL ENTERPRISE CO., LTD.

No.9, South 1st Rd., Da Tian Yang Industrial Zone, Song Gang Town,

Bao An Qu, Shen Zhen City, Guang Dong, China

TEL:86-755-27068568

FAX:86-755-27068570

E-mail:vantly@franwheel.com.cn

URL: http://www.vantly.com.tw



BT-1630FADU-S

20" Foldable Baby Trailer

Frame : Alloy frame with adjustable handlebar

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1628SDU-S

20" Foldable Baby Trailer

Frame : Steel

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1331FADU-S

20" Foldable Baby Trailer for one kid

Frame : Alloy frame with adjustable handlebar

Function : Available for Bike Trailer / Stroller / Jogger

Loading weight : 18kg + 7kg = 25kg



BT-1630FADU-F

20" Foldable Baby Trailer

Frame : Alloy frame with adjustable handlebar

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1628SDU-F

20" Foldable Baby Trailer

Frame : Steel

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1421FADU-F

20" Foldable Baby Trailer

Frame : Alloy frame with adjustable handlebar

Function : Available for Bike Trailer / Stroller / Jogger

Comply with EN15918 and EN1888

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1525S

20" Foldable Baby Trailer

Frame : Steel

Loading weight : 16kg + 16kg + 3kg = 35kg



BT-1225S

20" Foldable Baby Trailer

Frame : Steel

Comply with EN15918

Loading weight : 9kg + 9kg + 3kg = 21kg



DT-1610S

20" Foldable Dog Trailer

Frame : Steel

Inside dimension : 80x61x60cm



DT-1603SDU-S

12" Foldable Dog Trailer

Frame : Steel

Function : Available for Bike Trailer / Dog Stroller



CT-1601S

16" Foldable Cargo Trailer

Frame : Steel

Easy foldable function



CT-1602S

16" Cargo Trailer

Frame : Steel

Durable water resistance bag