

Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

1 Identification

- Other means of identification
- Trade name: PressurePro Machine Protector Advance 2 RM 111
- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Scale inhibitor
- · Uses advised against -
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher Pty. Ltd.

385 Ferntree Gully Rd Mount Waverley, Victoria 3149 Victoria

Ph.: +61-3-9765-2300

Internet: www.karcher.com

· Distributor:

Kärcher Pty. Ltd. 385 Ferntree Gully Rd

Mount Waverley, Victoria 3149

Victoria

Ph.: +61-3-9765-2300

www.karcher.com.au

· Email competent person: productsafety.management@de.kaercher.com

Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

2 Hazard(s) Identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

(Contd. on page 2)



Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 1)

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information: test report available

3 Composition and Information on Ingredients

Chemical characterisation: Mixtures

· Description: Scale inhibitor

Dangerous components:					
1312-76-1	potassium silicate	≥5-≤20%			
	Corrosive to metals – Category 1, H290; Skin corrosion/irritation – Category 1B, H314; Eye damage/irritation – Category 1, H318				
15763-76-5	sodium p-cumenesulphonate	1-5%			
	♦ Eye damage/irritation – Category 2A, H319				
120313-48-6		≥1-<2.5%			
	♦ Skin corrosion/irritation – Category 2, H315				

• Additional information For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · General information Immediately remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

If symptoms persist consult doctor.

- Information for doctor
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed. No further relevant information available.

- AU



Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 2)

5 Fire Fighting Measures

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- ·Handling
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

AU



Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 3)

8 Exposure controls and personal protection

- · Appropriate engineering controls No further data; see section 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs					
15763-76-5 sodium p-cumenesulphonate					
Oral	DNEL	3.8 mg/kg×d (consumer)			
Dermal	DNEL	136.25 mg/kg×d (employee)			
		68.1 mg/kg×d (consumer)			
Inhalative	DNEL	26.9 mg/m3 (employee)			
		6.6 mg/m3 (consumer)			

· PNECs

15763-76-5 sodium p-cumenesulphonate

PNEC 0.23 mg/l (freshwater) 0.023 mg/l (marine water)

100 mg/I (STP)

PNEC sediment 0.862 mg/kg (freshwater)

0.086 mg/kg (marine water)

PNEC soil 0.037 mg/kg (soil)

- · Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Not required.
- · Material of gloves Not required.
- Penetration time of glove material Not required.
- · Eye protection: Not required.

9 Physical and Chemical Properties

- General Information
- · Appearance:

Form: Fluid
Colour: Yellow
Odourless

· Odour threshold: Not determined.

• **pH-value at 20 °C:** 12.3

(Contd. on page 5)



Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 4)

· **pH-value 1 %:** 10-11

Change in condition

· Melting point/freezing point: 0 °C

Initial boiling point and boiling range: undetermined
Flash point:
Flammability (solid, gaseous)
Auto-ignition temperature:
Decomposition temperature:
Not determined.

• **Ignition temperature:** Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.
 Upper: Not determined.
 Vapour pressure: Not determined.
 Density at 20 °C: 1.215 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

• Water: Fully miscible • Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: Not determined.kinematic: Not determined.

• Other information No further relevant information available.

Additional information

· Particle characteristics Not applicable.

· Physical state Liquid

10 Stability and Reactivity

- · Reactivity corresponds to 10.3
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

— AU



Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 5)

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

15763-76-5 sodium p-cumenesulphonate

Oral LD50 >5000 mg/kg (Rat) (OECD 401)
Dermal LD50 >2000 mg/kg (Rabbit)

- Primary irritant effect:
- Skin corrosion/irritation

No irritant effect (test report is available, OECD 404)

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

No irritant effect (Survey is available, OECD 405)

Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- * STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic toxicity:				
15763-76-5 sodium p-cumenesulphonate				
LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)			
EC50/48 h (static)	>100 mg/l (Daphnia magna)			
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)			
120313-48-6 Alcohols, C12-15-branched and linear, ethoxylated propoxylated				
LC50/96 h	>1-<10 mg/l (fish)			
EC50/48 h	≤1 mg/l (Daphnia magna)			
EC50/72 h	≤1 mg/l (Algae)			
EC10/72 h	>0.1-<1 mg/l (Algae)			

- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)



Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 6)

· Additional ecological information:

· COD-value: 127.000 mg/l

General notes:

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleansing agents: Water, if necessary together with cleaning agents.

14 Transport information UN-Number ADG, IMDG, IATA Void UN proper shipping name ADG, ADN, IMDG, IATA Void Transport hazard class(es) ADG, ADN, IMDG, IATA Void Output Void

(Contd. on page 8)



Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

Trade name: PressurePro Machine Protector Advance 2 RM 111

		(Contd. of page 7)			
· Packing group					
· ADG, IMDG, IATA	Void				
· Environmental hazards:	Not applicable.				
· Special precautions for user	Not applicable.				
· Transport in bulk according to Annex II of Marpol					
and the IBC Code	Not applicable.				
· UN "Model Regulation":	Void				

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Australian Inventory of Industrial Chemicals

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons

None of the ingredients is listed.

Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)



Date of issue: 29.08.2025 Version number 6 Revision: 25.08.2025

Trade name: PressurePro Machine Protector Advance 2 RM 111

(Contd. of page 8)

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Corrosive to metals - Category 1: Corrosive to metals - Category 1

Skin corrosion/irritation - Category 1B: Skin corrosion/irritation - Category 1B

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

* Data compared to the previous version altered.

0.011-798.0 RM 111/3 2.859