

POWERED ELECTRONIC LOCKS



XT

POWERED
ELECTRIC LOCKS



MXDRIN

MOTTURA **X** TECHNOLOGY



safeguarding your security


XDRIN - LAYOUT

HOME

MAINS OPERATED

INTERNAL SIDE

EXTERNAL SIDE




XDRIN - CYLINDERS




XDRIN - TYPES


49.XD1...




49.XD2...




49.XD3...







49.XD4...



49.XD5...




49.XD6...



49.XD1....

MADE
IN
ITALY



Characteristics

MOTORIZED lock for external accesses recommended for

- PEDESTRIAN ENTRIES
- GATE DOORS
- BUILDING ENTRANCES

KEY/KEY VERSION

AUTOMATIC BOLT CLOSING

MAINS POWERED 12/24V ac/dc

- Side
 - Variable backset 50/60/70 mm or
 - FIXED backset 80 mm
 - Rectangular stainless steel bolt mm 30x12
 - Bolt travel mm 20
- The internal gear are made of self-lubricating nickel silver
Internal door status LED

Finish :
ZINC-PLATED or BLACK for external applications
CHROME for internal applications

All articles are supplied either left or right-hand
(specify in the order)

TESTED ACCORDING TO

EN 60529 - IP44

Dust and water resistant

Product tested according to

EN 61000-6-1 : 2007

EN 61000-6-3 : 2007/A1 : 2011

EN 14846

RIM LOCK

CYLINDER

49.XD1....P



49XD1ND/S5/6/7P	BLACK	50/60/70
49XD1ND/S8P	BLACK	80
49XD1ZD/S5/6/7P	ZINC-PLATED	50/60/70
49XD1ZD/S8P	ZINC-PLATED	80
49XD1CD/S5/6/7P	CHROME	50/60/70
49XD1CD/S8P	CHROME	80

Side

KEY/KEY PROJECT VERSION

AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- FIXED backset 80 mm version



49.XD1....B



49XD1ND/S5/6/7B	BLACK	50/60/70
49XD1ND/S8B	BLACK	80
49XD1ZD/S5/6/7B	ZINC-PLATED	50/60/70
49XD1ZD/S8B	ZINC-PLATED	80
49XD1CD/S5/6/7B	CHROME	50/60/70
49XD1CD/S8B	CHROME	80

Side

KEY/KEY CHAMPIONS C28PLUS VERSION


AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- FIXED backset 80 mm version



49.XD2....

MADE
IN
ITALY



Characteristics

MOTORIZED lock for external accesses recommended for

- PEDESTRIAN ENTRIES
- GATE DOORS
- BUILDING ENTRANCES

KEY/THUMBTURN VERSION

AUTOMATIC BOLT CLOSING

MAINS POWERED 12/24V ac/dc

- Side
- Variable backset 50/60/70 mm or
- FIXED backset 80 mm
- Rectangular stainless steel bolt mm 30x12
- Bolt travel mm 20

The internal gear are made of self-lubricating nickel silver

Internal door status LED

Finish :

ZINC-PLATED or BLACK for external applications
CHROME for internal applications

All articles are supplied either left or right-hand (specify in the order)

TESTED ACCORDING TO

EN 60529 - IP44

Dust and water resistant

Product tested according to

EN 61000-6-1 : 2007

EN 61000-6-3 : 2007/A1 : 2011

EN 14846

RIM LOCK

CYLINDER

49.XD2....P



49XD2ND/S5/6/7P	BLACK	50/60/70
49XD2ND/S8P	BLACK	80
49XD2ZD/S5/6/7P	ZINC-PLATED	50/60/70
49XD2ZD/S8P	ZINC-PLATED	80
49XD2CD/S5/6/7P	CHROME	50/60/70
49XD2CD/S8P	CHROME	80

Side

THUMBTURN/KEY PROJECT VERSION

AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)

- FIXED backset 80 mm version



49.XD2....B



49XD2ND/S5/6/7B	BLACK	50/60/70
49XD2ND/S8B	BLACK	80
49XD2ZD/S5/6/7B	ZINC-PLATED	50/60/70
49XD2ZD/S8B	ZINC-PLATED	80
49XD2CD/S5/6/7B	CHROME	50/60/70
49XD2CD/S8B	CHROME	80

Side

THUMBTURN/KEY CHAMPIONS C28PLUS VERSION

AUTOMATIC BOLT CLOSING


- Variable backset 50/60/70 mm version (specify in the order)

- FIXED backset 80 mm version



49.XD3....

MADE IN ITALY



Characteristics

MOTORIZED lock for external accesses WITH EXTERNAL RIM LOCK CYLINDER recommended for

- PEDESTRIAN ENTRIES
- GATE DOORS
- BUILDING ENTRANCES

KEY/KEY VERSION

AUTOMATIC BOLT CLOSING

MAINS POWERED 12/24V ac/dc

- Side
- Variable backset 50/60/70 mm or
- FIXED backset 80 mm
- Rectangular stainless steel bolt mm 30x12
- Bolt travel mm 20

The internal gear are made of self-lubricating nickel silver

Internal door status LED

Finish :

ZINC-PLATED or BLACK for external applications
CHROME for internal applications

All articles are supplied either left or right-hand (specify in the order)

TESTED ACCORDING TO

EN 60529 - IP44

Dust and water resistant

Product tested according to

EN 61000-6-1 : 2007
EN 61000-6-3 : 2007/A1 : 2011
EN 14846



RIM LOCK

CYLINDER

49.XD3....P



49XD3ND/S5/6/7P	BLACK	50/60/70
49XD3ND/S8P	BLACK	80
49XD3ZD/S5/6/7P	ZINC-PLATED	50/60/70
49XD3ZD/S8P	ZINC-PLATED	80
49XD3CD/S5/6/7P	CHROME	50/60/70
49XD3CD/S8P	CHROME	80

Side

KEY/KEY PROJECT VERSION

AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- FIXED backset 80 mm version



49.XD3....B



49XD3ND/S5/6/7B	BLACK	50/60/70
49XD3ND/S8B	BLACK	80
49XD3ZD/S5/6/7B	ZINC-PLATED	50/60/70
49XD3ZD/S8B	ZINC-PLATED	80
49XD3CD/S5/6/7B	CHROME	50/60/70
49XD3CD/S8B	CHROME	80

Side

KEY/KEY CHAMPIONS C28PLUS VERSION


AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- FIXED backset 80 mm version



49.XD4....

MADE
IN
ITALY



Characteristics

**MOTORIZED lock for external accesses
WITH EXTERNAL RIM LOCK CYLINDER
recommended for**

- PEDESTRIAN ENTRIES
- GATE DOORS
- BUILDING ENTRANCES

KEY/THUMBTURN VERSION

AUTOMATIC BOLT CLOSING

MAINS POWERED 12/24V ac/dc

- Side
- Variable backset 50/60/70 mm or
- FIXED backset 80 mm
- Rectangular stainless steel bolt mm 30x12
- Bolt travel mm 20

The internal gear are made of self-lubricating nickel silver

Internal door status LED

Finish :

ZINC-PLATED or BLACK for external applications
CHROME for internal applications

All articles are supplied either left or right-hand
(specify in the order)

TESTED ACCORDING TO

EN 60529 - IP44

Dust and water resistant

Product tested according to

EN 61000-6-1 : 2007

EN 61000-6-3 : 2007/A1 : 2011

EN 14846

RIM LOCK

CYLINDER

49.XD4....P



	49XD4ND/S5/6/7P	BLACK	50/60/70
	49XD4ND/S8P	BLACK	80
	49XD4ZD/S5/6/7P	ZINC-PLATED	50/60/70
	49XD4ZD/S8P	ZINC-PLATED	80
	49XD4CD/S5/6/7P	CHROME	50/60/70
	49XD4CD/S8P	CHROME	80

Side

THUMBTURN/KEY PROJECT VERSION

AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- FIXED backset 80 mm version



49.XD4....B



	49XD4ND/S5/6/7B	BLACK	50/60/70
	49XD4ND/S8B	BLACK	80
	49XD4ZD/S5/6/7B	ZINC-PLATED	50/60/70
	49XD4ZD/S8B	ZINC-PLATED	80
	49XD4CD/S5/6/7B	CHROME	50/60/70
	49XD4CD/S8B	CHROME	80

Side

THUMBTURN/KEY CHAMPIONS C28PLUS VERSION

AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- FIXED backset 80 mm version



49.XD5....

MADE IN ITALY

Characteristics

MOTORIZED lock for external accesses recommended for

- PEDESTRIAN ENTRIES
- GATE DOORS
- BUILDING ENTRANCES

KEY/KEY VERSION

AUTOMATIC BOLT CLOSING

MAINS POWERED 12/24V ac/dc

- Side
- Variable backset 50/60/70 mm
- or
- Striker plate with adjustable roller
- Rectangular stainless steel bolt mm 30x12
- Bolt travel mm 20

The internal gear are made of self-lubricating nickel silver

Internal door status LED

Finish :

ZINC-PLATED or BLACK for external applications
CHROME for internal applications

All articles are supplied either left or right-hand (specify in the order)


TESTED ACCORDING TO

EN 60529 - IP44

Dust and water resistant

Product tested according to

EN 61000-6-1 : 2007
EN 61000-6-3 : 2007/A1 : 2011
EN 14846



RIM LOCK

CYLINDER

49.XD5....P

49XD5ND/S5/6/7P	BLACK	50/60/70
49XD5ZD/S5/6/7P	ZINC-PLATED	50/60/70
49XD5CD/S5/6/7P	CHROME	50/60/70

Side

KEY/KEY PROJECT VERSION

AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- Striker plate with adjustable roller



49.XD5....B

49XD5ND/S5/6/7B	BLACK	50/60/70
49XD5ZD/S5/6/7B	ZINC-PLATED	50/60/70
49XD5CD/S5/6/7B	CHROME	50/60/70

Side

KEY/KEY CHAMPIONS C28PLUS VERSION


AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- Striker plate with adjustable roller



49.XD6....

MADE
IN
ITALY



Characteristics

MOTORIZED lock for external accesses recommended for

- PEDESTRIAN ENTRIES
- GATE DOORS
- BUILDING ENTRANCES

KEY/THUMBTURN VERSION

AUTOMATIC BOLT CLOSING

MAINS POWERED 12/24V ac/dc

- Side
- Variable backset 50/60/70 mm or
- Striker plate with adjustable roller
- Rectangular stainless steel bolt mm 30x12
- Bolt travel mm 20

The internal gear are made of self-lubricating nickel silver

Internal door status LED

Finish :

ZINC-PLATED or BLACK for external applications
CHROME for internal applications

All articles are supplied either left or right-hand (specify in the order)

TESTED ACCORDING TO

EN 60529 - IP44

Dust and water resistant

Product tested according to

EN 61000-6-1 : 2007

EN 61000-6-3 : 2007/A1 : 2011

EN 14846

RIM LOCK

CYLINDER

49.XD6....P

344,67	49XD6ND/S5/6/7P	BLACK	50/60/70
344,67	49XD6ZD/S5/6/7P	ZINC-PLATED	50/60/70
439,39	49XD6CD/S5/6/7P	CHROME	50/60/70

Side

THUMBTURN/KEY PROJECT VERSION

AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- Striker plate with adjustable roller



49.XD6....B

383,65	49XD6ND/S5/6/7B	BLACK	50/60/70
383,65	49XD6ZD/S5/6/7B	ZINC-PLATED	50/60/70
478,36	49XD6CD/S5/6/7B	CHROME	50/60/70

Side




THUMBTURN/KEY CHAMPIONS C28PLUS VERSION

AUTOMATIC BOLT CLOSING

- Variable backset 50/60/70 mm version (specify in the order)
- Striker plate with adjustable roller



SPARE PARTS AND ACCESSORIES - XDRIN ONLY


94.415.. <table><tr><td>Finish</td><td></td></tr><tr><td>(N) Black</td><td></td></tr><tr><td>(Z) Zinc-Plated</td><td></td></tr></table> Plate with "shelf" to fix XDRIN lock	Finish		(N) Black		(Z) Zinc-Plated			99.735..* <table><tr><td>Finish</td><td></td></tr><tr><td>(BR) Bronze</td><td></td></tr><tr><td>(CR) Chrome</td><td></td></tr><tr><td>(OT) Brass</td><td></td></tr><tr><td>(PV) PVD gold</td><td></td></tr><tr><td>(AA) Silver satin</td><td></td></tr><tr><td>(CS) Satin. chrome</td><td></td></tr></table> External escutcheon (70 x 95 x 15 mm) with membrane keyboard - XPIN Central body in black finish. XDRIN can be used on all electromechanical locks and electric strikers. Connection via dry contact.	Finish		(BR) Bronze		(CR) Chrome		(OT) Brass		(PV) PVD gold		(AA) Silver satin		(CS) Satin. chrome		 
Finish																							
(N) Black																							
(Z) Zinc-Plated																							
Finish																							
(BR) Bronze																							
(CR) Chrome																							
(OT) Brass																							
(PV) PVD gold																							
(AA) Silver satin																							
(CS) Satin. chrome																							
94.416.. <table><tr><td>Finish</td><td></td></tr><tr><td>(N) Black</td><td></td></tr><tr><td>(Z) Zinc-Plated</td><td></td></tr></table> Fixing plate for strike - XDRIN	Finish		(N) Black		(Z) Zinc-Plated																		
Finish																							
(N) Black																							
(Z) Zinc-Plated																							
98.21259..D/S <table><tr><td>Finish</td><td></td></tr><tr><td>(N) Black</td><td></td></tr><tr><td>(C) Chrome</td><td></td></tr><tr><td>(Z) Zinc-Plated</td><td></td></tr></table> Spare striker plate - XDRIN	Finish		(N) Black		(C) Chrome		(Z) Zinc-Plated		 DX VERSION	99.758N Plate + box KIT XPIN surface-mounting													
Finish																							
(N) Black																							
(C) Chrome																							
(Z) Zinc-Plated																							
98X.AF342D/S Replacement gear assembly - XDRIN	 RIGHT VERSION	99.773D/S Spare XDRIN electronic board The item is supplied right or left (specify in the order)	 LEFT VERSION																				
98X.30427 Lever for using the "Cisa" type internal cylinder - XDRIN		98C.47ES001 Extension kit for external cylinder max length 105 mm																					
98X.CM280..D/S <table><tr><td>Finish</td><td></td></tr><tr><td>(N) Black</td><td></td></tr><tr><td>(C) Chrome</td><td></td></tr><tr><td>(Z) Zinc-Plated</td><td></td></tr></table> Spare cover with knob to transform key/key version The item is supplied right or left (specify in the order)	Finish		(N) Black		(C) Chrome		(Z) Zinc-Plated		 RIGHT VERSION														
Finish																							
(N) Black																							
(C) Chrome																							
(Z) Zinc-Plated																							

ELECTRIC LOCKS



ELE


POWERED
ELECTRIC LOCKS



safeguarding your security

30.E30

MADE
IN
ITALY



Characteristics

- Side or three-points lock
- 63 mm backset
- 36 mm bolts travel
- 50 mm external pump cylinder see section 91 for different lengths.
- Internal opening with key
- Single or double pump cylinder
- Striker plate for electric latchbolt, for art. 30.E10/E12/E30/E32
- 12V AC power supply - Transformer 25 VA
- All articles are supplied either left or right version (please specify with order)
- Single finish: Black enamelled

Supplied with :

Side locks - art. 30.010E10/E12

- n. 3/5 keys
- n. 1 escutcheon art. 95148/N
- n. 1 striker plate art. 94335
- screws and small parts

Three-points - art. 30.E30/E32

- n. 3/5 keys
- n. 1 escutcheon art. 95148/N
- n. 1 striker plate art. 94335
- n. 2 bar collars art. 99152
- n. 1 clasp art. 99153
- n. 1 floor striker plate art. 99151
- screws and small parts

BARS NOT INCLUDED

FOR ORDERS, ADD TO THE ARTICLE CODE

"A" FOR CHAMPIONS® C10

"B" FOR CHAMPIONS® C28PLUS (specify n° of keys)

30.E10...



Pump Ø30

Pump Ø34

Pump Ø30

Pump Ø34

Pump Ø30

Pump Ø34

Side lock with electric latchbolt and striker plate

Internal opening with key

External pump



30.E12



Pump Ø30

Pump Ø34

Side lock with electric latchbolt and striker plate

Internal opening with coded key

Double external/internal pump



30.E30...



Pump Ø30

Pump Ø34

Pump Ø30

Pump Ø34

Pump Ø30

Pump Ø34

Three-points with electric latchbolt and striker plate

20 mm bar travel

Internal opening with key

External pump

Bars **NOT** included



30.E32					
					
		Pump Ø30	Pump Ø34		
Three-points with electric latchbolt and striker plate 20 mm bar travel Internal opening with coded key Double external/internal pump Bars NOT included					
					

92.105	A C E
Blank pump cylinder key A/C/E type stem with metallic blue, green or black grip for all items with pump cylinder. Specify required stem and colour. Package of 25	


		 C 10	 C28PLUS
Addition for 1 key			
Decrease for 1 key			
Coded key by sample			

LENGTHS EXCEEDING 50 MM ON REQUEST	
60 mm	Lock supplied with external pump-cylinder 60 mm Ø 30 or Ø 34: no price increase
70-80 mm	Lock supplied with external pump-cylinder 70 mm - 80 mm Ø 30 or Ø 34
90-100 mm	Lock supplied with external pump-cylinder 90 mm - 100 mm Ø 30 or Ø 34

N.B. C10 and C28 version locks are NOT available in "PERSONALIZED PROFILES".

93.140N	94.335	99.681
		

72.14ELE



Characteristics

- Three-points
- Key and handle backset 47 mm
- Bolts Ø 20x14 mm with 18 mm travel
- Bar travel 17 mm
- **All items are ambidextrous**

Supplied with:

- 3 keys with 36 mm stem art. 92229/5
- internal escutcheon art. 95224
- external escutcheon art. 95223
- striker plate art. 94104

Power supply 12 V C.A.


Transformer 25 VA

On request

locks can be supplied with:

- keys with 60 mm stem art. 92102/5

60 mm, Art. 92102/5



To use threaded bars,
order art. 99237/M6 or M8

72.14ELE

Three-points mortise-type with electric latchbolt

activated by key, 8 handle square and electrically.

Key and handle backset 47 mm

Bolt travel 18 mm


Bar travel 17 mm

Reversible latchbolt


Other accessories **NOT** included




3 keys 36 mm
art. 92229/5



82 SERIES - VERSION WITH ELECTRIC ACTIVATION LATCHBOLT



UNIFIED CYLINDER ATTACHMENT




Use MOTTURA Defender®



 **Defender**[®]
is a registered trademark of MOTTURA

82.51ELW/91ELW

**MADE
IN
ITALY**



Available with lateral fastener

Characteristics

Variation in centre distance: /28 - /37

- REVERSIBLE Three-points lock
 - Cylinder and handle backset 64 mm
 - Round bolt Ø 18 mm with 29 mm travel
 - Bar travel 20 mm
 - UNIFIED cylinder attachment
- Power supply: 12V AC. (transformer 25VA)

On request

locks can be supplied with:

- burglar-proof device (cylinder extraction) **T** 
Add **Q** to the code
- **E**  marker

Pair with Defender®
DF..., TOP SYSTEM, BASIC

It is RECOMMENDED to use
CHAMPIONS® security cylinders




RIM LOCK			MORTISE-TYPE	
	82.51ELW..			
	82.91ELW..			
		..B Block lever on bolts		
		..Q Reinforcement on the bolts + Burglar-proof (B+T)		
Three-points with latchbolt for electrically activated cylinder Ø 19 latchbolt activated by cylinder,  8 handle square and electrically Reversible latchbolt and lever Cylinders, reinforcements and other accessories are NOT included				
				

85 SERIES - VERSION WITH ELECTRIC ACTIVATION LATCHBOLT

85.37ENE

MADE
IN
ITALY



Characteristics

Variation in centre distance: / 28 - / 37

- Three-points lock
- Cylinder and handle backset 63 mm
- Round bolt Ø 18 mm with 29 mm travel
- Bar travel 20 mm
- All articles are supplied either left or right version (specify in the order)
- Power supply: 12V AC. (transformer 25VA)
- Latchbolt with burglar-proof system**

On request

locks can be supplied with:

- block lever on bolts **B**
- burglar-proof device **T**
- (cylinder extraction) **T**

Pair with Defender®

DF..., TOP SYSTEM, BASIC..

It is RECOMMENDED to use
CHAMPIONS® security cylinders




RIM LOCK

MORTISE-TYPE

85.37ENE..N

85.97ENE..N



..N Basic equipment	
..B Block lever on bolts	
..T Burglar-proof device	
..Q Reinforcement on the bolts + Burglar-proof (B+T)	

Triplice con mezzo giro per cilindro ad attivazione elettrica

Mezzo giro Ø 20 azionato da cilindro, maniglia 8 ed elettricamente

Mezzo giro e pressore reversibili e registrabili

Riscontro in plastica per pressore INCLUSO.

I cilindri, i rinforzi e gli altri accessori **NON** sono compresi

Note : Locks can be supplied **B** version, **T** version or **Q** version (**B** + **T**) on request. Bolts resistance to forcing exceeds 600 Nw required by applicable standards.

Note : the burglar-proof device **Q** (**B** + **T**) **MUST** always be mounted on the outside side of the door; otherwise, it will **NOT** work. It is always necessary to specify the opening hand.



ON REQUEST

Security locks with
block lever on deadbolts



ON REQUEST

(**B** + **T**) Block lever on deadbolts (**B** + **T**)
+ Cylinder extraction protection (**T**)



ON REQUEST




Lock with forced cylinder
extraction protection system

Use Defender® MOTTURA




Defender®
is a registered trademark of MOTTURA

E-BLOCK - LOCK WITH ELECTRIC LOCKING OF THE BARS



POWERED
ELECTRIC LOCKS

THE CODING



FINISHES



OT
Brass

CR
Polished Chrome

PV
Pvd GOLD

CS
Satin Chrome

AA
Anod. Silver

BR
Anod. Bronze

**MADE
IN
ITALY**

208

ACCESSORIES

99.804..

Finish	
(BR) Bronze	
(CR) Chrome	
(OT) Brass	
(PV) PVD gold	
(AA) Anod. Silver	
(CS) Satin. chrome	

Internal escutcheon OVAL 65 x 90 x 5 mm
complete with plastic support with button.



99.805..

Finish	
(BR) Bronze	
(CR) Chrome	
(OT) Brass	
(PV) PVD gold	
(AA) Anod. Silver	
(CS) Satin. chrome	

External escutcheon (70 x 95 x 15 mm)
with membrane keyboard and battery holder



99.718

Connecting cable
lock - external escutcheon (14 PIN).
Cable length approx. 450 mm



99.806

Connecting cable
lock - external escutcheon (14 PIN)
+ internal button (4 PIN).
Cable length approx. 450 mm



99.807

Power connection cable
Battery / lock
Cable length approx. 450 mm




MASTER KEY SYSTEM



Master key system KA (Keyed Alike)

Several cylinders with the same code can be opened with the same key.



Master key system MK (Master Key)

A single master key opens all the cylinders in the system, while each of the individual keys opens its own cylinder.

Maximum number of keys with different combination = 10



Master keyed systems have one card per group (for further information please contact the company)

Important: Outdoor installations need a specific surface treatment to ensure greater weather protection. Please contact the manufacturer for these installations.

CONFIGURATIONS

INTERNAL SIDE



MOTTURA DEVICE

CABLE BIPOLAR



CABLE BIPOLAR

GENERIC DEVICE
DRY
CONTACT ONLY

CABLE BIPOLAR

99B0001002




APP B-MOTTURA
ANDROID/IOS



BKEY

CABLE BIPOLAR

ELE



EXTERNAL SIDE

REQUIRED



99699



REQUIRED FOR PROGRAMMING



Other commercial devices :
- BADGE READER
- TELEPHONE DIALER
- KEYPADS
- FINGERPRINTS READER
- ALARM SYSTEMS
- TAG READER, ECC...



APP B-MOTTURA
ANDROID/IOS



BDIGIT



BTRACK



BTAG



BKEY