





INTRODUCTION

—— WISFOR LED Bathroom Mirror, Make Life Easier

CONTENTS

01 Brand Introduction	(01)
02 Product Introduction	(02)
Product Structure	(02)
Functions of Mirror Surface	(03)
03 Product Parameter	(06)
04 Product Installation	(06)
Warm Note Before Installation	(06)
Round/ Oval Bathroom Mirror	(07)
Rectangle Bathroom Mirror	(80)
05 Wiring Method	(09)
06 Warm Note	(11)
07 Fault Isolation Manual	(11)

01 Brand Introduction

WISFOR LED Bathroom Mirror, Make Life Easier

WISFOR has been committed to helping simplify busy lifestyles by providing consumers with quality bathroom products for years.

Features Anti-fogging/Dimmable light/Memory function, our mirror is designed with customer's demand and it comes with 1 year warranty. Perfect choice for your bathroom, bedroom and makeup room.

▶ We strictly implement quality control to ensure that the products are 100% safe and qualified.

If there is any problem when you receive the mirror, please feel free to contact us by email.

▶ If you are satisfied with our products, please share them with your friends.

We look forward to your comments and video feedback as well as your suggestions for us.



02 Product Introduction



- On/Off Switch Short press the button for On/Off / long press to adjust brightness
- Light Change Button- Press the left/right for different lighting. White/ Warm White/ Warm Light 2
- 3 Anti-fog Button - Press the button for anti-fog function
- Power line plug
- 6 Hanging hook

02-1 Functions of Mirror

On/Off Button - Brightness control and adjustment





Short press the button for On/Off the light Long press to adjust light brightness

* For the on-off key, white for on state, yellow for off state





Light Change Button - adjust different lights





Short press the button to adjust from white/ warm white/ warm lighting color

* You need to turn the on-off key on to switch the color temperature







White

Warm White

Warm

Anti-Fog Button - defog the mirror



- Press slightly to switch on the anti-fog function
 - * Anti-fog function for being used separately. You can turn it off separately when not in use.
 - * Anti-fog Constant Temperature: 45 °C









*Please make sure the fingerprint fits fully when pressing on the button.

Do not use the finger tip.

02-2 Memory Function



*The mirror features memory function, the next time you turn the light on, the lighting color will be the same as the last one.



. .

03 Parameter

Details	
Product Name	Specification
Watt Range	18w-72w
Operating Temperature	-20 ℃ to 50 ℃
LED Light Temperature	2700K to 6000K
Input Voltage	100-240V
Output Voltage	12V/24V
Product Certification	CE UKCA UL SAA
Waterproof Rating	IP44
Service Life	>20000HRS
CRI	≥p 90Ra

04 Product Installation

Installation Precautions

- When installing the bathroom mirror, please first pick up the bathroom mirror and confirm the best installation height for marking, then punch for installation
- 2. Make sure your face is in the middle of the mirror for a better image.



04-1 Round / Oval Bathroom Mirror Installation

Tools to be prepared







P



Tape Measure

Pencil

Drill


Hammer

Screwdriver


Screw Kit (Set)




1.Measure the best installation height with a tape measure




2.Mark the wall with a pencil



3.Drill the marks with an electric drill.



4.Drive the expansion rubber plug into the hole.



5.Drive a screw into the hole.



6. Hang up the bathroom mirror.

04-2 Square Bathroom Mirror (Vertically/Horizontally)

Tools to be prepared







9



Tape Measure


Pencil


Drill


Hammer

Screwdriver

Screw Kit (Set)









1. Measure the distance of the bathroom mirror hook.

2.Lift the bathroom mirror up to confirm the best mounting height


3.Mark the wall with a pencil



4.Drill the marks with an electric drill. Drive a screw and an expansion plug into the hole.




5. Hang up the bathroom mirror.




You can hang it vertically in the same way

05 Wiring Method

Method 1






Power Plug

Extend the line of the bathroom mirror from the grooves on the side and plug it in to use.

Method 2













Reserved Wire

Cut off the plug of bathroom mirror with scissors and connect the reserved thread.


Method 3





06 Warm Tips

- When wiring, pay attention to the electricity specification, and use waterproof tape to operate;
- After using the defogging function, turn off the function in time to prevent the defogging film from being damaged;
- Bathroom mirror light strip and defogging film can be replaced if damaged;
- ▶ If you have any suggestions or advice, please feel free to e-mail our customer services.



07 Fault Isolation Manual

Fault	Status	Fault Isolation	Solutions
Switch on, but the light is out of work	The touch witch doesn't work	Led drive go wrong	Change the led driver
	The touch witch works	A.switch pedestal have poor contact	Replace the switch pedestal
		B.poor contact between the led strip and terminal connection	Rewire again
		C.led strip damage	Replace the led strip
Thermal Fuse doesn't work	The touch witch works	Needs to wait for 3-5min, the Thermal Fuse area can be heating	Normal
		The Thermal Fuse get damaged if there is still no heating effect after 5min	Change the Thermal Fuse





WISFOR LED Bathroom Mirror, Make Life Easier