T062 How to Install? How to Connect? Tips and Cautions Troubleshooting Control by button 83g/h Conner I te Réported et with the Shight Brog. Septic Plug in the power supply 1. Stick on the smooth, dry, clean our lace. Reconfinences if policy to bend with a bigger in can to protect the 1. Ago can not discover the device: strip light and discironic comparants on T. I. Unrollitre strip light before powering on: TiChark insides to a powered on. (2) Charle the ago is newwest very on. Old very an ago can not find device 1.Do power on test before installation. Power supply must be 5V2A. Turn on or turn of fight. of new randol. 5.84 caudous of datic visct tidas curino in da beton and usane. C'Make sure the device and phone within 5 ti distance. 4.00 NOT a low officien to install the sort light alone. (4)On ladd device page, wait at most 10 seconds before device show us. CMIT 5 Please turn off the power and unplug the adapter if the other. Adjust the brightness. * Silviake sure change a Bluetouth is on and allow cermissions required Any rough and dusty surface cannot be sticked. light with programed for a long time. User Manual (6) Power off device: (d)Lapp, then open appliand power on device and try. If teep the product away from sharp edjects or strong conserve. connect again. Switch mode (7'Disable and enable change Stustooth, then try connecting again. Please on NOT contact more copy to the records which will cause. (R/Your shorte may be incompatible with the applity another phone.) Bluetooth LED Strip Lights the power adapter over had. First I does not work, please contact assistant or select support. 4 Adjust mic sensitivity and the distance between sound squite and Sees2: Connect the LEO Control on A thipower pupply Power-on Test phone/device mid in Music Made to get best music synchronization. Glean the surface, dry cultand allick if. Control by app J. this normal than the USB head is a little for. Customer Service (Waters Viscoling absorpt) 10 Please contact us, if you have any emblem or cell a defective produc-Lungary the booking check all transmin disided. Scan the CM code on controller to install the APP. 2. Several the able ficht and Black relation it all to be We will reg within 24 hours. Plyour have any questions or product insular, please contact seller via Turn on the Bluebook on your phone. Caution 1920 Cooper or before soud the cryught : the enal error prologer orge, the partial suggest on the error page Open the AFR tag the '*' icon in the top right corner and search. hi your purchasting account. के संदर्भ के दशक All measures will be replied within 24 hours. Verdag Demonstration mew device 4. APP will show the device found, just add it. 4. Presente whole strip lights repeatedly with force. Tap the dexice loop to error control panel. Just explore if. CHESTON PROPERTY. Mail and S. Command C. (After up again, any Mail and S. Sogaring payor (p) young ago Turyenment uppstong sidger grey i seen early lead of safety flerit elicities at a constant of the constant of bloom Pieces use 5924 or above adapted 5914 and below tray to use for product to not work properly. DayBetter

T062

Benutzerhandbuch

Bluetooth LED - Streifenlichter



Wie verbinden?

School : Versinden Sie den 190 Controllation (400 Ganifan).

Schaft Schlicker Zielber (EBR-Controller an die Stromagsgrung an ...)

[위표]

. Annie fundt bilde neimen sie einen aderbar anter SAA Oper höher. Sy'ne Oper diare nier kann daze führene dass das produkt nicht nichtig fankte niert.



Funktionsprüfung vor der Installation

Schult & Stocker & did Stromversore and dir.

 Enloaded Startle Versegung and obegotion Statella entraits sent Sympone van 2. Schalter Sie der EES-Sire for ein und profen Sie, de er eine wirdheit kontikel : Wilmong Schalten Stelden EBD-Sheaten and mich den vertikland een Aureilen eut.



Wie installieren?

LCD-Confloration

I. Banadger Neuersafeiter gleber freike einterdiese beier Fieldie.



2. Arrito, no race oder skuch so Filiche Nami es beleeket werden






Junta warm

4. Only our Sky day governier LEE-Copins materials of filipary, and no shabit Manua seventhan



Emplotioner To a

Biogen Seiten JSD-Shulkmann, einem großeren Begundlichen der der bei and it of detromates as dealer a zonadicization.



Knöpte betätigen.

Steuerung per App

- Faker und Austren Stielnstahne von Gerfahr.

2. Chancing Birth Johnston Life on Brianghous

If Classics relatively debut dense Galussian — Nigery Classics are eithigh hirosa.

 Other Stride Angling in Fig. 2 of dataset Sympolic and a short street state in Tippen Sie auf das Gerbies ymbol, um zuns Ded enfeld zu gelangen. Erander Sie die Funktionen.

1. Sommer Storder CSS Code as "dem Corpolar, and de Voues in Julianes,"

Methods forward or may company . Methods 25 January 2000 in a common Laws and search that coopy their the proposition Make one with water face and in the contract the based longity DayBetter

Light oin raussahalten

Hell chest aresesser.

Mucus westastic

- Tipps und Vorsichtsmaßnahmen 4. Entrollen Sie die LEO deiste von dem Einschaften :
- 2. Führen Sie vonder Installation einen Strombeit durch. Das Notatel muso 59/2A chtagreshen.
- Admen Sie weitnend Installation and Georgaph auf Schutz von. valscher Edicture.
- 4. Kinder dürfen die I. 20 Leinte picht ohne Aufsicht instal legen.

C. Exité corrat dess sade de LSB-Stacker audé accomit

Wir unbereiter reserve is one 10 Marster.

10. Kontoktieren Sie uns bei Problemen oder delekten Produkten.

- 5. Schaften Sie die Stromversungung aus und dieben Sie den Notospeker, wenn der LED Streilen, Engere Zeit nicht behatzt wird.
- C. Hadbert Siernbert Produkt vom aufberten Geografänden refer aberk Strenden Chemisarien form.
- W. Schalten Claims. Gede aux, peerden Sin de App, abrent Sin de App nou. Schließen Sie keinerbeile zugetratigte Streifen an, de dies zu eines schollen 2 is day be at present year, of an Sie errectione Verhaderg. disertastung des Netzte la führenmenn.
- (7) Disabbéaran und abbearan Sie Bluerooth air Scramphone erreit, cann. Fassen Sie, in Muslemedus die Mentone motionileties Lund den. versuch an Sky die Verbindung amout. Abstand Legacher, der Klangqueile und dem Geräternreichen an zum eine oprimale Synchron sali on der Musikbele ubblubg zu erreichen.
 - 30 thir Straintphage & Trate into a collabel sein. I review Strain and surrose Girota. Falls das Problem vertically person, warden Claster an den Kundenderst ader

Fehlfunktion eliminiert.

(I) Uperprüfer Sie, op das Carál a rosepha at al.

dinner nabe Gerframpdelle nicht arkannen.

trend and next element

Version Full paradec.

- valuuka.

Dienstleistungen eines kunden

ille Finger noor kondustrionere kontrolleren Sie den Voldwager über zie der der Verbackung angegebene O-Mall oder ermällen Sie Support über die

25 Statement stores, does de Application soudstanes and of Afection on the

W. Warter Sie auf der "Const ihreibitgen"-Saturmanhmat 10 Seig, nder, als eine "

35 Altokaran Ste Bluetook are Smartprore and a taken Claim is a force fiction.

SOME Ken Startungs, Jose Gook and Smortphane's dimmerical, you fill

systems from Josep Konto.

Alle Antragen wurden if herhalb von 24 Stunden paantworks.

V1.0

	7
FCC Statement	•Consult the dealer or an experienced radio/TV
This equipment has been tested and found to	technician for help.
comply with the limits for a Class B digital device,	Caution: Any changes or modifications to this device
pursuant to part 15 of the FCC Rules. These limits	not explicitly approved by manufacturer could void
are designed to provide reasonable protection	your authority to operate this equipment.
against harmful interference in a residential	This device complies with part 15 of the FCC Rules.
installation. This equipment generates, uses and	Operation is subject to the following two conditions:
can radiate radio frequency energy and, if not	(1) This device may not cause harmful interference,
installed and used in accordance with the	and (2) this device must accept any interference
instructions, may cause harmful interference to	received, including interference that may cause
radio communications. However, there is no	undesired operation.
guarantee that interference will not occur in a	RF Exposure Information
particular installation. If this equipment does	This equipment complies with FCC radiation exposure
cause harmful interference to radio or television	limits set forth for an uncontrolled environment. This
reception, which can be determined by turning	equipment should be installed and operated with
the equipment off and on, the user is encouraged	minimum distance 20cm between the radiator and
to try to correct the interference by one or more	your body.
of the following measures:	
 Reorient or relocate the receiving antenna. 	
 Increase the separation between the equipment 	
and receiver.	
 Connect the equipment into an outlet on a 	
circuit different from that to which the receiver is	
connected.	