QUICK REFERENCE GUIDE > DD60DTX6I1

Series 11, Integrated Tall Double DishDrawer Dishwasher

Series 11 | Integrated




Integrates seamlessly into kitchen cabinetry. Each drawer features a premium stainless steel interior and operates independently, for flexible washing.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- · With soft-close drawers, and knock to pause convenience

 Height
 865 - 925 mm

 Width
 599 mm

 Depth
 553 mm



FEATURES & BENEFITS

Seamless Integration

Install your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers. The tall top drawer fits your larger plates and dishes up to 310mm, while the bottom drawer is ideal for small washes. Flexible racking includes height-adjustable cup racks and wine glass supports.

True Half Load

Both drawers fit a true half load. Each drawer operates independently, so you can wash one load while stacking the other drawer, or wash simultaneously on separate cycles.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

SPECIFICATIONS

Accessories (included)

Cutlery basket •

Kickstrip true

Knife clip and multipurpose clip

DIMENSIONS

QUICK REFERENCE GUIDE > DD60DTX6I1

Accessories (sold separately)	Electronic fault/Diagnostic indicator	•	Product dimensions	
Door panel black stainless steel ADDD60D1	End of cycle beeps	•	Depth	553 mm
Door panel stainless steel ADDD60D1	Energy saving delay start option of up to 12 hours	•	Height	865 - 925 mm
Handle kit Contemporary round, aluminium AHS-OBDD-6		•	Width	599 mm
Handle kit Contemporary square fine, aluminium OBDD-60	5- Koylook	•		
Handle kit Contemporary square fine, black AH	5- Knock to pause	•	Wash Program Modifiers	
OBDD-60	Rinse aid indicator light	•	-	
Handle kit Contemporary square, aluminium AHD3-OBDD-6	OS Smart appliance	•	Dry +	•
Handle kit Contemporary square, black AHD3-OBDD-6	Spray arm sensing	•	Quiet	•
			Sanitise	•
			Wash modifiers	3
Capacity and loading	Features			
Accommodates round plates up to (lower drawer)	m Fan assisted drying	•	Wash Programs	
Accommodates round plates up to (upper 310)	Flood protection	•	60 min	
drawer)	Flow through detergent dispenser	•		•
Adjustable height, foldable cupracks	Internal tub material	Stainless steel	Auto	•
Fold down tines	• Quiet operation	•	Eco	•
Pitch adjustable tines	 SmartDrive[™] technology 	•	Glassware	•
Place settings	14 Soft close drawer	•	Heavy	•
Place settings	14		Light	•
Place settings per drawer	7		Medium	•
Place settings per drawer	7 Performance		Rinse	•
Wine glass supports with stemware grippers	Noise on standard cycle top drawer	43 dBA	Wash programs	8
Consumption	Power requirements		Water connection	
Water efficiency (WELS) rating 3 ti	ks Amperage	10A	Water pressure	30kPa - 1000 kPa
Water usage (per wash cycle) 0.8L/place sett	ng Supply frequency	50Hz	Connector W	3/4" BSP (20mm)
- · · · · · · · · · · · · · · · · · · ·	Supply voltage	220 - 240V		Inlet Hose

Controls

QUICK REFERENCE GUIDE > DD60DTX6I1

SKU 82180

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

User Guide - First Use

↓ Installation Guide EN

Planning Guide

↓ Revit

J. Rhino

↓ SketchUp

User Guide - Care and Maintenance

User Guide DishDrawer™ Dishwasher

↓ Wash Program Data DishDrawer™

Water Label Integrated Double DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com