

DIGITAL NAVIGATION

[Kits](#) [Drawings](#) [Kit Contents](#)

FEATURES & SPECIFICATIONS

CONSTRUCTION — Construction: Each kit is comprised of everything needed for suspension mounting. Power feeds are optional and accommodate MVOLT only (not for 347). Please see page 4 & 5 for more details.

INTENDED USE — For suspending 1x4, 2x2, and 2x4 panels such as CPX, SPX, EPANL, and CPANL.


LISTINGS — Grippers and power feeds are both cUL/UL listed.

WARRANTY — 1-year limited warranty. This is the only warranty provided and no other statements in this specification sheet create any warranty of any kind. All other express and implied warranties are disclaimed. Complete warranty terms located at: www.acuitybrands.com/support/warranty/terms-and-conditions

Catalog Number
Notes
Type

PAC Suspension Kits


Panel Air Craft Cable Kit




ORDERING INFORMATION

Kit	Description	UPC
PAC 2DNF 36	Panel Air Craft Kit, 2 cables with Y splitter, No Power Feed, 36 inches. Recommended for 2X2 or 1X4 Panel Fixture.	194994443469
PAC 2DF 36	Panel Air Craft Kit, 2 cables with Y splitter, with Power Feed, 36 inches. Recommended for 2X2 or 1X4 Panel Fixture.	194994443513
PAC 4DNF 36	Panel Air Craft Kit, 4 cables, No Power Feed, 36 inches. Recommended for 2X4 or 2X2 or 1X4 Panel Fixtures	194994443506
PAC 4DF 36	Panel Air Craft Kit, 4 cables, with Power Feed, 36 inches. Recommended for 2X4 or 2X2 or 1X4 Panel Fixtures.	194994443537
PAC 2DNF 72	Panel Air Craft Kit, 2 cables with Y splitter, No Power Feed 72 inches. Recommended for 2X2 or 1X4 Panel Fixture.	194994443544
PAC 2DF 72	Panel Air Craft Kit, 2 cables with Y splitter, with Power Feed, 72 inches. Recommended for 2X2 or 1X4 Panel Fixture.	194994443575
PAC 4DNF 72	Panel Air Craft Kit, 4 cables, No Power Feed, 72 inches. Recommended for 2X4 or 2X2 or 1X4 Panel Fixtures.	194994443582
PAC 4DF 72	Panel Air Craft Kit, 4 cables, with Power Feed, 72 inches. Recommended for 2X4 or 2X2 or 1X4 Panel Fixtures	194994443599


PAC 2DF




PAC 2DNF



PAC 4DF



PAC 4DNF



WHAT'S IN THE KIT

PAC 2DF 36 / CIColor *268391			
Description	Quantity per	Unit	Material
1/16" galv. No Term. 36"	2	EACH	Galvanized Steel
Standard for 3/64" - 1/16"	2	EACH	Nickel Plated Brass
1/16" galv. w/ stop. 36"	2	EACH	Galvanized Steel
Grip for 3/64"-1/16" cable	4	EACH	Nickel Plated Brass
Wrap-around w/ 1/4-20 bolt.	1	EACH	Zinc Plated Steel
Alum. hourglass slv. for 1/16"	2	EACH	Aluminum
1/4-20 bracket bar w/ grn grnd	1	EACH	Zinc Plated Steel
1/4-20 x 1.0" stud.	1	EACH	Zinc Plated Steel
5" Powerfeed. Wht.	1	EACH	Powder Coated Steel
Bushing for 0.875" PF. White	2	EACH	Nylon
2" Non-Feed. Wht.	1	EACH	Powder Coated Steel
2-part slipping cable coupler	1	EACH	Nickel Plated Brass
1/4-20 Coupler. 0.35" Dia.	1	EACH	Nickel Plated Brass
Pwr. Crd. 18/5 SJT Wht.	5	FT	Copper/ PVC Jacket
4" nylon cable tie. Off white. 5 Pack	1	EACH	Nylon

PAC 2DF 72 / CIColor *268395			
Description	Quantity per	Unit	Material
1/16" galv. No Term. 36"	2	EACH	Galvanized Steel
Standard for 3/64" - 1/16"	2	EACH	Nickel Plated Brass
1/16" galv. w/ stop. 72"	2	EACH	Galvanized Steel
Grip for 3/64"-1/16" cable	4	EACH	Nickel Plated Brass
1/4-20 bracket bar w/ grn grnd	1	EACH	Zinc Plated Steel
1/4-20 x 1.0" stud.	1	EACH	Zinc Plated Steel
5" Powerfeed. Wht.	1	EACH	Powder Coated Steel
Bushing for 0.875" PF. White	2	EACH	Nylon
Wrap-around w/ 1/4-20 bolt.	1	EACH	Zinc Plated Steel
Alum. hourglass slv. for 1/16"	2	EACH	Aluminum
2" Non-Feed. Wht.	1	EACH	Powder Coated Steel
2-part slipping cable coupler	1	EACH	Nickel Plated Brass
1/4-20 Coupler. 0.35" Dia.	1	EACH	Nickel Plated Brass
Pwr. Crd. 18/5 SJT Wht.	8	FT	Copper/ PVC Jacket
4" nylon cable tie. Off white. 10 Pack	1	EACH	Nylon

PAC 2DNF 36 / CIColor *26838W			
Description	Quantity per	Unit	Material
1/16" galv. No Term. 36"	2	EACH	Galvanized Steel
Standard for 3/64" - 1/16"	2	EACH	Nickel Plated Brass
1/16" galv. w/ stop. 36"	2	EACH	Galvanized Steel
Grip for 3/64"-1/16" cable	4	EACH	Nickel Plated Brass
Wrap-around w/ 1/4-20 bolt.	2	EACH	Zinc Plated Steel
Alum. hourglass slv. for 1/16"	2	EACH	Aluminum
2" Non-Feed. Wht.	2	EACH	Powder Coated Steel
1/4-20 Coupler. 0.35" Dia.	2	EACH	Nickel Plated Brass

PAC 2DNF 72 / CIColor *268394			
Description	Quantity per	Unit	Material
1/16" galv. No Term. 36"	2	EACH	Galvanized Steel
Standard for 3/64" - 1/16"	2	EACH	Nickel Plated Brass
1/16" galv. w/ stop. 72"	2	EACH	Galvanized Steel
Grip for 3/64"-1/16" cable	4	EACH	Nickel Plated Brass
Wrap-around w/ 1/4-20 bolt.	2	EACH	Zinc Plated Steel
Alum. hourglass slv. for 1/16"	2	EACH	Aluminum
2" Non-Feed. Wht.	2	EACH	Powder Coated Steel
1/4-20 Coupler. 0.35" Dia.	2	EACH	Nickel Plated Brass

PAC 4DF 36 / CIColor *268393			
Description	Quantity per	Unit	Material
1/16" galv. w/ stop. 36"	4	EACH	Galvanized Steel
Grip for 3/64"-1/16" cable	4	EACH	Nickel Plated Brass
Wrap-around w/ 1/4-20 bolt.	3	EACH	Zinc Plated Steel
Alum. hourglass slv. for 1/16"	4	EACH	Aluminum
1/4-20 bracket bar w/ grn grnd	1	EACH	Zinc Plated Steel
1/4-20 x 1.0" stud.	1	EACH	Zinc Plated Steel
5" Powerfeed. Wht.	1	EACH	Powder Coated Steel
Bushing for 0.875" PF. White	2	EACH	Nylon
2" Non-Feed. Wht.	3	EACH	Powder Coated Steel
2-part slipping cable coupler	1	EACH	Nickel Plated Brass
1/4-20 Coupler. 0.35" Dia.	3	EACH	Nickel Plated Brass
Pwr. Crd. 18/5 SJT Wht.	5	FT	Copper/ PVC Jacket
4" nylon cable tie. Off white. 5 Pack	1	EACH	Nylon

PAC 4DF 72 / CIColor *26839C			
Description	Quantity per	Unit	Material
1/16" galv. w/ stop. 72"	4	EACH	Galvanized Steel
Grip for 3/64"-1/16" cable	4	EACH	Nickel Plated Brass
Wrap-around w/ 1/4-20 bolt.	3	EACH	Zinc Plated Steel
Alum. hourglass slv. for 1/16"	4	EACH	Aluminum
1/4-20 bracket bar w/ grn grnd	1	EACH	Zinc Plated Steel
1/4-20 x 1.0" stud.	1	EACH	Zinc Plated Steel
5" Powerfeed. Wht.	1	EACH	Powder Coated Steel
Bushing for 0.875" PF. White	2	EACH	Nylon
2" Non-Feed. Wht.	3	EACH	Powder Coated Steel
2-part slipping cable coupler	1	EACH	Nickel Plated Brass
1/4-20 Coupler. 0.35" Dia.	3	EACH	Nickel Plated Brass
Pwr. Crd. 18/5 SJT Wht.	8	FT	Copper/ PVC Jacket
4" nylon cable tie. Off white. 10 Pack	1	EACH	Nylon

WHAT'S IN THE KIT

PAC 4DNF 36 / ClCode *268392			
Description	Quantity per	Unit	Material
1/16" galv. w/ stop. 36"	4	EACH	Galvanized Steel
Grip for 3/64"-1/16" cable	4	EACH	Nickel Plated Brass
Wrap-around w/ 1/4-20 bolt.	4	EACH	Zinc Plated Steel
Alum. hourglass slv. for 1/16"	4	EACH	Aluminum
2" Non-Feed. Wht.	4	EACH	Powder Coated Steel
1/4-20 Coupler. 0.35" Dia.	4	EACH	Nickel Plated Brass

PAC 4DNF 72 / ClCode *268398			
Description	Quantity per	Unit	Material
1/16" galv. w/ stop. 72"	4	EACH	Galvanized Steel
Grip for 3/64"-1/16" cable	4	EACH	Nickel Plated Brass
Wrap-around w/ 1/4-20 bolt.	4	EACH	Zinc Plated Steel
Alum. hourglass slv. for 1/16"	4	EACH	Aluminum
2" Non-Feed. Wht.	4	EACH	Powder Coated Steel
1/4-20 Coupler. 0.35" Dia.	4	EACH	Nickel Plated Brass