

Oct
2025

Dimplex[®]

Xpelair[®]

PRICE LIST

Effective 1st October 2025 until further notice

DIMPLEX HEATING AND XPELAIR VENTILATION

MILLBROOK HOUSE, GRANGE DRIVE, HEDGE END, SOUTHAMPTON, SO30 2DF

Email: salesuk@glendimplex.com
Telephone: 0344 879 3587
Websites: www.dimplex.co.uk
www.xpelair.co.uk



Visit <https://www.dimplex.co.uk/en-gb/trade-price-lists> for the latest trade pricing or scan the QR code.

For support with project pricing, heating designs, or to speak with us about product specification, please contact our Presales team on 0344 879 35 86 or pre-sales@glendimplex.com

Contents

Page

Dimplex Electric Space and Water Heating

Quantum and Storage Heaters	1
Electric Radiators	1
Electric Panel Heaters	2,3
Dimplex Control	3
Bathroom Heating	4
Installed Fan Heaters	4
Water Cylinders	4
Heat Pumps and Accessories	4
General Purpose Heaters	5
Over Door Heaters	5
Portable Heaters	5
Dehumidifiers	5

Xpelair Ventilation

Simply Silent and Premier Extract Fans	6,7
Commercial Axial and Window Fans	7
Natural Air, XCell MVHR and Everdri PIV	7
Controls, Ducting and Ancillaries	7

Item Code	Model No.	Description	Nominal Output kW	List Price £ Excl VAT
-----------	-----------	-------------	----------------------	--------------------------

Storage Heaters

QUANTUM HEATER - LOW COST, LOW CARBON, FUTURE PROOFED ELECTRIC HEATING

Quantum is an advanced high heat retention (HHR) electric storage heater with a clean look and reliable performance. Quantum provides low cost, low carbon, electric heating and temperature control.

- Efficient heating system with low running costs delivered by maximising the use of off-peak tariffs
- Customisable heating with four time and temperature settings per day
- Dynamic output regulated by an electronic thermostat to provide only the heating required
- Adaptive charge calculations to dynamically store only required energy
- Can improve a dwelling's EPC score when used to replace storage or panel heaters
- Smartphone app controllable via the Dimplex Control system**

081407	QM050RF	500W output Quantum heater with integrated RF control**	0.5	765.16
081520	QM070RF	700W output Quantum heater with integrated RF control**	0.7	815.00
081414	QM100RF	1000W output Quantum heater with integrated RF control**	1	899.64
081421	QM125RF	1250W output Quantum heater with integrated RF control**	1.25	990.93
081438	QM150RF	1500W output Quantum heater with integrated RF control**	1.5	1063.69
080479	QFEET	Taller foot kit for Quantum	n/a	35.87
X-048721	QPL070	Plinth for Quantum models QM070/QM070RF	n/a	43.91
X-048738	QPL100	Plinth for Quantum models QM100/QM100RF	n/a	43.91
X-048745	QPL125150	Plinth for Quantum models QM125/QM150/QM125RF/QM150RF	n/a	43.91



XLE STORAGE HEATER

An advanced electric storage heater, developed in response to Lot 20 regulations and to supersede the XLS and CXL ranges. With a clean look and reliable performance, it provides an upgraded and compliant replacement for older storage heaters.

- Efficient heating system with low running costs delivered by maximising the use of off-peak tariffs
- Dynamic storage capacity - automatically adjusts to user requirements
- Controllable electronic heat output to match user lifestyle
- Quiet fan assisted heat output
- Good heat retention and responsiveness in SAP

080905	XLE050	Electronic controlled storage heater	0.5	656.24
080912	XLE070	Electronic controlled storage heater	0.7	706.08
080998	XLE100	Electronic controlled storage heater	1	790.72
080929	XLE125	Electronic controlled storage heater	1.25	882.03
080936	XLE150	Electronic controlled storage heater	1.5	954.79



Electric Radiators

Q-RAD ELECTRIC RADIATOR

Q-Rad is our most intelligent electric radiator yet, with attractive styling to match the Quantum off-peak storage range.

- Instant warmth through dual-element technology
- Customisable heating with four time and temperature settings per day
- Adaptive start pre-heating and open window detection auto-shutdown
- Smartphone app controllable via the Dimplex Control system**

081353	QRAD050RF	Advanced electric radiator with intelligent controls, offering incredible performance**	0.50	361.85
081360	QRAD075RF	Advanced electric radiator with intelligent controls, offering incredible performance**	0.75	378.42
081377	QRAD100RF	Advanced electric radiator with intelligent controls, offering incredible performance**	1	399.35
081384	QRAD150RF	Advanced electric radiator with intelligent controls, offering incredible performance**	1.5	415.92
081391	QRAD200RF	Advanced electric radiator with intelligent controls, offering incredible performance**	2	435.15



ALURAD WI-FI ALUMINIUM RADIATOR

Aluminium electric radiator with electronic thermostat control, integral seven-day timer, open window detection and adaptive-start technology.

- Affordable, stylish electric radiator designed to match traditional wet radiator aesthetic
- Electronic thermostat control accurate to $\pm 0.2^{\circ}\text{C}$
- Splash-proof for use in bathrooms
- Suitable for domestic and commercial use
- Smartphone controllable via the CapaConnect app

500003630	NEW	DAR050	500W AluRad Wi-Fi - Aluminium radiator with app control	0.5	321.82
500003631	NEW	DAR075	750W AluRad Wi-Fi - Aluminium radiator with app control	0.75	374.35
500003632	NEW	DAR100	1000W AluRad Wi-Fi - Aluminium radiator with app control	1	426.37
500003604	NEW	DAR150	1500W AluRad Wi-Fi - Aluminium radiator with app control	1.5	520.46
500003605	NEW	DAR200	2000W AluRad Wi-Fi - Aluminium radiator with app control	2	579.48



**Compatible with Dimplex Control system. Requires additional purchase of Dimplex Hub and RF Module (RF Modules not required for QMRF / QWCd / EDL / QRADRF)


Item Code	Model No.	Description	Nominal Output kW	List Price £ Excl VAT
-----------	-----------	-------------	----------------------	--------------------------

Electronic Panel Heaters

ALTA WI-FI PANEL HEATER

The Alta Wi-Fi panel heater features built-in Wi-Fi with direct connection to your network, allowing the heater to be controlled remotely via our CapaConnect app. This range also includes intuitive user controls and seven-day timer profiles. The '2R' is a low profile version of the standard '4R' panel, conveniently sized for use on short walls or under windows. The Alta Wi-Fi panel heater can be paired with our clip-on glass accessories which are available in white and anthracite colours.

- Modern panel design with top outlet grille for optimum heat circulation
- Low profile and standard height options
- White and anthracite glass front accessories available for each
- Customisable heating time and temperature settings
- Smartphone controllable via the CapaConnect app



400001217	NEW	DTD2R 05	Alta Wi-Fi panel heater in 20cm profile	0.5	155.96
400001218	NEW	DTD2R 07	Alta Wi-Fi panel heater in 20cm profile	0.75	199.35
400001219	NEW	DTD2R 10	Alta Wi-Fi panel heater in 20cm profile	1	206.39
400001220	NEW	DTD2R 12	Alta Wi-Fi panel heater in 20cm profile	1.25	215.77
870000022	NEW	NDG2 072 W	Alta 20cm 500W white glass accessory	n/a	53.29
870000023	NEW	NDG2 102 W	Alta 20cm 750W white glass accessory	n/a	57.74
870000024	NEW	NDG2 132 W	Alta 20cm 1000W white glass accessory	n/a	62.18
500002344	NEW	NDG2 152 W	Alta 20cm 1250W white glass accessory	n/a	66.62
870000122	NEW	NDG2 072 A	Alta 20cm 500W anthracite glass accessory	n/a	53.29
870000123	NEW	NDG2 102 A	Alta 20cm 750W anthracite glass accessory	n/a	57.74
870000124	NEW	NDG2 132 A	Alta 20cm 1000W anthracite glass accessory	n/a	62.18
500002345	NEW	NDG2 152 A	Alta 20cm 1250W anthracite glass accessory	n/a	66.62
400001221	NEW	DTD4R 05	Alta Wi-Fi panel heater in 40cm profile	0.5	203.99
400001222	NEW	DTD4R 07	Alta Wi-Fi panel heater in 40cm profile	0.75	213.73
400001223	NEW	DTD4R 10	Alta Wi-Fi panel heater in 40cm profile	1	223.43
400001224	NEW	DTD4R 15	Alta Wi-Fi panel heater in 40cm profile	1.5	250.73
400001225	NEW	DTD4R 20	Alta Wi-Fi panel heater in 40cm profile	2	263.05
870000042	NEW	NDG4 052 W	Alta 40cm 500W white glass accessory	n/a	53.29
870000043	NEW	NDG4 062 W	Alta 40cm 750W white glass accessory	n/a	57.74
870000044	NEW	NDG4 072 W	Alta 40cm 1000W white glass accessory	n/a	62.18
870000046	NEW	NDG4 102 W	Alta 40cm 1500W white glass accessory	n/a	71.06
870000047	NEW	NDG4 112 W	Alta 40cm 2000W white glass accessory	n/a	79.94
870000142	NEW	NDG4 052 A	Alta 40cm 500W anthracite glass accessory	n/a	53.29
870000143	NEW	NDG4 062 A	Alta 40cm 750W anthracite glass accessory	n/a	57.74
870000144	NEW	NDG4 072 A	Alta 40cm 1000W anthracite glass accessory	n/a	62.18
870000146	NEW	NDG4 102 A	Alta 40cm 1500W anthracite glass accessory	n/a	71.06
870000147	NEW	NDG4 112 A	Alta 40cm 2000W anthracite glass accessory	n/a	79.94

IRP FAR-INFRARED ELECTRONIC PANEL HEATERS

The Dimplex IRP panel heater range utilises the latest in far-infrared technology to ensure a comfortable and precise heat delivery.

- Sleek and stylish design
- Can be wall or ceiling mounted
- Heats objects in the room with the latest far-infrared technology
- IRP PANELS MUST BE USED IN CONJUNCTION WITH A DTB-2R CONTROLLER FOR LOT20 COMPLIANCE




378420	NEW	IRP300	Dimplex infrared panel 300W	0.3	187.23
378430	NEW	IRP600	Dimplex infrared panel 600W	0.6	281.32
378440	NEW	IRP850	Dimplex infrared panel 850W	0.85	314.24
5401223	NEW	IRP Cable Set	Cable extension set for ceiling mounting on taller ceilings		43.76
5401224	NEW	IRP300 Frame Kit	Frame set for IRP300 to be fitted into false ceiling tiles		73.22
378280	NEW	DTB-2R Controller	Controller for the IRP panel heater range		74.30

IRP FAR-INFRARED ELECTRONIC PANEL HEATER KITS

The Dimplex IRP panel heater kits contain one panel heater and one controller.

380470	NEW	IRP300 Kit	Contains 1 x IRP300 panel & 1 x DTB-2R controller	0.3	261.54
380480	NEW	IRP600 Kit	Contains 1 x IRP600 panel & 1 x DTB-2R controller	0.6	355.63
380490	NEW	IRP850 Kit	Contains 1 x IRP850 panel & 1 x DTB-2R controller	0.85	388.55

LOOKING FOR THE MONTEREY (MFP), GIRONA (GFP) OR SALETTE (LPP) RANGES?
These products have been replaced with our new Alta Wi-Fi Range (see Page 2)

Item Code	Model No.	Description	Nominal Output kW	List Price £ Excl VAT
Electronic Panel Heaters				
PLXE PANEL HEATERS				
Panel heater with electronic thermostat control, integral seven-day timer, open window detection and adaptive-start technology.				
<ul style="list-style-type: none"> Forward facing louvred grille for optimum heat circulation Aesthetics to compliment the new XLE storage heater range Electronic thermostat control accurate to $\pm 0.2^{\circ}\text{C}$ Splash-proof for use in bathrooms Suitable for domestic or commercial use 				
090768	PLX050E	500W Electronic controlled panel heater with louvred grille**	0.5	194.28
090775	PLX075E	750W Electronic controlled panel heater with louvred grille**	0.75	203.55
090713	PLX100E	1000W Electronic controlled panel heater with louvred grille**	1	212.79
090720	PLX125E	1250W Electronic controlled panel heater with louvred grille**	1.25	222.07
090737	PLX150E	1500W Electronic controlled panel heater with louvred grille**	1.5	238.80
090744	PLX200E	2000W Electronic controlled panel heater with louvred grille**	2	250.56
090751	PLXC300E	3000W Electronic controlled panel heater with slotted grille for commercial applications**	3	283.99
091741	PLX050ENC	500W Electronic controlled panel heater with louvred grille & tamperproof/ no controls interface***	0.5	171.63
091758	PLX075ENC	750W Electronic controlled panel heater with louvred grille & tamperproof/ no controls interface***	0.75	181.35
091765	PLX100ENC	1000W Electronic controlled panel heater with louvred grille & tamperproof/ no controls interface***	1	190.10
091772	PLX125ENC	1250W Electronic controlled panel heater with louvred grille & tamperproof/ no controls interface***	1.25	199.51
091789	PLX150ENC	1500W Electronic controlled panel heater with louvred grille & tamperproof/ no controls interface***	1.5	215.19
091796	PLX200ENC	2000W Electronic controlled panel heater with louvred grille & tamperproof/ no controls interface***	2	227.83
PLXENC ACCESSORIES				
078445	DWC	Dimplex Wall Controller, Bluetooth wall controller for hotel and student accommodation heating functionality	n/a	35.53
LST LOW SURFACE TEMPERATURE HEATER				
091208	LST050E	Low surface temperature electric radiator with intelligent controls, fanned output, IPX4 rated, white**	0.5	386.70
091178	LST075E	Low surface temperature electric radiator with intelligent controls, fanned output, IPX4 rated, white**	0.75	407.88
091185	LST100E	Low surface temperature electric radiator with intelligent controls, fanned output, IPX4 rated, white**	1	429.07
091192	LST150E	Low surface temperature electric radiator with intelligent controls, fanned output, IPX4 rated, white**	1.5	450.27
Dimplex Control				
Control and monitor your heating and hot water with Dimplex Control. Group heaters into zones to easily control and track their energy usage. Any time. Anywhere.				
 <ul style="list-style-type: none"> Zoned control - Quickly view and change heating mode. Easy set-up - The app features a step-by-step setup wizard so you can start using the system quickly without having to leave the app. Control your hot water - See how much hot water is available at the set temperature (Requires a compatible Dimplex Quantum Water Cylinder QWCd). Monitor energy usage - by heater, zone or site with an hourly, 7 day, 28 day and annual view. Remote access - Monitor and control your heating from anywhere in the world using the Dimplex control app and a mobile data connection. Support - See faults reported on the app and request help using service mode. 				
065698	DimplexHub	DimplexHub Wi-Fi/Ethernet. Required to connect supported RF products to Dimplex Control. One per property**	n/a	178.44
071569	RFM	RFM Radio Frequency Module. Adds RF communication to supported products to enable compatibility with Dimplex Control/ One per product. Only supported products are compatible - check which at www.dimplex.co.uk/dimplexcontrol/compatibility/	n/a	53.68



**Compatible with Dimplex Control system. Requires additional purchase of Dimplex Hub and RF Module (RF Modules not required for QMRF / QWCd / EDL / QRADRF)

*** Requires additional purchase of 1 x DWC item 078445 with each PLXENC



Item Code		Model No.	Description	Nominal Output kW	List Price £ Excl VAT
Bathroom Products					
TOWEL RAILS					
500003622	NEW	TRM14W5	200W Stylish white ladder towel rail with Lot 20 compliant control located on middle rail for ease of programming	0.2	283.24
500003626	NEW	TRM14C5	120W Stylish chrome ladder towel rail with Lot 20 compliant control located on middle rail for ease of programming	0.12	308.99
500003621	NEW	TRM21W4	250W Stylish white ladder towel rail with Lot 20 compliant control located on middle rail for ease of programming	0.25	343.33
500003625	NEW	TRM21C4	175W Stylish chrome ladder towel rail with Lot 20 compliant control located on middle rail for ease of programming	0.175	369.08
500003623	NEW	TRM21W5	300W Stylish white ladder towel rail with Lot 20 compliant control located on middle rail for ease of programming	0.3	369.08
500003627	NEW	TRM21C5	200W Stylish chrome ladder towel rail with Lot 20 compliant control located on middle rail for ease of programming	0.2	394.83
500003624	NEW	TRM28W5	400W Stylish white ladder towel rail with Lot 20 compliant control located on middle rail for ease of programming	0.40	394.83
500003628	NEW	TRM28C5	250W Stylish chrome ladder towel rail with Lot 20 compliant control located on middle rail for ease of programming	0.25	420.58
Installed Fan Heaters					
DOWNFLOW HEATERS					
016270		FX20VE*	Pull cord operation with 30 minute electronic runback timer. Choice of 1kW or 2kW at installation	2	108.52
032812		FX20EIPX4*	IPX4 rated. Pull cord operation with 30 minute electronic runback timer. Choice of 1kW or 2kW at installation	2	110.66
DOWNFLOW HEATERS - Lot 20 2025 Compliant					
400001840	NEW	FX20VEV**	App and/or Pull cord operation with digital thermostat and schedule function. Choice of 1kW or 2kW at installation.	2	108.52
400001850	NEW	FX20WIPX4**	IPX4 rated. Pull cord operation with 30 minute electronic runback timer. Choice of 1kW or 2kW at installation.	2	110.66
Water Heating					
EC-EAU™ UNVENTED STAINLESS STEEL DOMESTIC HOT WATER CYLINDERS - DIRECT					
041739		ECsd125-580	125L unvented, stainless steel DHW cylinder, direct	2 X 3kW	884.41
041753		ECsd150-580	150L unvented, stainless steel DHW cylinder, direct	2 X 3kW	911.38
041777		ECsd175-580	175L unvented, stainless steel DHW cylinder, direct	2 X 3kW	969.69
041791		ECsd210-580	210L unvented, stainless steel DHW cylinder, direct	2 X 3kW	1022.82
QUANTUM WATER CYLINDERS					
081858		QWCd125-580RF	Quantum 125 litre unvented direct cylinder with intelligent control & integrated RF communication**	2 X 3kW	1358.81
081872		QWCd150-580RF	Quantum 150 litre unvented direct cylinder with intelligent control & integrated RF communication**	2 X 3kW	1387.28
081896		QWCd210-580RF	Quantum 210 litre unvented direct cylinder with intelligent control & integrated RF communication**	2 X 3kW	1528.42
EDEL HOT WATER HEAT PUMP CYLINDER					
400001350		EDL170-520RF	170L unvented stainless steel hot water heat pump cylinder with safety & vent kit, & integrated RF communication**		2451.82
400001600		EDL200UK-630RF	200L unvented stainless steel hot water heat pump cylinder & integrated RF communication**		2603.38
400001601		EDL270UK-630RF	270L unvented stainless steel hot water heat pump cylinder & integrated RF communication**		2707.51
EDEL170 HOT WATER HEAT PUMP CYLINDER ACCESSORIES					
500001044		EDL170VK	Edel 170 Vent kit		116.72
500001493		EDL170VEK	Edel 170 Vent Extension kit		128.87
Heat Pumps and Accessories					
COMMERCIAL AIR SOURCE HEAT PUMPS - OUTDOOR - THREE PHASE					
376680		LA40TU-2	40kW air to water heat pump, high efficiency		27807.73
400001655		LA3860	60kW air to water heat pump, high efficiency		41865.80
COMMERCIAL GROUND SOURCE HEAT PUMPS WITH CIRCULATION PUMPS - THREE PHASE					
368470		SI75TU	75kW brine to water heat pump, high efficiency. ETL listed		33050.73
369950		SI90TU	90kW brine to water heat pump, high efficiency		36844.50
369960		SI130TU	130kW brine to water heat pump, high efficiency		50711.54
CONTROLLER AND HEAT PUMP CONNECTION CABLES					
355930		EVL40U	Control line for LA40TU-2 WPM EconPlus / WPM EconR (40m)		433.46
363550		EVL40UE	Control line for LA60TU-2 WPM EconPlus / WPM EconR with electronic expansion valve (40m)		457.02
CONTROL ACCESSORIES					
373780		WPMECON5PLUS	Master Controller for multiple heat pumps (excludes set up costs which are quoted separately)		1519.00
356960		NWPM	Ethernet connection for WPM2004/2006/2007		480.50
026095		FG3115	Outside temperature sensor		42.81
CYLINDER ACCESSORIES AND BUFFER TANKS					
025586		PSW100	100L Buffer tank		546.45
024176		PSW200	200L Buffer tank		680.66
025593		PSW500	500L Buffer tank		1102.42
IMMERSION HEATER FOR INSTALLATION IN BUFFER TANK					
024848		CTHK634	6kW Immersion element, three phase		237.93
024862		CTHK636	9kW Immersion element, three phase		267.34

*While stocks last

**Bluetooth App commissioning required before first operation



General Purpose Heaters

Item Code	Model No.	Description	Nominal Output kW	List Price £ Excl VAT
THERMOSTATIC TUBULAR HEATERS				
049667	ECOT1FT*	1ft Tubular heater with thermostat and fitted plug	0.04	28.24
049674	ECOT2FT*	2ft Tubular heater with thermostat and fitted plug	0.08	39.53
049681	ECOT3FT*	3ft Tubular heater with thermostat and fitted plug	0.12	44.78
049698	ECOT4FT*	4ft Tubular heater with thermostat and fitted plug	0.16	52.78
049704	ECOT5FT*	5ft Tubular heater with thermostat and fitted plug	0.2	60.20
049711	ECOT6FT*	6ft Tubular heater with thermostat and fitted plug	0.24	65.47
052544	TTHLK*	Thermostatic tubular heater linking kit	n/a	8.56

OVER DOOR HEATERS

081490	AC3RE*	Wall or ceiling mounted with advanced bluetooth control	3 / 1.5	354.99
018250	AC3N*	Wall or ceiling mounted with integrated controls	3 / 1.5	242.42
018274	AC45N*	Wall or ceiling mounted with integrated controls	4.5 / 2.25	277.68
018281	AC6N*	Wall or ceiling mounted with integrated controls	6 / 3	445.66

Due to their limited controls, the standard AC_N range is not intended to provide a complete solution to space heating and thermal comfort.

OVER DOOR HEATERS - Lot 20 2025 Compliant

400001830	NEW	AC3W**	App and / or onboard rocker switch operated with digital thermostat and schedule function. Lot20 2025 compliant.	3 / 1.5	269.00
400001831	NEW	AC45W**	App and / or onboard rocker switch operated with digital thermostat and schedule function. Lot20 2025 compliant.	4.5 / 2.25	319.00
400001832	NEW	AC6W**	App and / or onboard rocker switch operated with digital thermostat and schedule function. Lot20 2025 compliant.	6 / 3	489.00

Portable Heaters

OIL FILLED RADIATORS

090584	B07SE*	MK1E oil filled radiator with advanced controls and thermostat, freestanding and wall mountable	0.75	297.44
090591	C100E*	MK1E oil filled radiator with advanced controls and thermostat, freestanding and wall mountable	1	332.31
090607	D150E*	MK1E oil filled radiator with advanced controls and thermostat, freestanding and wall mountable	1.5	366.44
090614	E200E*	MK1E oil filled radiator with advanced controls and thermostat, freestanding and wall mountable	2	427.76
090676	OFX075E*	OFXE oil filled radiator with thermostat, freestanding only	0.75	210.96
090683	OFX100E*	OFXE oil filled radiator with thermostat, freestanding only	1	236.35
090690	OFX150E*	OFXE oil filled radiator with thermostat, freestanding only	1.5	261.15
090706	OFX200E*	OFXE oil filled radiator with thermostat, freestanding only	2	305.73

OIL FREE RADIATORS

046352	OFRB7N	'Baby' column heater, thermostat, on / off switch	0.7	80.48
400000307	ECR15	Traditional column style radiator, thermostat and choice of heat settings	1.5	84.64
400000305	ECR20	Traditional column style radiator, thermostat and choice of heat settings	2	95.22
400000306	ECR20Tie	Traditional column style radiator, thermostat, choice of heat settings and 24-hour timer	2	105.81
X-107442	FUTM2CE	FutuRad covered style radiator, electronic thermostat with Intelligent heat mode and 12 runback timer	2	164.69
X-107947	FUTM3TSTi	FutuRad covered style radiator, two heat settings, thermostat and 24 hour mechanical timer	3	183.00

PORTABLE FAN HEATERS

037800	DXFF20TSN	Thermostat with frost protection, cool air and heat settings	2	34.48
037817	DXFF30TSN	Thermostat with frost protection, cool air and heat settings	3	45.34
500001704	DEUF2N	Upright fan heater, thermostat with frost protection, cool air and heat settings, safety tilt switch	2	36.59
106315	RUG3TS	3kW workshop fan heater, thermostat with frost protection, cool air and heat settings	3	74.80
X-037947	DXSTG25	Upright ceramic fan heater. 12hr runback timer, electronic thermostat with intelligent heat mode and osc.	2.5	128.10

ML' CONVECTOR HEATERS

X-106506	ML2T	Thermostat, heat selection, freestanding only	2	45.74
X-106643	ML2TSTie7	Electronic control and adaptive start, freestanding or wall mountable, safety tilt switch	2	64.05
X-106674	ML3TSTie7	Electronic control and adaptive start, freestanding or wall mountable, safety tilt switch	3	82.34

DEHUMIDIFIERS

X-071125	EverDri 10E	10 litre dehumidifier, electronic humidistat, 2.3L water tank, 15-hour runback timer	0.29	183.00
X-071118	EverDri 14EL	14 litre dehumidifier, electronic humidistat, 2.3L water tank, 15-hour runback timer	0.35	201.30
X-071071	EverDri 20EL	20 litre dehumidifier, electronic humidistat, 2.3L water tank, 15-hour runback timer	0.8	256.20

*While stocks last

**Bluetooth App commissioning required before first operation



Xpelair Fan Ranges

Item Code	Model No.	Description	List Price £ Excl VAT
VX100 SHORT-SPIGOT FANS			
92935AW	VX100-SP	Single speed 100mm axial standard fan with short spigot	18.92
92931AW	VX100T-SP	Single speed 100mm axial fan with timer and short spigot	23.40
92936AW	VX100P-SP	Single speed 100mm axial fan with pull cord and short spigot	23.40
SIMPLY SILENT DX100 - 4" / 100mm AXIAL EXTRACT FANS WITH WALL FITTING KIT			
93025AW	DX100S	Two speed 100mm axial standard fan with square grille-front	41.07
93026AW	DX100TS	Two speed 100mm axial fan with timer and square grille-front	46.94
93027AW	DX100PS	Two speed 100mm axial fan with pullcord and square grille-front	46.94
93028AW	DX100HTS	Two speed 100mm axial fan with humidistat / timer and square grille-front	70.40
93029AW	DX100HPTS*	Two speed 100mm axial fan with humidistat / timer / pullcord and square grille-front	98.72
93030AW	DX100PIRS	Two speed 100mm axial fan with PIR sensor and square grille-front	78.93
93005AW	DX100R	Two speed 100mm axial standard fan with round grille-front	41.07
93006AW	DX100TR	Two speed 100mm axial fan with timer and round grille-front	46.94
93007AW	DX100PR*	Two speed 100mm axial fan with pullcord and round grille-front	46.94
93008AW	DX100HTR*	Two speed 100mm axial fan with humidistat / timer and round grille-front	70.40
93009AW	DX100HPTTR*	Two speed 100mm axial fan with humidistat / timer / pullcord and round grille-front	98.72
93010AW	DX100PIRR*	Two speed 100mm axial fan with PIR sensor and round grille-front	78.93
SIMPLY SILENT DX100B - 4" / 100mm AXIAL EXTRACT FANS			
93017AW	DX100BS	Two speed 100mm axial standard fan with square grille-front	35.20
93018AW	DX100BTS	Two speed 100mm axial fan with timer and square grille-front	41.07
93019AW	DX100BHTS	Two speed 100mm axial fan with humidistat / timer and square grille-front	70.40
93020AW	DX100BHPTS*	Two speed 100mm axial fan with humidistat / timer / pullcord and square grille-front	90.06
DX100 - 4" / 100mm AXIAL EXTRACT FANS WITH WALL FITTING KIT			
90839AW	DX100	Single speed axial standard fan	36.58
90841AW	DX100T	Single speed axial fan with timer	50.70
92567AW	DX100HTA	Single speed axial fan with humidistat and pullcord	100.30
SIMPLY SILENT LV100 - 4"/100mm SELV AXIAL EXTRACT FANS WITH WALL FITTING KIT			
93031AW	LV100S	Two speed 100mm axial SELV standard fan square grille-front	89.05
93032AW	LV100TS	Two speed 100mm axial SELV fan with timer and square grille-front	93.93
93033AW	LV100PS	Two speed 100mm axial SELV fan with pullcord and square grille-front	93.93
93034AW	LV100HTS	Two speed 100mm axial SELV fan with humidistat / timer and square grille-front	132.08
93035AW	LV100HPTS*	Two speed 100mm axial SELV fan with humidistat / timer / pullcord and square grille-front	140.44
93036AW	LV100PIRS	Two speed 100mm axial SELV fan with PIR sensor and square grille-front	131.56
LV100 - 4"/100mm SELV AXIAL EXTRACT FANS WITH WALL FITTING KIT			
90847AW	LV100T	LoVolt single speed axial fan with timer	102.29
92569AW	LV100HTA	LoVolt single speed axial fan with humidistat and pullcord	179.62
92570AW	LV100HTAP	LoVolt single speed axial fan with humidistat , pullcord and timer	189.33
SIMPLY SILENT CONTOUR C4 - 4"/100mm NEAR-SILENT AXIAL EXTRACT FANS			
078339	C4SR	Two speed 100mm axial standard fan with combined square / round baffle-front	51.98
078346	C4TSR	Two speed 100mm axial fan with timer with combined square / round baffle-front	58.03
078353	C4PSR	Two speed 100mm axial fan with pullcord with combined square / round baffle-front	58.03
078360	C4HTSR	Two speed 100mm axial fan with humidistat / timer with combined square / round baffle-front	89.44
SIMPLY SILENT CONTOUR CV4 - 4"/100mm NEAR-SILENT CONSTANT VOLUME AXIAL EXTRACT FANS			
078377	CV4SR	Simply Silent Extract Fan with combined square / round baffle-front	139.25
078384	LVCFV4SR	Simply Silent Extract Fan with external transformer & combined square / round baffle-front	197.29
SMOOTH FAN XS100 4"/100mm AXIAL EXTRACT FANS			
93346AA	XS100S	Square Fascia Baffled Extract Fan	40.47
93347AA	XS100T	Square Fascia Baffled Extract Fan with Timer	45.37
PREMIER CF20TX AND LVCF20TX - CENTRIFUGAL AND CONDENSATION CONTROL FANS			
067326	CF20TX	Premier Centrifugal Fan with humidistat	203.17
067333	LVCF20TX	LoVolt Premier Centrifugal Fan with humidistat	237.04
PREMIER DX200 & CF20 - CENTRIFUGAL EXTRACT AND CONDENSATION CONTROL FANS			
91014AW	DX200T*	Premier 4 speed option centrifugal extract fan with trickle speed option	109.59
SIMPLY SILENT SHOWER FANS - 4" / 100mm NEAR SILENT AXIAL EXTRACT FANS WITH FITTING KIT			
93086AW	SSSFC	Round grille fan complete with flexible ducting and external grille	57.61
93087AW	SSISFC	Round baffle fan complete with integral LED light, SELV transformer, flexible ducting and external grille	128.08
AIRLINE - INLINE AXIAL EXTRACT FAN SYSTEMS FOR SHOWER CUBICLES			
93288AW	AL100	100mm inline duct fan with ducting and grilles 220-240V	38.94
93289AW	AL100T	100mm inline duct fan with timer, ducting and grilles 220-240V	42.94
93290AW	ALL100	100mm inline duct fan with LED light, ducting and grilles 220-240V	79.41
93291AW	ALL100T	100mm inline duct fan with timer, LED light, ducting and grilles 220-240V	83.40

*While stocks last



Xpelair Fan Ranges

Item Code	Model No.	Description	List Price £ Excl VAT
XIMX - INLINE MIXED FLOW EXTRACT FANS FOR DOMESTIC DUCTED APPLICATIONS			
93078AW	XIMX 100	100mm inline mixed flow fan	65.76
93079AW	XIMX 100T	100mm inline mixed flow fan with timer	80.93
93080AW	XIMX 100 Plus	100mm inline extra power mixed flow fan	134.87
93081AW	XIMX 100 Plus T	100mm inline extra power mixed flow fan with timer	147.15
93082AW	XIMX 125	125mm inline mixed flow fan	147.15
93083AW	XIMX 150	150mm inline mixed flow fan	159.41
93084AW	XIMX 150T	150mm inline mixed flow fan with timer	171.64
SIMPLY SILENT DX150 - 6" / 150mm AXIAL EXTRACT FANS			
93070AW	DX150S	Two speed 150mm axial standard fan with square grille-front	64.46
93072AW	DX150TS	Two speed 150mm axial fan with timer and square grille- front	75.99
93074AW	DX150PS	Two speed 150mm axial fan with pullcord and square grille-front	75.99
93076AW	DX150HTS	Two speed 150mm axial fan with humidistat / timer and square grille-front	115.10
93071AW	DX150R*	Two speed 150mm axial standard fan with round grille-front	64.46
93075AW	DX150PR*	Two speed 150mm axial fan with pullcord and round grille-front	75.99
93077AW	DX150HTR*	Two speed 150mm axial fan with humidistat / timer and round grille-front	115.10
SIMPLY SILENT C6 - 6" / 150mm AXIAL EXTRACT FANS			
93170AW	C6S	Two speed 150mm axial standard fan with square baffle-front	87.49
93172AW	C6TS	Two speed 150mm axial fan with timer and square baffle-front	99.01
93174AW	C6PS	Two speed 150mm axial fan with pullcord and square baffle-front	99.01
93176AW	C6HTS	Two speed 150mm axial fan with humidistat / timer and square baffle-front	138.15
GX6 & GXC6 - 150mm / 6" AC AXIAL EXTRACT FANS			
071262	GX6EC	6" single speed kitchen axial extract fan 220-240V 50/60HZ with EC motor	162.02
071279	GXC6EC	6" single speed kitchen axial extract fan with pullcord 220-240V 50/60HZ with EC motor	106.73
GX9 & GX12 - COMMERCIAL AC WINDOW FANS			
89994AW	GX9	9" Two speed electro thermal shuttered axial extract fan	290.14
89995AW	GXC9	9" Two speed manual pullcord operated shuttered axial extract fan	240.98
90012AW	GX12	12" Two speed electro thermal shuttered axial extract fan	365.24
WX6, WX9 & WX12 - COMMERCIAL WALL FANS WITH CORRUGATED PLASTIC WALL-LINER			
071422	WX6EC	6" axial extract fan with plastic wall liner for through wall mounting	205.83
89996AW	WX9	9" axial extract/intake fan with plastic wall liner for through wall mounting	426.38
90011AW	WX12	12" axial extract/intake fan with plastic wall liner for through wall mounting	514.08
XPLUS 2 - MULTIPOINT DOMESTIC AND COMMERCIAL VENTILATION UNITS			
92430AW	Xplus 2 AC	Multi-point mechanical extract ventilation unit (AC motor)	235.85
92498AG	Xplus 2 EC	Multi-point mechanical extract ventilation unit with EC low energy use motor	444.46
92854AG	Xplus 2 EC RF	Multi-point mechanical extract ventilation unit with EC motor and RF wireless control	766.69
EVERDRI - POSITIVE INPUT VENTILATION			
110015	XEL Everdri	Positive input ventilation unit	448.44
110022	XELH Everdri	Positive input ventilation unit complete with heater	738.21
SYSTEM VENTILATION MVHR (VERTICAL)			
93333AW	NA Air 180 Plus	Vertical heat recovery unit with extract/intake spigots on top (max. 182m3/h)	1653.17
066978	NA Air 350	Vertical heat recovery unit with extract/intake spigots on top	3240.95
93319AW	NA Air 180 PH	Vertical heat recovery unit with extract/intake spigots on top (max. 182m3/h)	2177.91
066992	NA Air 350 PH	Vertical heat recovery unit with extract/intake spigots on top	3373.23
XID METAL INLINE DUCT FAN			
90104AA	XID200*	XID200 inline duct 220-240V 50/60Hz	196.24
90208AA	XID250*	XID250 inline duct 220-240V 50/60Hz	235.48

*While stocks last



Xpelair Controls

Item Code	Model No.	Description	List Price £ Excl VAT
Manual Override Switch			
90199AW	MOS	MOS Manual Override Switch	32.49
Timer Delay Controller			
21850AW	DT20B	DT20B Timer 220-240V 50/60Hz	62.83
Timer Delay Switch			
93343AA		Timer Delay Switch 240V	56.94
Remote Humidistat			
400000573	XRH	XRH Remote Humidistat	83.78
Change-Over Switch			
90108AW	COS	COS Change-Over Switch	24.08
Fan Controllers			
21868AW	FR22/30	FR22/30 Controller 220-240V 50/60Hz	99.81
21859AW	XCCL	XCCL Fan Controller 220-240V 50/60Hz	138.33
21854AW	EC6H	EC6H Fan Controller 220-240V 50/60Hz	172.14
Timer and Boost Switch			
90202AW	TBS	TBS Timer and Boost Switch 220-240V	34.42
Passive Infrared Sensor			
21871AA	XPIRA	XPIRA Controller 220-240V 50/60HZ	104.60
Xpelair Ancillaries			
Wall Ducts			
89543AA	WD100	WD100 Wall Duct - Single Ø100mm	13.61
Glass Mounting Kits			
90546AA	GMK	GMK Glass Mounting Kit (Premier)	25.49
07439AA	DXDG	DXDG Double Glazing Mounting Kit	13.13
GX Wall Kits WK			
89370AA	WK6/11	WK6/11 Wall Kit (Ø280mm/GX6)	23.51
89372AA	WK9/11	WK9/11 Wall Kit (Ø280mm/GX9)	30.16
Wall Vent			
89120AW	VK10	VK10 Wall Vent Kit 100mm	17.95
Wall Grille CFWG			
89857AW	CFWG150W	CFWG150W Wall & Soffit Grille White	14.83
Simply Silent™ 100mm Wall Kit			
92991AW	SSWKWR	SSC Round Wall Kit White	23.23
92992AW	SSWKWS	SSC Square Wall Kit White	23.23
92993AB	SSWKBR	SSC Round Wall Kit Brown	23.23
92994AB	SSWKBS	SSC Square Wall Kit Brown	23.23
Simply Silent™ Wall Adaptor Kit			
93061AA	SSWAK	SSC 150 - 100mm Wall Adaptor Kit	25.48
Simply Silent™ Window Kit Plus			
93235AA	SSWIN+	SSC Window Kit Plus	40.73
Simply Silent™ 150mm Wall Kit			
93190AW	SS150WKWR	SSC 150 Round Wall Kit White	35.82
93191AB	SS150WKBR	SSC 150 Round Wall Kit Brown	35.16
DX150 Wallkit			
93021AW	DX150WK	DX150 wallkit	31.27
GX Longer Length Ladder Strips			
89383AA	GXL20/50	GXL20/50 (Ladder Strips 50 Pack)	123.66
New Premier Adaptor Plate			
111685	XPAP	Xpelair Premier Adaptor Plate	12.48
Everdri PIV Ceiling Diffuser			
111067	XEL3SK	Intumescent Ceiling Diffuser for 3 Storey Buildings	84.20