# Shark VERTEX

MultiFLEX' DuoClean' PowerFins" Cordless Vacuum with Self-Cleaning Brushroll

OWNER'S GUIDE



Please read this manual carefully before operating your unit and retain for future reference.

814100333



FOR HOUSEHOLD USE DNLY + WHEN USING AN ELECTRICAL APPLIANCE, BASIC PRECAUTIONS SHOULD ALWAYS BE FOLLOWED. INCLUDING THE FOLLOWING. PLEASE READ ALL INSTRUCTIONS DEPORE USING THIS VACUUM

If the charging cord plug does not lit fully into the outlet, reverse the plug. H H still does not lit, comfect a qualified electrician. GO NOT force into outlet or by to modify to Ht.

To reduce the risk of shock and unintended operation, turn off power and remove the Li-lon bettery before servicing.

14. DO NOT use i induzi e en escessory.

un Lagar .

now wells

while absended on a

carpor fibers

\$1. DO NOT YARD NAVIO

2410705-01-121020

at Laguers

air de raisti ded il the ar catte or che rectoriste figali considerame classifici fichi che van un n<sup>el</sup> Porre ve

a l'obstractions de proyection le little

access from only, from, flingers in new red

15. Kaep port a and all vectum openings

 30 NOT user wich unit not working as his outs, or has been decored. comages inflictations, and appear

17. Use extra care when evening on stans.

10. DD NOT leave the securit unabended

Wile Lawtedon steet the vector nowing over the carbot services.
 a in merce and contenting the

20. DO NOT a per speciality on unity and

surfaces such as dhere or two es-

c) large objects bikard or sharp objects (glass thats)

c) Baryt quarti, es et dus, (r) duan y drywait treplace seb priember() BQ HQT ust as an abachment to

powarzok tokaz colektor. a) is nowing or our may object. (ho. coarsing meters)

22. DO NOT toward the following ereas: at Driedy Harres.

a) Species that ere and osed and may

vertischen dannt beint Unmierz.

83. Furnioff the vocuum between pagging in a until aging the chargo:

adjusting Expaning memberance of

24. The off the year many to heavy

mothercolling substances, or Lammabo dust)

contain explosive or toyle funds. a woalant terfudansan e

2 Wester den a welches

c) Culdocriarcas

roublest courgi

. Elemmania or compusitible macchais. (diabour fill it in a solution, or vertice to be w.c.materials C. Dr. iv blowth announced characteristics.

ev. a besy das i na

# ▲ WARNING

To reduce the risk of fire, electric shock, injury, or property damage:

#### THE FLOOR NOZZLE, WAND, AND ANNOHELD VACJUN CONTAIN ELECTRICAL CONNECTIONS:

- This resulting convists of a retoracid nosce, zane, and had neidy count. These components contain electrical connections, shortdolledding, and l may new took as a valuable view that at the case.
- Refore each the detection report all participates demand. Plaiparties earn, m.e. discensi perus...
- Use only per upon reclapament on tall
- 4. This year, in contains no serviceable parts. 2. Use only as described in this madus.
- DO NOT LEVEL ALCOHOLIST BY STATES. ether then those described in this inches. 6. With the exception of the Hard and this :
- cup BQ NOT expensionly facts of the second to the second of the second o
- Keep I, example not and its conditions of hearths in others. Do not allow the ability according on little DO NOT allow in the used as notice. Clought supervision is independently when used her on clar

### GENERAL USE

- This appliance can be used by the sairs. will receive a popular analysis a manucontributes on social soperance and knowledge in the base been given as some or concerns. up of the contents maintinway and encestand the heards may well Geeting and their melaberance shell not be marking children.
- A ways formed the observable are connecting or absorbed by any elemen-carrying books protected note exarguis, baller valor other steemed or medican onligation.
- DD NOT randle obg privatuum ern.
- JONOT typewit education in the state of property for place.
- Only use Shark retended there are accessed as Figure 2 daish will refer . ywarancy.
- 30 NOT victory objects in the reserver accessory openings, 20 NOT the win-ary eaching a caker; seen less of cusulno area da yone that has uduction flow

- Live rate 28. A local 1 fersion of dry conductely before replacing in the securities provent locks from being craws ma
  - electric person 27. DO NOT repuly or attained to repure the years in or the bartery courself, eccept estimated in the manual
  - DO NOT use the pattern or sacing of the his seminate ediction age.

    Demaged or notified calledes have ostlature edicted a between the life. r transvisore or skip marya
  - 28. Termellich der Geläube die endlagging 29. A ways turn off this about a realized one open online, or also modeling, majorized

#### negrie of field regi-DATTEDV BACK

- 30. The costs will the power source for the vacuum Carefully read and ly low of dranging manualisms.
- 5". To prevent unintentions when not shows the vacuum is prevented off before placent up or the year the account DO NOT omy inerpolation with your ingeniar the power waltch
- 18. The only Shall Accompted (17.048-04044). Ozeytym centy, clar go lawresalt in no charging, and/or unaste concilions. A charger that is subable for one hyperot packs may be called a subfirm when used will an all visualty youth.

- 23. Our nightbarn y chrock numer and numer.

  DO NOT chromotopis programmen new plants of strong strong strong and the strong str purchased in a second relations who had a strewards the fair of the building learning a large season.
  - 34. Under shipshe concludes the director according to the better a Associate fact. with instead as three date in taken or bons. If contact occurs, it sheets water if lightly consects eyes, see . 0.1.4 0.0
  - 86. Sutting profit multiplatorie of temperatures delow 3 G (37.4°F) or appear (4.6°C) to maintain en Lannasale's He
  - St. BO HOT drainy electory at temperatures series 200 (60%) per assess 10%0 (60%). Cranding implement on this monostrate and the fine and first raine make monose. the validity and increase the malibility.
  - 57. Store the appliance indoors BO NOT color where it below 350 (Mod 15). For the appliance is accommodification. pelore operating
  - 38. BO NOT expose the centery to major temperatures above 20041 (19050) esmy callise eschasian
  - 89. Test account of the with social culty. designated outlany pages luse or any pages perfect pages may chang a risk of mark and fire
  - 40. Piscomes, the bottery packing the november of deliber making any advertisers in larging accessed as, or was in proping as consider, or was in graph processed safety. castreareduce tier aviolate this tie. apprimate rate demailign
  - 4L Per 17462-4/07462H-0/17192H/ 7487H colon waster Shall, tectro wipadis 98387780


ramultoisi vastuum vetti.

4-50 Sansa 7-30 Sansa

## SAVE THESE INSTRUCTIONS

#### ASSEMBLY

- 1. Then Want on Hore Books 2. Them Baidhe d Vacuum no Ashdill
- Legisteri eris bre erinda segundis arvanja ayvanen ervatibet elektrici




Ducklass' Powerfilm

- · Accessory type and quantity may vary depending on the model. •
- The images shown in this manual are for illustrative purposes only and may be subject to change. •

#### LI-ION BATTERY

to without an eleven was chartery does not come fully diverged.  $\alpha_{\rm min}$  . Fig. (i.e., charge completely, One or the compact of the section of LLL and place of the recommittees the registron the battery LED BATTERY POWER AND CHARGING ING CATORS



#### Charging



TOTAL STATE OF THE PARTY

ANTER COLOR POR SOLICA SANCTION (Color Fall Charge in Color SAN

- 356 101 Linge 100 Low Charge MO Avalo (III) kn note (III) Charge

#### RECYCLING THE LITION BATTERY

the prostoculous of the control of the process of the state of the state of the control of the best of the state of the st

When your Lithlay 101, Power Pack Sattery needs to be replaced, placed of their recycle it in accordance with wording, at one in a receive week the diagram data committee, with himself of the bin or in a municipal solid wording, at one in as we week this diagram data accommittee, with himself of the bin or in a municipal solid words one of the conditions are been accommitteed as a positive system of the for recycling. Contact words with the data accommittee to the condition of the system of the system of the system.


To charge, remove the handheld vacuum from the wand by pressing the Wand Release button and pulling up. Plug the charger into the charging port.





	(24494) (2449)	12462H/ 02462H3	(24834) <sup>/</sup> (24834 <sup>-</sup>
Hand Vac	50	60	120
Bare Floos/ Standard Hode	34	34	60
Carpet Hode/ Standard Hode	23	23	46
Boost Mode (Hand Var)	10	10	20

#### CHARGING THE BATTERY


#### JSINS THE LI-ION CHARGER







is profit a succession of the group of the set that Mr HT-LEA Wasel Unlock Lates we to fold on the or that is some think or not be exact on exact obtained and other Rug tree charges into the charging doctors the




by colleged of the mode faith removement and observed Ward Science action by details the control of the college faith of a removal to the college faith of a removal of the college faith of a removal of the college faith of the college faith

IN HAR SHALD WAS IN



There is a new two bids provided to the Matring Release Buttlers, there is the butters better. Along the change for the the results of the matrix of the the results of the transfer that butters are the second of the transfer to the change of the transfer to the change of the transfer that butters are the change of the chan

#### SETTINGS




Slide switch to the bottom to turn off power To begin vacuuming in **Standard Mode**, slide switch to the desired setting.



Hard Floor/Small Area Rugs small area rugs.




he brushrolls spin faster to pick up debris below the surface of your carpets




For an added boast in extent put the Trigger on the handledd Newurr, Addays I, lwrd., mw normal power

#### CLEANING MODES




To crean Hours, prains four on floor recipie and the hamiltook various took.

MOTE Supports will not proper what the handhald spream of their back




ely the accelerative onlines of a the base of the orannin i Travoria Karabia ara sa 1355 150, okun menderalara umburu eta eta 1 155, dan masa




A section of contraring management to move of well as the location of the location of the ward, shows the development of the contraring of was 10. robyning parapoereb ica ling land Aindes-alls, and office in a record of the


MOTA Claim was was enoughtful with internal manufacturing transport




Press the unique laten on the back of the word. then adjust the wingle.



MULTIPLEX STORAGE




To put the vacuum in storage mode, press the unlock latch while folding the handheld vacuum




To take the vacuum amofactorage made in so the unlock later and 11 option or 11 to 30 or 10 to 30 or 1

#### MAIN IAINING YOUR VACUUM.

### ENPTYING THE DUST CLP



converses rather than a little month of the banking all was one from the work-




Exemply in Set Capabile Landached The In other the other see that the district of the Person of

Turbon terminan minuses a communication was serviced at the Richard Strategy to a large service service service service service services s

•

2

#### REMOVING AND CLEANING THE DUST CUP



It is now if the extreme the conductor to a pressure of the Capital Ca cYto wnos

There is you do not define that the substitute of the contrast of the C ann Total Nim T accordance to

NOTE: In order to ensure the highest possible standard for refurbished items, all units are thoroughly inspected as part of the process. For this item, water may be used during the refurbishing process and so; you may notice some condensation in the water reservoir. It is recommended to rinse the water reservoir with fresh water prior to its first use.


#### CLEANING THE - LIERS

#### Regularly risss and replace the filters to maintain your escusion a suction power.

crisma the may be reflected by the Alice III technic incompletely but a certificial constitution of construction as a figure tractice of the construction of the construction.


Jacobs are noted from an experience of the construction of the district expensions again the off two of the constructions of the construction of the c

INSOCRATE NO NOTE IN Over other exercises the West Conservor of



Pressure dust our release button are remove the declaration of the many and left they are of the the form of the control of the control of the back of the durbane. Just will not function if Fort Black of the durbane, Justice I not function if Fort Black in a non-control or





 $\delta a_1 \otimes a_2 \otimes a_3 = a_3 \otimes a_4 \otimes a_$ 





Port Motor! (Text 1 lbs

#### FLOOR NOZZLE


flams hair is wrapped around the brushroll, continue cleaning using the "Aupt or attraction or the reservance." 

- . Turn off the vacuum
- 2. Using a coin, turn locks counterclockwise to open, then lift off cry. In ... any ... . . . . . . . . . .
- Clear airway of blockages.
- Replace cover by sliding inserts into slots, then pressing down finity and a div. bakes bunder tooks clockwise to close, until they click securely into place.
- 5. If light on floor nazzle is red, see Troubleshooting section for resz udor.





### CLEANING SOFT ROLLER




- remove the Soft, to Kinforn Jik (Kuzio, S. 1), S. U.
- Tap bose debris of the SMI Parkin Last some law to a semi-size depth and to renewally valent as girll in the teath behind the  $f \in [-AJ]_{\mathcal{P}}$
- 3. Hand wash the Soft Poller as resided Used by separations on
- 4 Reinstall the Soft IN4 + II - - In-

• The images shown in this manual are for illustrative purposes only and may be subject to change. •

#### CHECKING FOR BLOCKAGES.

#### Checking for Stockerey In the Hendheld Vacuum: 1. formal services. 2. Periodo los barens divada, militari divinans.



als Control for the seeings for the large order to endepth or pleasure

#### Checking for Markager in the Winds Standard Wand

- 1. from the reserve
- 2. Remove the hank d d vacuum and flee
- 3. Check intake opening for blockages and di I.
- 4. Clear away debrig :-: blockages.
- Hult FLCX: Wend:
  - No. of the Account 2. Remove the handhald from the wend.

TECHNICAL APPOINGATIONS  $\forall b \text{ tage} = 252 \text{ VBC}$ 

KSTIFMS 4ENDVS AND DIRECTAL

SherkNing Operating LLC:

This productions at this miles exchanged and recycle big batters. When the battery so topics he dis a change, it about the removed from the vacuum and recycled DO NOT inches it or compositions bettery

With given there can be reconsided, and associated quint efficiency of the constitution with the distribution of the constitution of the constitut

This returns risk differ from actual and dist. We the constraint strain is numerical endoughs. The other is expected that is continued the other the subject to diverge without notices.

© 2021 Chardying Coestion LLC ELK CLEAN HULF FLCk and CLAPAC even steep index yets of Chardying operating Loc CLUAN CLUB COMMEN Name Of the Charles for the Notice than 1990 August 1991 (1992).

Contact your poal recycling center for information or where to drop off the spant sectory. This Gwile Ni Guide is distincted of bibliogen in Content to Teleforal distribution of Scial Low-

For StimPNings J.S. Abant Information, visit anatomy.com/uspatents.

- - Con Chry Various Hotel Andrew Hotel Andrew Hotel TX washing at the same by Andrew Hotel Advanced Hotel Andrew Hotel Hotel Andrew Hotel Hotel Andrew Hotel Hotel Hotel Hotel Hotel Andrew Hotel H
  - 4. Commissions are the region

#### Checking for Blocks gas in the Floor hazzle:

- 1. Turn off vacuum
- 2. Detach the wand
- 3. Use the edge of country or an architecture in the bottom of the fire covers
- 4. Remove the congrue Ullback indicate in allege
- Check the medical way runded sto youth.
- Butter the control of the material state of the large than the large of the state of the large than the larg

#### TROUBLESHOOTING GUIDE

### ▲ WARNING: To reduce the risk of shock and unintended operation, turn off power and remove the Lithium ion Power Pack leaftery before servicing.

#### Veces in terroliciditing up celebrit. No suction on light eaction. You de light is red. (voter to shocking for blockings) section for mails (demonstrate)

where the constant representation up below a dominate in the equation approximately  $\theta$  . When the vector partition is the vector  $\theta$ 

- Custicus may be full empty outsidus.
- Chack from sorble for Nobloged, clearly or regar if required.
- Micromosony Amigin such the condition of the contract say, in wayperties and recting of the where the debaggs under which is a small many , a disk is loop with the special sector  $\phi(x)$
- contract with a contract the ages and the regenter.

Vacuum Bitrieres legs. Vacuum binot laming on Noosle Bijht is binking red.

- Making war in the consequence of the consequence of the consequence of the sequence of the seque

- Turn of the unit tak congage the bound by and least to the cover/selection  $c_{2} \to \infty$ arestvo (udo not ectu.

of monotolity and the wave on the monotoly condensation and the options of more 4 to 1944 to the Because on wave on the chart to compute the conduction appears to the given and constant. contact, a service contact.

1. The form the defect contact place are many contact, has being a service or contact and contact place are many contact.

has right solution which are need at Tay disconnecting and matter highly the place. The t=0 t is the derivat Lambarra consequence solutions at two


#### Vacaum burns off on Halpers.

- The elements are possible reacons for the Habitan Carring officinity daily including the Largue, (within yo tall, and six angles are toward in a mar, administrative series and design of the warm are stack than they administrate the transfer are still design, as the
- represents the respect make sure the power/be approximated on the vector is given by the theory at the charge  $\mu$
- Propy actions of the traces of supplies articles of the original Paragraphs
   Supplies the traces of the opening authorises in the date.
   A Green trace of the contribution of the opening of the opening articles.
- s. Illindrati vari manaren elektroaria silati.

NOTE: "Well your lates no species operate conscious visit certain."

#### fellowy lade doe lights on herdackt sectors as: the blog-

(B. Harri Mary International Company of the comp (Pliop 3 or cottom 2 USS fights are faithing (Fig. 3. Fig. 5), contact a service center



**Elbrd**: J.M. / **SC**: 12-12-2024

OBPN: IZ400Series\_IB\_REV\_Mv6

SHDML: IZ464H B **ADD**: IZ440 IZ460 IZ480

PRINTED IN MEXICO



Please be sure to read the enclosed Shark Owner's Guide prior to using your unit.


# QUICK START GUIDE


## WHAT'S INSIDE

- Handheld Vacuum
- **B** Motorized Floor Nozzle
- @ MultiFLEX Wand
- @ Pet Multi-Tool
- **3** Crevice Tool

0

- @ Li-lon Charger
- G HEPA Post-Motor Filter (Pre-Installed)









- 1. Insert Wand into Floor Nozzle.
- 2. Insert Handheld Vacuum Into Wand

For proper operation, ensure all components are completely connected and clicked into place


The images shown in this manual are for illustrative purposes only and may be subject to change.

Accessory type and quantity may vary depending on the model.

PRINTED IN MEXICO Elbrd: J.M. SC: 01-05-2024 SHNMDL: IZ484H\_B

OBPN: N/A





O