


# INSTALLATION

LED POWER SUPPLY - QTM-eLED+0-10V




## Housing





ISOMETRIC VIEW

BOTTOM VIEW



NOTE: Bracket can also be mounted (Top & Bottom) for Vertical Mounts.

## Mounting Options



NOTE: Rods not included.


# INSTALLATION LED POWER SUPPLY - QTM-eLED+0-10V



## Driver with Dimming Module

### QTM-eLED+0-10V

: for interior



# INSTALLATION

LED POWER SUPPLY - QTM-eLED+0-10V



## CSA Requirements

- Suitable for Indoor use
- This power supply must be installed according to the National Electric Code and local codes and ordinances and in accordance with applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
- Wear rubber shoes and work on a sturdy wooden or fiberglass ladder.
- This power supply is to be installed in a location where it is not likely to be contacted by non-electricians.
- To avoid a hazard to children, account for all parts and destroy all packaging materials.

| QTM-eLED                                                                                                                                                                                                                                                                                                                                                                                                      |                   |                   | INPUT VOLTAGE                                                                                                                                                                                                                                                                                                                                                         |                              | OUTPUT VOLTAGE                                                                                                                                                        |     | CONTROL TYPE                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                               |                   |                   | 120V - 277V                                                                                                                                                                                                                                                                                                                                                           |                              | 12V                                                                                                                                                                   | 24V | 0-10V                                                                                                                                                           |
| Model                                                                                                                                                                                                                                                                                                                                                                                                         | Input Voltage (V) | Input Current (A) | Frequency                                                                                                                                                                                                                                                                                                                                                             | Nominal Output Voltage (VDC) | Nominal Output Wattage (W)                                                                                                                                            |     | DMX                                                                                                                                                             |
| QTM-eLED-60                                                                                                                                                                                                                                                                                                                                                                                                   | 120 / 277         | 0.60 / 0.29       | 50/60                                                                                                                                                                                                                                                                                                                                                                 | 12                           | 60                                                                                                                                                                    |     | WD                                                                                                                                                              |
| QTM-eLED-120                                                                                                                                                                                                                                                                                                                                                                                                  | 120 / 277         | 1.20 / 0.58       | 50/60                                                                                                                                                                                                                                                                                                                                                                 | 12                           | 120                                                                                                                                                                   |     | TW                                                                                                                                                              |
| QTM-eLED-180                                                                                                                                                                                                                                                                                                                                                                                                  | 120 / 277         | 1.80 / 0.87       | 50/60                                                                                                                                                                                                                                                                                                                                                                 | 12                           | 180                                                                                                                                                                   |     |                                                                                                                                                                 |
| QTM-eLED-100                                                                                                                                                                                                                                                                                                                                                                                                  | 120 / 277         | 0.95 / 0.40       | 50/60                                                                                                                                                                                                                                                                                                                                                                 | 24                           | 100                                                                                                                                                                   |     |                                                                                                                                                                 |
| QTM-eLED-200                                                                                                                                                                                                                                                                                                                                                                                                  | 120 / 277         | 1.90 / 0.80       | 50/60                                                                                                                                                                                                                                                                                                                                                                 | 24                           | 200                                                                                                                                                                   |     |                                                                                                                                                                 |
| QTM-eLED-300                                                                                                                                                                                                                                                                                                                                                                                                  | 120 / 277         | 2.85 / 1.20       | 50/60                                                                                                                                                                                                                                                                                                                                                                 | 24                           | 300                                                                                                                                                                   |     |                                                                                                                                                                 |
| <ul style="list-style-type: none"><li>• Type Ic Recessed, Inherently Protected<br/>Type IC ENCASTRE, PROTECTION INHÉRENTE</li><li>• For Supply Connections Use Wire Rated For At Least 60 C.</li><li>• Not for use with dimmers<br/>NE CONVIENT PAS A DES GRADATEURS</li><li>• Suitable For Damp Locations<br/>CONVIENT AUX EMPLACEMENTS HUMIDES</li><li>• 50/60 Cycle</li><li>• Class 1 or Class 2</li></ul> |                   |                   | This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.<br><br>CE PRODUIT DOIT ÊTRE INSTALLÉ SELON LE CODE D'INSTALLATION PERTINENT, PAR UNE PERSONNE QUI CONNAÎT BIEN LE PRODUIT ET SON FONCTIONNEMENT AINSI QUE LES RISQUES INHÉRENTS. |                              | LOW VOLTAGE LIGHTING SYSTEM<br>Q-Tran, Inc.<br>CLASS: 3425 - 15<br>3425 - 95<br> |     | <br>Q-TRAN, INC.<br>MILFORD, CT U.S.A.<br>(203) 367-8777<br>WWW.Q-TRAN.COM |